

75c (8/3)

APRIL 1971

# AMERICAN aircraft modeler

Two different RC jobs sharing  
the same wing  
**Grouper** and **Mustang**

Ready-to-use  
**Tenderfoot  
Plans**


Karlstrom-Berliner story  
on the great  
**Lockheed P-38**

New for racing: **an Owl named Pogo**



# Scientific Wood-ship models...

Authentic museum quality models with carved wood hulls & precision metal parts. These superb Scientific wood ship models are historically authentic in every detail... with all the fine craftsmanship features found in museum display models costing hundreds of dollars. Every kit includes all necessary parts to complete model plus assembly plans, metal nameplate and wood display stand.



**CUTTY SARK, CLIPPER SHIP.** The most famous "Clipper" of all times — the sleek, trim Cutty Sark... now available in two sizes... both exact scale replicas of the original. Both include realistic cloth sails.

**\$9<sup>95</sup>**  
Kit 174 15" model  
**\$18<sup>95</sup>**  
Kit 163 23" model



**Kit 177 THE GOLDEN HIND** Flagship of Sir Francis Drake. Disguised as a Spanish Galleon, this was the first English Ship to circle the globe (1577). Features full color designs printed on authentic cloth sails. Length 20" height 15"

**\$21<sup>95</sup>**



**Kit 171 SEA WITCH.** Clipper ship. Cloth sails included. Length 24 1/4" **\$18.95**



**Kit 170 U.S.S. CONSTITUTION.** Old Ironsides. Fought 40 battles, never lost one. Length 14 1/4" **\$9.95**



**Kit 168 EAGLE.** U. S. Coast Guard Training Ship. Cloth sails included. Length 13" **\$8.95**



**Kit 173 1910 MAXWELL.** 1/4" scale. Not a plastic model — but an authentic scale model with hand crafted metal and wood components. Display stand included... **\$12<sup>95</sup>**



**Kit 166 U.S.S. KEARSARGE.** Civil War Gunboat. Cloth sails included. Length 27" **\$21.95**

**Kit 165 SOVEREIGN OF THE SEAS.** A majestic Clipper ship of 1852. Length 23 3/4" **\$18.95**



**SCIENTIFIC MODELS, INC.**

111 Monroe Street

Newark, New Jersey 07105

**SEE YOUR DEALER.** If kits are not available at dealer, you may order direct from factory adding 50¢ for postage and handling. Outside U.S.A. add \$1.00.

# Scientific Control-line flying models...

they're almost ready-to-fly . . . You're on the flying field F-A-S-T with any one of these Scientific control-line sensations. What's the secret? It's our famous "buy it tonight . . . fly it tomorrow" design . . . every kit shown has a one-piece fully carved balsa body (fuselage), pre-shaped one-piece wing and all preformed parts that practically assemble themselves. Easy to follow, step-by-step assembly plans come with each model. They're all designed for any of the small size gas engines, .020 to .074.



**STUNTMASTER**  
One of America's most popular models that's won many a competition for stunting. 18" Wingspan.

**\$3.95**



**Kit 60 STUKA DIVE BOMBER 18"**  
Scale model of W.W. II fighter \$3.95



**Kit 95 PIPER CUB TRAINER 18"**  
Famous private trainer \$3.95



**Kit 48 GOLDEN HAWK 18"** A great model for fun flying \$3.95



**Kit 59 P-40 FLYING TIGER 18"**  
Famous W.W. II fighter \$3.95



**Kit 30 RED DEVIL 18"** Great training model for beginners \$3.95



**Kit 6 CESSNA BIRD DOG 18"** Scale model U. S. "Flying Jeep" \$3.95




**Kit 54 CESSNA "182" TRI-CYCLE**  
High performance private plane \$3.95



**Kit 14 PIPER TRI-PACER 18"** with popular tri-cycle landing gear \$3.95



**Kit 28 LITTLE DEVIL 18"** Fast, easy to fly, great performer \$3.95



**Kit 7 CESSNA "180" 18"** Model has good looks, great speed \$3.95



**Kit 53 RED FLASH 18"** Model has sleek looks, good control \$3.95



**Kit 8 PIPER CUB CRUISER 18"**  
Most famous of all Piper Cubs \$3.95



**Kit 65 ZIG ZAG 18"** A stunt sensation, great looks too \$3.95



**Kit 18 LITTLE MUSTANG 18"** Fast easy to fly semi-scale model \$3.95



**Kit 29 LITTLE BIPE** Big 70 sq. in. wing area, 2 preshaped wings \$3.95

HERE'S THE COUNTRY'S HOTTEST

## rubber flying model *Sky Master*


**BIG 36 INCH WINGSPAN**

**YOU FLY IT A MILE . . .** with truly amazing performance like you never thought possible. Big deluxe kit includes Hi-Thrust Propeller, Formed Leading and Trailing Edges, Formed Wire Parts, Pure Contest Rubber Drive, Colorful Decals and Full Size (44") Easy to Follow Plans.

**\$4.95**

**KIT 160**

Featured in the Movie  
"THE LONG FLIGHT"



Send for our big colorful catalog . . . only 25¢

SEE YOUR DEALER. If kits are not available at dealer, you may order direct from factory adding 50¢ for postage and handling. Outside U.S.A. add \$1.00.

# Start right finish right with Hobbypoxy

Whatever you build, Hobbypoxy can do it better! The unique qualities of Hobbypoxy epoxy glues give you stronger structures and provide a perfect base for finishing. The "Easy-Does-It" method lets you achieve professional results with all model building materials — balsa, foam, fabric or metal. And for the final touch, try Hobbypoxy epoxy enamels. The true epoxy finish formulated especially for model use. There's only one way to get a "Hobbypoxy finish". Do it!

**HOBBYPOXY ENAMELS** — the two-part epoxy coat  
¼ pint \$1.00; ½ pint \$1.50

## PART A

Clear (H-08)	Cub Yellow (H-49)
White (H-10)	Int'l. Orange (H-56)
Light Blue (H-26)	Bright Red (H-85)
Dark Blue (H-24)	Dark Red (H-66)
Sinon Green (H-33)	Black (H-81)
Silver (H-93)	Fire Orange (Fluorescent) (H-53)

## PART B

Gloss Hardener (H-02)	Satin Hardener (H-04)
for highest gloss	special low-gloss finish

Thinner (H-07): ½ pint \$1.00; quart \$1.60  
Filler (H-90): ½ pint \$1.00; pint \$1.50  
Stuff (H-50): ½ pint \$1.00

**HOBBYPOXY EPOXY GLUE** — sold only in sets

**FORMULA 1 (H-51)** — working life 15 mins. cures hard in 1 hour. Improved, "tree-flowing" \$1.00

**FORMULA 2 (H-52)** — working life 45 mins. cures hard in 3 hours. Big plastic tubes, 8 ozs. \$3.00

**FORMULA 4 "Quick-Fix" (H-54)** — working life 4 mins. cures hard in 15 mins. Fast acting, flexible, for field repairs and construction. Five foil packets/\$1.00. Now available in tubes! Two-tube set (2 oz. net wt.) \$2.00

## 'EASY-DOES-IT' SUPPLIES

Glue Knife (EDS-1) — 75¢  
Scraping Blades (EDS-2) — 5/80¢  
Scraping Blade Holder (EDS-3) — 40¢  
Easy-Does-It Cloth (EDS-4) 36"x48" — \$2.50  
Easy-Does-It Cloth (EDS-5) 6"x36" — 50¢  
Polyfoam Sponges (EDS-6) 2½"x3½"x½" — 4/20¢  
Balloons, Small (EDS-9) — 6/50¢  
Balloons, Medium (EDS-10) — 6/60¢  
Balloons, Large (EDS-11) — 6/75¢  
Tack Rag — 35¢

All Hobbypoxy products are in stock at leading model shops. Look for them. If your dealer can't supply you, order direct. Use this as a checklist, be sure to include your name and address and 25¢ to cover handling. Ask for brochures. (New Jersey residents please add 5% state tax).

# hobbypoxy products

A Division of  
Pettit Paint Co., Inc.

507 Main Street, Belleville, New Jersey 07109

# AMERICAN aircraft modeler

COVER PHOTO: Bob Buenzly's brightly MonoKoted Nesmith Cougar control line scale model (page 25) is held by his mechanic and fiancée, Janie Bergenback. Shiny finish is typical of many homebuilt aircraft. Transparency by Charles Cortright.

**WILLIAM J. WINTER — PUBLISHER**  
Kathryn Conover, Editorial Assistant

**EDWARD C. SWEENEY, JR. — EDITOR**  
Eleanor Swavely, Editorial Assistant

**VOLUME 72, NUMBER 4**

**APRIL 1971**

## Articles:

<b>GROUPEUR</b> , Bud Phillips .....	14
<b>MUSTANG</b> , Dick Carman .....	15
<b>SBD DAUNTLESS</b> , Paul Schaff Jr. ....	20
<b>OWL RACER</b> , Don Berliner .....	22
<b>NESMITH COUGAR</b> , Robert Buenzly .....	25
<b>THE P-38, BEST OF THE TWINS</b> , Don Berliner .....	28
<b>FOR THE TENDERFOOT: STRINGLESS WONDER</b> , Bill Hannan .....	44

## Features:

<b>ON THE SCENE: U.S. AIR FORCE CHAMPIONSHIPS</b> , John Blum .....	12
<b>PULSE RUDDER-ONLY FLYING TECHNIQUES</b> , Chris Soenksen .....	32
<b>WHERE THE ACTION IS</b> .....	36
<b>MRC TWO-CHANNEL RADIO—MCE SIDEWINDER INDY WEDGE</b> , Fred Marks and Wendel Green .....	49
<b>GETTING STARTED IN RC</b> , Howard McEntee .....	50

## Academy of Model Aeronautics:

<b>RC WORLD CHAMPIONSHIPS DETAILS</b> .....	55
<b>AMA NEWS BITS</b> .....	58
<b>BY-LAW REVISIONS</b> .....	59
<b>CONTEST CALENDAR</b> .....	60
<b>AMA NEWS EXTRA</b> .....	61
<b>OFFICER DIRECTORY</b> .....	62

## Departments:

<b>EDITORIAL—STRAIGHT AND LEVEL</b> , William J. Winter .....	6
<b>YOU SAID IT—LETTERS TO THE EDITOR</b> .....	8
<b>NEW PRODUCTS CHECK LIST</b> ....	52
<b>CLASSIFIED ADVERTISING</b> ....	89
<b>QUALITY HOBBY SHOPS</b> .....	90

This magazine has 90 pages, including pages 62A and 62B.

Published monthly by Potomac Aviation Publications, Inc., 733 Fifteenth Street, N. W., Washington, D. C. 20005. William J. Winter, Publisher; Edward C. Sweeney, Jr., Secretary; American Aircraft Modeler Business Manager, Harvey E. Cantrell.

## ADVERTISING DEPARTMENT

733 15th St., N. W., Washington, D.C. 20005 (202) 737-4288

Western Advertising Representative: Aaron D. Viller & Associates, 5311 Venice Blvd., Los Angeles, California 90019. Tel: (213) 939-1161

Midwest Advertising Representative: Boynton and Associates, 482 Rugby Rd., Barrington, Ill. 60010. Tel: (312) 381-7726.

Subscription Rates: In U. S., Possessions and Canada, 1 Year, \$7.50; 2 Years, \$14.00; 3 Years, \$20.00. Elsewhere, \$9.00 for one year. Payable in advance. Single copies, 75 cents. Six weeks are required for change of address. In ordering a change, write to American Aircraft Modeler, 733 Fifteenth Street, N. W., Washington, D. C. 20005. Give both new and old address as printed on last label.

We cannot accept responsibility for unsolicited manuscripts or artwork. Any material submitted must include return address. When writing the editors address letters: Editorial Office, American Aircraft Modeler, 733 Fifteenth Street, N. W., Washington, D. C. 20005.

Second class postage paid at Washington, D. C. and at additional mailing offices.  
©Potomac Aviation Publications, Inc. 1970. All rights reserved. Printed in the U. S. A.  
Postmaster: Send Form 3578 to American Aircraft Modeler,  
733 Fifteenth St., N. W., Washington, D. C. 20005.


ANY  
BOOK

99¢


Values to  
\$15.00

PLUS SHIPPING

with Trial Membership in the Jeppesen Aviation and Space Book Club and your agreement to buy just four other Selections or Alternates (books, maps, wall prints, etc.) over the next two years — all at very large Member Discounts (as much as 70% off store prices).




**AVIATION HALL OF FAME** (No. 3213). Nut-by-Bolt descriptions and history of three of the most famous aircraft that ever flew — the F-4 Phantom, the P-47 Thunderbolt and the Douglas DC-3. Includes photographs, diagrams, performance information and "how-to-fly-it" info never published in this form before. Regular retail price ■■ three separate hardbound volumes, \$15.00.




**THE SEARCH FOR AIR SAFETY** (No. 3215). How our air crash investigators have solved over 100 "mystery" disasters caused by equipment failure or pilot error. Learn about turbulence. Latest collision avoidance systems. The new "machined wings" on 707s, DC-9s (a step backward?) New jet fuels — are they safer? The airlines' secret accident information exchange. Much more. Retail price \$7.95.



**WEATHER FLYING** (No. 3221). Captain Robert N. Buck gives you a practical look at weather from the cockpit, in the most unique and thoroughly useful book ever written on weather flying! How to plan a flight. Why forecasts are sometimes way off. Instrument flight and maneuvers. How to handle those nasty "surprises." Thunderstorms, ice, freezing rain, CAT, low visibility. How to fly out of the "tight ones," etc. Retail price \$5.95.



**THE BLOND KNIGHT OF GERMANY** (No. 3220). The story of Luftwaffe Major Erich Hartmann, the most successful fighter pilot in history — with a staggering 352 victories to his credit! An incredible marksman, his combat tactics were entirely unique and his maneuvers virtually paralyzed his adversaries. He entered combat more than 800 times. Retail price \$7.95.



**UNARMED AND UNAFAID** (No. 3223). This first book on aerial reconnaissance covers the pilots (including Francis Gary Power's story), the planes (the U-2, fantastic new SR-71, etc.) the cameras that can see a golf ball 9 miles away... unbelievable radar "ears" and other computerized electronic gear. The complete story of reconnaissance in Vietnam, Cuba, Korea, over the "cold war countries"... the World Wars... even from outer space! Retail price \$7.95.

## Huge Discounts, Free Subscription, Many Other Benefits...

You may choose one of the volumes described in this announcement for 99¢ plus shipping (total retail values to \$15.00) if you try a brief membership in the Jeppesen Aviation & Space Book Club, and agree to buy only 4 Club Selections over the next 24 months. Selections cover the entire aerospace field, with books, prints and other items relating to aviation's past, present and future... military flying... lavish picture and fact books for collectors and modelers, etc. These Club Selections are always offered to you at great discounts — 15% — 25% — 50% — even 70% off regular store prices.

There are many other membership benefits too: access to aviation books that are difficult to get in most stores... a FREE subscription to VAPOR TRAILS, the Club's official monthly publication — filled with news and articles of importance to anyone interested in flying, as well as informative book and product reviews. And special services and activities for members — prints and posters — extra free books and super-bargains such as the ones offered with membership in this announcement.

Come fly with us! Choose the book you want for just 99¢ plus shipping and sample the pleasures that our Aviation Book Club members enjoy. Mail Form to The Jeppesen Aviation & Space Book Club, 8025 E. 40th Ave., Denver, Co. 80207.

JOIN HERE

## \*\*\*\*\* TRIAL MEMBERSHIP FORM \*\*\*\*\*

**JEPPESSEN** AVIATION & SPACE BOOK CLUB  
TIMES MIRROR 8025 East 40th Avenue, Denver, Colorado 80207

### HOW THE CLUB OPERATES

Every month the Club offers a new Selection and Alternates at member discount prices. All are described in VAPOR TRAILS, the Club's official publication. If you want the monthly Selection, do nothing and it will be delivered to you automatically about one month later. If you don't want it (or, prefer one of the many Alternates) you instruct us accordingly by using a handy form always provided. **GUARANTEE:** If not delighted when your first Selection arrives, just return it. We'll cancel your trial membership and you can forget the whole thing!

Send the book I am selecting below and bill me later for 99¢ plus shipping cost. Enroll me as a Trial Member in the Aviation & Space Book Club. I understand that I will have all these rights and privileges of Membership: I can buy books, maps, wall prints, etc. at discount of up to 70% plus shipping. I need buy only 4 Selections over the next 24 months after which I am free to resign any time. I understand I will receive a Free subscription to VAPOR TRAILS, the monthly Club publication, describing latest Selections, Alternates and other items available at discount from the Club. If I want the monthly Selection, I will do nothing and it will come automatically about a month later, and you will charge my account at the Club's discount price. If I don't want it or prefer an Alternate, I will say so on a handy form you always provide. (NOTE: Membership open to residents of the U.S. and possessions, Canada and Mexico only.)

SEND ME THIS BOOK:

AM 17

# Title

Name

Address

City/State Zip



## Straight...and Level



The aeromodeling world is a lot more than just models and flying.

NEW YEAR'S DAY as this is written, is a good time to catch up with some of the more pleasant things about this hobby. So we talk of people, men who have made unsung contributions to this model world.

By summer, more famous modelers will be nominated for the Hall of Fame. While past selections managed to include a few bigger-than-life figures of the past, there were, as we're all aware, many fantastic people, who dwarfed by their achievements most of the things that pass these days for accomplishment. It is fitting that one of these mystical figures from the past should be honored in each year's Hall of Fame selection. Typical of their day, these men were skilled craftsmen, mechanically sophisticated jack-of-all-trades personalities, who often mixed full-scale and modeling. None was more typical—if genuine greatness can be called merely typical—than William T. Thomas who died in July of 1966.

Bill Thomas Sr., who shared an avid modeling career with his son Bill Jr., is best remembered for the Thomas Brothers Airplane Co., of Ithaca, N. Y., prior to World War I, and then for his association, beginning during that War, with the Morse Chain Company, to form the Thomas-Morse Company. Between 1910 and 1922, the various Thomas companies produced 22 different aircraft. Thomas Morse, best known for the stubby MB3 produced in quantity by Boeing before their own fighters, was sold to Consolidated Aircraft in 1922. Famous in its own right under Rueben Fleet (note that last name), Consolidated, located in Buffalo for a long time, went to the Coast, where it eventually became General Dynamics and made Convair a mid-century giant.

An active modeler since 1937—and he probably built models from the very beginning—Bill and his son built what was perhaps the first operable Wankel engine in this country. Under the fascinating headline, "Flapper's Flight Flabbergasts Fabricators" a Florida paper some years ago described a 1 1/2 mile flight of a gas-powered ornithopter with a nine-foot wing span—and the best we have done otherwise this far are those little rubber-powered novelties. The two Thomas's released the ornithopter from the Ormond Beach Airport on its first test flight and off it went, on a high beeline across the sky. It looked just like a pelican, said Floridan Bill Thomas. The Thomas's did fine in competition free flight, too—the "simple" stuff.

Born in Rosario, Argentina, and a civil- and mechanical-engineering grad from London's Central

Technical College in 1908, Bill flew his first airplane with a 22-hp engine in 1909. With his brother Oliver, he then founded the Thomas School of Aviation in Ithaca—the first chartered by the New York State Board of Regents. From 1910 to 1922 his aircraft set many records, including an endurance record in 1912, and broke Lincoln Beachey's altitude record. An astronomer, as is son Bill, he was active as an amateur in the Daytona Beach Stargazers Club, which met twice a month in his home. He was one of a group who, in World War II, helped meet a shortage of optical prisms which he made in his home workshop. He was a founder of the Aero Club of Great Britain and Ireland in 1908, an Early Bird and, among other things, a former district vice-president of our own Academy of Model Aeronautics. To the Nominating Committee for the Modeling Hall of Fame, Bill Thomas, Sr., should need no introduction.

THE HOBBY SHOP that Went to Church should be one of this year's warmest stories. For us, it began in 1953 when Rich H. Palmer told us about his ambitious plans to open on Route 46, Parsippany, N. J., an unusual hobby shop with adjacent flying circles and even a lake for model speed boats. Thousands of weekend drivers, who did doubletakes as they flashed by, stopped and were introduced to modeling. New highways and a 200-room Holiday Motel crowded him out. Last spring, Rich announced the building of a 6600-sq. ft. two-story hobby shop for trains, planes, boats, rockets, cars, plastics, and packaged craft items.


What is it they say about the best laid plans? As Rich puts it, "the roof fell in."

Red tape. He got around the stubborn town fathers with a stipulation that he clear it with the state because of being near a river. The state took three months to clear Rich of a flood control zone. By August last year, the money market tightened and the mortgage money people backed out. Time had run out, and Rich had to find an existing building.

You've guessed it. Rich found an unused church, built in 1851. On the front he hung a sign, "Toonerville Tower." A Model Museum will be on the lower level—oh, yes, the bell still rings. One wing will be modernized into a cinderblock building of 1800 sq. ft. For a modern note, Rich's country-church operation will be 60% computerized. Grand Opening was targeted for March 1. By the time you read this,

*Continued on page 66*

# NEW!



## WORLD'S SMALLEST SERVO!

- 1/8-inch (3mm) shorter than any previous servo
- Rotary output with disc and straight arms available
- Molded nylon plastic case
- Uses 16mm precision motor with silver alloy brushes
- Hard surface micro-potentiometer for long life and positive control
- Super Mini Servo designed for reliability
- Available for EK Champion Series only at present

# NEW...

## EK CHAMPION with 5 Channels

# PRICE?



- No increase in price
- Reliability Plus
- Backed by worldwide Service Centers

STILL ONLY  
**\$299<sup>95</sup>**

**EK PRODUCTS INC.**

3233 W. EULESS BLVD. HURST, TEXAS 76053  
P. O. BOX 1015 (817) 283-4092

**SALES AND SERVICE CENTERS... TO SERVE YOU AND OUR DEALERS BETTER  
FACTORY TRAINED SERVICE PERSONNEL**

#### California Area

CALIFORNIA MODEL SUPPLY  
1056 S. Brookhurst (714) 871-0616  
Fullerton, Calif. 92633

#### Northwest Area

MINICRAFT HOBBIES (206)-5H 6-0769  
13, 165th Ave. N.E.  
Bellevue, Washington 98004

#### Chicago Area

RADIO CONTROL CENTRAL  
Box 449, Elmhurst, Ill. 60126  
Service (312) 545-9815  
Sales (312) 832-4908

#### Kansas City Area

KEN'S R/C (913) 631-3158  
10915 W. 59th Terrace  
Shawnee, Kansas 66203

#### Northeast Area

NORTHEAST R/C, INC. (617) 343-4827  
340 Broad St., P. O. Box 437  
Fitchburg, Mass. 01420

#### Southeast Area

TATES MODEL ELECTRONICS  
6225 So. Expressway, Box 23  
Jonesboro, Ga. 30236  
(404) 361-8098

#### In Canada

CAN-AIR ELECTRONIQUE ENGR.  
(514) 729-1261  
5361, Rue Charlemagne  
Montreal 406, Que.

LOGICTROL OF CANADA  
544 Ellice Ave.  
Winnipeg 2, Manitoba

#### In Mexico


AEROMODELISMO  
Calz. Guadalupe 602-A  
Mexico 14, D.F.

#### In Sweden

BORG'S HOBBY  
Apotekaregatan 7  
Linköping, Sweden

For Benelux C.C.I./TENCO  
Ave. de la Couronne, 358-362  
B-1050-Brussels, Belgium  
Phone (02) 49.91.40

In France C.C.I./TENCO  
Place de Stalingrad, 7-9  
F-75-Paris- 10eme, France  
Phone (1) 205-8545



### A standoff

This is an open letter in reply to Marc Sexton (You Said It, Jan. AAM). I must agree, Marc, that many experts do find it somewhat of a hassle to find the time to help beginners, old and young alike. However, most will welcome this hassle.

The real problem lies in a communication gap. While you are waiting for someone to ask if he can assist you, the expert is also waiting for you to ask for help. Kind of a standoff.

In many instances, this kind of problem is soluble—join a local modeling club. As president of the Barnstormers, a control line club in Southern California, I speak for the group in saying we would welcome you and those with an interest like yours.

This is not to say that before you will get help you must join a club, but it is invaluable in closing the gap between novice and expert. You see, Marc, in order for a club to function it needs people like you. The next time you have a question, ask a local club member, an expert, or someone like yourself. But please, please ask!

Bill Noyes, Valinda, Calif.

### Scale addicts, unite!

AAM in the current format has become my very favorite, and here's why. Some grown men are compulsive model builders for the sheer satisfaction of the building. Not particularly interested in contests, these; but most magazines are 99 44/100% contest-oriented. This kind of coverage offers pitifully little to people not interested (except academically) in RC or super performance of any kind.

Our breed builds about 95% scale, much of it non-flying. My greatest delight is to produce a little plane that looks a lot like the real thing (I still make 1/48th solids), but I don't care for the installation of working gadgets that contribute more to frailty than interest, like cockpit working controls or opening wing panels. However, we could not countenance a model without separate allersons or external horns and cables.

I have started on a project of the 1/16th group, now in various stages of completion: F11C-2; R. Turner's No. 57; Fokker DR.1 and D.VII; Spitfire Vb; two Nieuport V strutters; Hawker Fury II; Piper PA 12. These are soon to be followed by Supermarine S-5, R3C-2, Sopwith Snipe, and so on and on.

There must be many addicts of the accurate, but not quite museum quality,

airplane model. I would enjoy an exchange of info and drawings with readers who have similar interests.

Please keep up the scale drawing and photo features. AAM is the only mag where they aren't all but crowded out.

Robert Wilde, 18 Slope St.  
Nanticoke, Pa.

*Comments on static scale produced a surprising reader response. Several letters on the subject appear in this department. It is suggested that enthusiasts make their case direct to AMA. —Publisher.*

### Sailplane search

I'm a 15-year-old RC sailplane buff. Last week I made my first successful RC glider flight. I made a homebuilt Kestrel from AAM plans and filled it with a Testors Simpulse 1.

The Kestrel glides well and I like its slow speed characteristics; but I'm looking for a higher performance ship for my single channel, pulse-proportional set. The best I've found is Sterling's Schweizer 1-34 kit, but the \$24 goes hard on the pocketbook.

Could you or your readers recommend another sailplane?

Peter Kistler, 205 Main St.  
Catavissa, Pa.

David Axler, 10433 134th St.,  
Edmonton, Alberta, Canada

### Likes the Thor

In reference to the Thor 29—all those comments are really too much to bear! As an owner of five Thors in running order, I thought I'd better do something before mine stop running too. They can't withstand much, you know.

Why they pop, but don't run, is a tricky reason associated with several definite factors. (1) The engine may be so worn that it has no compression. (2) If it's new or like new, look to see if a \$2.95 bargain-kit engine-hunter put the piston in with the baffle so it closes up the exhaust. That won't help. (3) Look to see if the needle valve really works. One Thor needs six turns open to let fuel in, another only two and a half. Another won't close down airtight, so it runs rich and slow and won't rev up. (4) Does the rear gasket let air in or is it a proper seal with orange shellac? (5) Put the timer a mite to the left of twelve o'clock and make sure the fuel comes into the crankcase. A little drop on the piston as a prime won't make it run. (6) Try a 11- or 12-in. prop (wood preferred), and add a bit of Gulf zinc diophosphate oil additive to 70 oil, using low-grade aviation or Amoco gas.

Honest, fellas, if the Wilco coil isn't shorting out and the ignition checks out ok, it will run, if it isn't worn out. The best version was the plain aluminum, which hones in with proper lubrication and short runs. The gray, or black, version was inferior; it ran slower because of poor surfaces. The piston scratched up easily and only extremely good care can keep it operative.

I have run both versions and currently use them in oldtimer free flight. No trouble at all—just don't expect any old needle valve, spray bar combination to run well. If you have spares, you have to match them up properly. I'd be glad to assist Thor owners currently defeated by the challenge. Would also appreciate hearing from anyone with Baby Miss Behaven plans. Please let me know, so I can rebuild my first UC-Thorp-power, what else?





# HOBBY PEOPLE

THESE PRICES GOOD UNTIL APRIL 20

SAVING \$\$\$\$\$\$  
MAKES \$\$\$\$\$\$



YOU GET  
BLUE MAX RADIO  
FOX 36 R/C  
CHOICE (1) PLANE


UP TO A—  
\$352.50 VALUE  
AN UNBELIEVABLE  
\$242.50

**special**

THE RADIO  
DELUXE ASSEMBLED 4CH. 2ST.  
Complete with four servos, receiver,  
nicked battery packs, charger & buddy  
box feature. REG. \$300.00

THE PLANE—CHOOSE 'ONE'  
ANDREWS TRAINER MASTER  
MIDWEST SKY SQUIRE  
V.K. CHEROKEE BABE  
VALUE UP TO \$32.50

THE ENGINE  
The NEW FOX 36 R/C  
REGULARLY \$29.00



\*SAVE  
\$100.00

## TOP FLITE

### CONTENDER



DISCOUNT  
PRICE

54" Span .29-.60 Disp.  
Reg. \$34.95.....\$26.91

R/C 1/2 A BIPE SCHOOL GIRL  
.020-.049 Disp. Reg. \$7.95 ..... \$ 5.99  
R/C NOBELER 51" Span  
.35-.45 Disp. Reg. \$30.00 ..... \$19.99  
U/C NOBLER 50" Span  
.19-.35 Disp. Reg. \$15.00 ..... \$10.49  
U/C COMBAT CATS two in one box  
.19-.35 Disp. Reg. \$7.95 ..... \$ 5.97  
R/C HEADMASTER 48" Span  
.09-.35 Disp. Reg. \$14.95 ..... \$11.99

## GLIDER-RADIO SPECIAL

NEW 1  
KRAFT KP-2B RADIO  
2CH. RADIO WITH RECEIVER AND  
2 SERVOS BRICK.  
Regularly \$99.95

\*SAVE  
\$2100

NEW 1 CANYON  
SCHWEIZER 1-28


Aluminum tube assisted lengthwise in the fuselage.  
Power pack and servo units require no adhesive, as  
specific places are molded for these. Holes for  
placing push rods have been molded through the  
fuselage lengthwise for rudder and elevator control.

Now Only \$109.00

WRITE FOR PRICE OF  
SCHWEIZER PLANE ONLY.

## STERLING

SCHWEIZER



SGS-1:34 SAILPLANE  
Regularly \$22.00 ..... \$17.91

R/C PIPER TRI-PACER 58" Span  
.19-.35 Disp. Reg. \$20.00 ..... \$15.99  
U/C RINGMASTER 42" Span  
.19-.35 Disp. Reg. \$7.00 ..... \$ 4.99  
U/C SUPER RINGMASTER  
42" Span .19-.35 Disp. Reg. \$11.00 ..... \$ 7.43  
R/C LANCER TRAINER 53 1/2" Span  
.35-.51 Disp. Reg. \$24.95 ..... \$19.99


**vk**

FOKKER TRIPLANE DR1  
Detailed full size plans—Building instructions—Formed  
cowi—formed wing fairing—Machined and die-cut wood parts  
Utilization of Hardwood for strength—Hardware—full size decals  
SCALE: 2"=1' SPAN: 47"  
WEIGHT: 5 1/2 lbs. ENGINE: .49-.60  
REGULARLY \$47.95  
**NOW ONLY \$36.99**

CHEROKEE BABE  
54" SPAN .19-.35 DISP. Reg. \$27.50

Formed cowi  
Nylon hardware  
wing area—  
454 sq. in.  
**Now Only \$19.99**

## MIDWEST SKY SQUIRE



57" SPAN .19-.35 DISP.  
Great Multi-Channel Trainer  
Reg. \$27.95 ..... \$19.57

SALE PRICE

R/C DAS LITTLE STIK  
46" SPAN .19-.23 DISP. Reg. \$22.95 ..... \$16.99  
R/C TRI-SQUIRE  
.09-.19 DISP 5 1/2" SPAN Reg. \$15.00 ..... \$11.95  
R/C LIL'T' GLIDER 74" SPAN  
Slope Soaring Reg. \$16.95 ..... \$12.99  
U/C NEW MIDWEST PROFILES  
Reg. \$11.00 Choice Each ..... \$ 8.47

3 NEW "R/C KITS"



\$33.87

THE 'HUNTER'

Kit has a foam wing, all sheeting, selected  
balsa, complete plans and instructions.  
WING SPAN 60" .60 DISP.  
Regularly.....\$39.95



\$33.87

THE 'HAWK'

Kit includes a foam wing, all sheeting, select  
balsa, complete plans and instructions.  
WING SPAN 60" .60 DISP.  
Regularly.....\$39.95

NOT PICTURED

THE 'TIGRE CAT'  
Navy twin engine fighter that flies as good  
as it looks! Kit features a built up wing of  
eggcrate construction, all bulkheads and wing  
ribs cut out, select balsa, complete plans and  
fiberglass cowls.  
Regularly.....\$59.95

\$44.91

**GRAUPNER**  
R/C MIDDLE STICK  
47" Span .45-.60 Disp.  
Regularly \$42.95 NOW ONLY \$32.88

SALE

R/C KWIK FLI MK III  
60" SPAN .45-.60 DISP. Reg. \$50.00 ..... \$34.99  
R/C CIRrus GLIDER  
King of the Gliders Reg. \$59.95 ..... \$42.88

**TESTORS R/C SKYHAWK**



\$69.99

TESTORS PLANE (ONLY) Almost ready to fly  
44" span—high impact styrene fuselage REG. \$20.00.....\$14.97

**X-TRA  
SAVINGS**


YOU GET THE  
FOX 35 STUNT  
Regularly \$16.00  
CHOOSE ONE  
NEW MIDWEST PROFILE  
ME 108  
P-63  
P-51  
REG. \$11.00

\$27.00 NOW  
Value \$19.99

**DEVCON  
5-Minute EPOXY**

Acclaimed as a major break-  
through in epoxy adhesives.  
A must for every model  
craftsman! LARGE ECONOMY  
SIZE Reg. \$2.25

\$1.97 ea.  
or 3 for \$4.99



**GIANT DISCOUNT  
HOBBY CATALOG  
240 BIG PAGES**

FULLY ILLUSTRATED—MODEL  
AIRPLANES—RADIO/CONTROL  
MODEL RAILROADING—EDUC-  
ATIONAL SCIENCE—ROAD/  
RACING—PLASTIC MODELS

SIMPLY MAIL COUPON TO  
**HOBBY PEOPLE**  
130 EAST 33RD STREET  
LOS ANGELES, CALIF. 90011

A ☐

I enclose \$ for HOBBY PEOPLE'S newest discount  
hobby catalog. Please RUSH it to me today.


NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_  
STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**HOW TO ORDER**  
POSTAGE & HANDLING


To \$5.00 add \$ .60 \$15.01 to \$20.00 add \$1.50  
\$5.01 to \$8.00 add \$ .80 \$20.01 to \$30.00 add \$2.50  
\$8.01 to \$15.00 add \$1.10 \$30.01 to \$50.00 add \$2.75  
Any order over \$50.00 add \$3.00

# SCHWEIZER 1-26

Molded of Solid Expandable Polystyrene  
**TUFF-N-LITE**



*Engineered with utmost care to enable you to assemble and have in the air an extremely docile flying machine in two hours or less.*



**FUSELAGE:** Aluminum tube molded lengthwise in the fuselage. Power Pack and Servo Units require no adhesive, as specific places are molded for these. Holes for placing push rods have been molded through the fuselage lengthwise for rudder and elevator control.

**WING SECTION:** A full length aluminum wing spar has been interlocked with a rear secondary spar in such a manner that it cannot be turned or pulled out of wing.

SPAN: 6' 6"

LENGTH: 41"

**\$29<sup>95</sup>**

F. O. B.  
CANYON,  
TEXAS

**CANYON PLASTICS**

1014 TRAVIS • AMARILLO, TEXAS 79101



## Modelers' exchange

I am a Turkish young man, 20 years old, and am interested in aeronautics. My father is an officer, and my brother was a pilot in the Turkish Air Force. I am a parachutist and have eight springs. I flew an aeroplane alone for 35 hours, and am to be a pilot next year.

There are many United States Air Force pictures and model planes in my collection. I want to buy little plastic models from the U.S. I would also like to exchange information or models with other readers.

Emin Findikli, Kurtulus Samur Sokak,  
16/13 Ankara, Turkey

## Beat the drums for scale

We all agree that public understanding and acceptance of our hobby is paramount. We also agree that the Nats scale event attracts the most spectator interest. My only criticism of the 1970 RC scale event, which I feel was the best ever, was the lack of a master of ceremonies during the flying.

My wife, out in the spectator area, heard several conversations and erroneous conclusions regarding the different models in the event. Why don't we take advantage of a perfect opportunity to enlighten the public? Each contestant should furnish a page or two of interesting facts about the proto ship and his model.

Thus informed, the "silver-tongued" MC could present interesting and intelligent banter to the public. I'm sure all scale events would be greatly enhanced by such an addition.

Dick Graham, Ottumwa, Iowa

## Design vs pilot skills

The editorial in the January issue inspires me to do two things: one is to commiserate on the disappearance of the lost art of model trimming for flight, which most advocates of RC, as you say, no longer need since the airplanes are designed to fly right off the workbench. My second reaction is to take a somewhat different viewpoint and say, "Maybe that's not bad, really." The sport of flying full-scale aircraft does not concern itself too much with the aircraft design either. So again we come to the present state of the



art in RC, wherein pilot skill is the main objective of many, perhaps most, of the enthusiasts.

But there still exists a small hard-core group who find flying a secondary thrill. For myself, the minute a design is working entirely to my satisfaction I become bored with it and begin thinking about something new. The only exception is the field of soaring, where the unseen air currents make even the most perfectly-designed airplane subject to the whims of nature.


As for the power models, there is always the challenge for a designer to meet a specification. For example, you mentioned the interrelationship of dihedral and fin area.

*Continued on page 90*

# MONOKOTE GETS LETTERS... LOTS AND LOTS OF LETTERS!

■ I've never taken the opportunity to thank ■ manufacturer before, but I do want to express my opinion on your Super Monokote. I've just covered five new wings and stabs with it, and it is great!

**Chuck Broadhurst**  
Sacramento, Calif.



The ship came in 250 ft. straight down in a radio failure and there was only a small tear on the underside of one panel.

**Harley E. Michaelis**  
Walla Walla, Wash.

In these days of fanciful advertising it's a real pleasure to run into a product that lives up to everything claimed for it.

**Daniel Rossman**  
Wynnewood, Pa.

I have not "silked" a model since Monokote became available. First Monokote job was regular silver on an Antic, since then have covered 14 models of my own. 3 Bikes, 1 Tripe & 4 Kwik Fli were included in this total.

**Don Johnson**  
Denver, Colorado

I've been showing it to everyone I know demonstrating how hard it is to damage and the ease with which it can be repaired. Believe me it's all the ad says and more.

**Winston Hockenberry**  
Waterbury Center, Vt.

I have found that Super Monokote works easier than any other covering that I have ever used. Super Monokote surprised me at how smoothly it covers curved areas like wing tips.

**Brian McAvoy**  
Greenock, Pa.

MONOKOTE IS THE GREATEST!! I've experimented with most of "them" and always go back to Monokote.

**Dan Rhoads**  
Newington, Conn.

Being ■ little unhappy with my memories of doping and doping and doping silk or silkspan, I thought I'd try your product, SUPER MONOKOTE. Well, fellas, I believe! Never before has any product done so much for me, ■ so little cost. Everything you say about it is true.

**Ralph Joblin**  
Philadelphia, Pa.



The Taurus was covered and trimmed with Super Monokote. I find it extremely versatile as a trim material because it doesn't stick until I want it to. It can be positioned precisely to produce the most intricate designs.

**Gene Rubel**  
Torrance, Calif.

It's the prettiest finish I've ever had.

**Dr. Walter Good**  
Bethesda, Md.




Even Naomi, my wife, loves Monokote because it is odorless, and also I have been able to stop getting paint all over my clothes. I am sold on this item and intend to trade in all of my paint brushes for a new "iron."

**Donald Rothbaum**  
Silver Spring, Maryland

I'm a fairly new modeler and thought Monokote was too expensive until I saw your ads comparing Silk & Dope costs to Monokote. I tried Monokote . . . and you're right—Monokote's cheaper than Silk & Dope, and holds better too!

**Harry Hoit**  
Michigan City, Ind.



I repaired the damage and recovered with a fresh section of transparent Super Monokote. Only a trained eye would ever spot the repair. The good old days of steam it and wait, then steam it and wait again to make adjustments are gone forever if Super Monokote is used.

**Richard A. Lape** ■ ■  
Dewitt, Mich.

THESE ARE JUST A FEW OF THE MANY, MANY LETTERS WE RECEIVE EACH MONTH ABOUT SUPER MONOKOTE. TAKE A TIP FROM OUR USERS—SUPER MONOKOTE WILL CUT YOUR COVERING TIME TO A FRACTION AND IT'S MORE ECONOMICAL THAN THE OLD SILK AND DOPE METHOD. IT'S BEEN PROVEN . . . MONOKOTING GETS YOU FLYING, FASTER!

\*Pat. No. 3,388,651



**TOP FLITE MODELS, INC.**

2635 South Wabash Avenue  
Chicago, Illinois ■ ■ ■



Santich's Enya-powered Chipmunk took 2nd in scale. ■ on Stafford kit. 6 1/2 lb.



Capt. Hawkins adjusts needle ■ ST 15 FAI speed model. Uses carved 6-7 1/2 prop.



Fox 35 powers Sgt. Whiddon's Detroit to second in stunt with 403.5 points. 38 oz.

Capt. Koger and Walker entered original design Pattern ships. Placed 1st and 2nd.



# U.S. Air Force Championships

Air Force teams competed in USAF Worldwide Championships. Winners go to AMA Nats.

**JOHN BLUM**

TOP MODEL AVIATION enthusiasts came from all over the world for the 20th U.S. Air Force Worldwide Championships. Thirty-four airmen who had qualified for a shot at the finals were sent to Scott Field, near Belleville, Ill., to compete, not only for Air Force honors, but also for a place on the team that will represent the Air Force at the Glenview Nationals.

Qualifiers for this meet competed in elimination contests within their own Commands. Transportation and arrangements to transport the contestants and equipment to the Finals and return were made out of funds obtained through recreational activities.

Air Force Team members are chosen on the basis of points, requiring contestants to compete in events usually outside their normal modeling element. Qualifying for the Team are: Capt. Bob Adair, Capt. Keith Trostle, Capt. Hoyt Hawkins, Sgt. Bert Dugan, and Maj. Philip Bayly. Assisting at the Nats will be the next five qualifiers: Capt. Dick Stiles, Sgt. Larry Miller, Edgar Corson, Maj. Frank Mock and Sgt. Robert Cooley. RC Specialist will be Sgt. Dan Santich. Air Force awards went to Capt. Keith Trostle as high point winner and to Pacific Air Force

as high point Command.

The week's activities were celebrated with a banquet on Sunday evening. Base Commander Col. Kenneth Clark and MAC Commander Gen. Catton gave welcoming addresses. In addition to awards, special recognition was given to CD Eugene Comontofsky, retired AF officer, and to the local modelers who, through coordination with the Greater St. Louis Modeling Assoc., worked as judges and officials.


Project Officer John Gay reports that this is the first Championships at Scott Field and rumor has it the 1971 Championships may also be held there.



ST-powered Voodoo placed 3rd in Combat. Sgt. Cooley uses chickenstick to start it.



FF scale Fairchild ■ by Sgt. Dugan Cox 020. Always a scale favorite.



Capt. Trostle likes realistic 1/4A Proto models. Spitfire uses lefthand shaft TD.



From TF kit, Sgt. Rich built RC scale-winning SE-5. Power is Enya 60.

Sgt. Ford's biggest is the C-SA Galaxy. The ■ wheels can be retracted too.





# CARL GOLDBERG

**NEW!**

1971

## Unique SNAP-LINK!

Patent Pending

Now for the first time — you can buy a truly safe link — the SNAP-Link! Note these features:

- Tiny 45° shoulder snaps through arm, prevents accidental opening. So unique it's Patent Pending!
- One-piece design — no separate pieces that might come apart.
- Proven tough nylon molding — takes tremendous stress, prevents metal electrical noise.
- Self-friction fit on threads — no need of a nut to prevent change of adjustment or vibration wear on threads.

Snap-Link, Regular, with rod } . . . 29¢ each  
Mini-Snap-Link, with rod }

Snap-Link or Mini-Snap, less rod . . . 2 for 40¢

From now on you can forget those little nagging link worries. When you want a **SAFE** link . . . ask for **SNAP-LINK!**



## And More NEW ACCESSORIES

### STEERABLE NOSE

Versatile — steering arm can be to either side, or slightly up or down, or mounted on bottom with extra collar in slot. Steering arm is nylon, stiff enough for good control, yet can flex under shock to protect servo. Collar is hardened steel — won't strip like brass. Screw is hardened steel, too. You can really torque it and get good grip — music wire strut without a flat. Try it, you won't get it to strip out easily.

Complete steerable nose gear, with nylon bearing, 5/32" plated music wire strut, extra collar, blind nuts, screws and washers — \$2.50.




### NEW—MAJOR R/C FITTINGS SETS

Here's the economical way to buy major fittings for your multi ship. In this set, you get all the horns, links, keepers, bellcranks, or strip aileron linkage, and hinge material — at a saving.

R/C Fittings Set No. 1 for ship with standard ailerons — \$3.50.

R/C Fittings Set No. 2 for ship with strip ailerons — \$2.50.



### CONTROL HORNS

Our new horns have the upright part rising from the center of the base for maximum stability. Holes are right size for 1/16" wire; nut plate for simplest mounting. Long horns or short horns, with screws — for 2.




### STRIP AILERON LINKAGE

This complete set has two threaded aileron horns; two nylon brackets for fine, safe (can't slip) adjustment; brass bushings; Snap-Links and rods, and Snap'R Keepers. Exceptional value — \$1.50.



### NYLON BEARING

One-piece design mounts to firewall without alignment problems. Includes blind nuts, screws and washers — 75¢.



### WIDE NYLON TAPE

This nylon reinforcing tape is extremely tough when applied with epoxy around center when joining wing halves. 2 1/2" wide x 5 ft. — 50¢.




### NYLON STEERING ARM

Hardened steel collar and screw — 75¢.




### REPLACEMENT FOAM WINGS, ETC.

To go with your design fuselage. Proven efficient Ranger 42 foam wing gets you in air quickly, \$3.95. vertical fin, set \$1.95. Assembled Ranger 42 fuselage, plus bearers, nosegear, etc., \$8.95.



### 1/2" BELLCRANK and HORN

Made of nylon, this new set provides smooth 1/2" control line operation. Easy on dacron lines, too. 25¢.




CARL GOLDBERG MODELS INC.  
2545 W. Cermak, Chicago, Ill. 60608  
I am sending 10¢ for 4 (Illustrated Catalog with Recommendations on Starting in R/C, Basic Explanation of R/C Equipment, and Radio Control Definitions.

NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_  
STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**CARL GOLDBERG MODELS INC.**  
2545 WEST CERMAK ROAD • CHICAGO, ILLINOIS 60608

# Grouper

Its unique nose named it, but author's proud creation uses stock ready-to-fly wing.



## BUD PHILLIPS

THE GROUPER WAS conceived when I grew tired of today's high performance, look-alike, slab-sided super stunt models. I wanted to design, build and fly a model airplane which looked different. This concept necessitated a round fuselage. The engine had to be hidden or at least made less obvious. The ship had to look like a full-sized plane. Thus, the Grouper was created.

I was not sure how the ship would look, but under these conditions it was destined to be different. The front section is a horizontal ellipse, almost large enough to conceal a side-mounted engine, and is egg-shaped aft of the canopy. The veteran Lanier foam wing was selected.

This combination had to be successful. A side-mounted engine is a good compromise between concealment and ease of starting. The round fuselage with the turtle-deck provides the necessary realism and aerodynamic cleanliness. The Lanier wing would permit me to get the plane in the air quickly.

Construction began on the fuselage, but spring weather diverted me from the workbench to flying. Then one bright and blustery day, my Lanier Thunderball landed hard and shattered its nose gear mount. After 150 more

flights accumulated prior to this damage, the fuselage was ready to be retired. But what to do with the wing? Mate it to that dusty, partially completed Grouper fuselage!

Immediately a clash of proportions was apparent. The wingspan was too great, but the hacksaw solved that. The span was reduced to five feet, including straight-back wingtips. A model this size is convenient and still retains the large model flying characteristics.

A somewhat similar approach was used to name the Grouper. Its most noticeable feature was the wide oval nose. Stretch the imagination a bit and it looks like a big mouth. My wife said it reminded her of a fish. Visions of a large, slow-moving, big-mouthed rock bass appeared. In true aerodynamic thinking, the appropriate hydronautical name of Grouper was chosen. Planes have been named after various birds, objects, places and mythological creatures, so why not a fish?

### Construction

The fuselage is unconventional in shape and design. It is a monocoque fuselage with a high strength to weight ratio. The skin is supported by formers built upon a horizontal 1/4" thick balsa crutch. Construction re-

quires little more work than for a wing—which could set back model aviation several decades! No removable cowl or tank compartment hatch was needed. The side-mounted engine throws the prop down and away and keeps the airplane cleaner.

Cut the crutch from 1/4" medium hard balsa either from one wide sheet (as I did) or from two sheets. The right forward section of the crutch will be cut off later to allow clearance for the engine. Gather the necessary wood for the formers and cut them out as shown.

My method for cutting out balsa formers, ribs, wing saddles, etc., is to glue (rubber cement is great) the outline of the piece to stiff cardboard and cut that out. Then put a loop or two of masking tape with the sticky side out on the back of the cardboard template, which is then placed on the piece of wood to be cut. The loop of tape holds the template to the wood you cut around it.

When the parts have been cut, start assembling the fuselage. Spread the forward section of the crutch to allow formers F3 and F2 to be glued in place. Then add F1. The remaining

(Continued on page 16)

# Mustang

Unmistakably a P-51, this stretched-out semi-scale performs well with adequate power. Ready-to-fly wing works fine.



## DICK CARMAN

OH NO, not another P-51! But tell me—at that last air show when you saw that sleek Mustang profile poised for flight, didn't you check to see when the flying demonstration would start? And later—that's a V-12 firing off now. Look, the tail is up. More speed. It's off! A slow roll on takeoff—those loops and four point rolls so smooth, and now a victory roll. It must be getting ready to come in, those long main gears stretching for touch-down.

Weren't you helping fly that bird? I was. I always wanted to build that airplane and, when I did, I wanted it to fly well, as well as look scale. Plenty of P-51 kits were available, but I decided to build an almost scale Mustang using the Lanier wing. It is one of the best pattern airfoils around, with its tapered, square-tip look. When lightly sanded with #400 wet paper just enough to break the gloss and given two light coats of Hobbypoxy silver, the first Mustang wing took shape.

I've built three of these airplanes. Each came in at a different weight and each had its individual flying characteristics. The first ship used an old Lanier Bronco horizontal stab covered with 1/16" sheet. It was so tail

heavy that the airplane required a 1/2 lb. lead brick in the nose to balance. Dry weight was pushing 7 1/4 lb. but, surprisingly, only the vertical maneuvers indicated it was heavy. In silver paint and military markings, it was a sweet-flying airplane. The Lanier wing didn't seem to be bothered by the extra weight. The second model used a home-cut wing, same airfoil and span. It weighed 6 1/2 lb., no more foam stabs!

The model I now fly has a wider, deeper fuselage and a flat, built-up horizontal stab. No difference in take-off or flying qualities between a stab with airfoil or this flat stab are evident. The flat one makes it easier to get the incidence correct. A 66-in. wingspan was used on this model, which weighs 7 lb. dry. The Lanier wing does well up to about 7 lb.; at 7 3/4 lb., the landings are a bit warm but not unreasonable. The 66-in. span allows the flier to choose his landing speed, and the speed through maneuvers looks more scale.

### Construction

Fuselage construction for this airplane is the most time-consuming step, so this area was simplified but without losing scale appearance. Familiar slab

side and plywood doubler techniques are used, along with 1/4" sheet for the cowl and radiator. Cut both sides from 1/2" 4 x 48" medium balsa. Contact glue the 1/16" plywood doubler from the nose to just beyond bulkhead F4. Since a 4" width is not quite wide enough for the full fuselage depth, two pieces at the leading and trailing edge of the wing cutout must be added. Glue 1/8" x 1/4" strips along the top and bottom edge of the rear section and reinforce the sides with a few diagonal pieces. Add a 3/32" sheet balsa doubler to the last 8" of tail section.

Cut all bulkheads: F1 and F2 out of 1/4" plywood; F3 through F7 from 3/32" or 1/8" balsa; C1, C2, R1, and R2 from 3/16" or 1/4" balsa. Pre-drill F1 for the radial mount to be used and F2 for the wing dowels. Cut one 1/8" x 1/4" strip to the same width as F5, F6, and F7; and a larger 1/4" block the same width as F4. Cut off a 1/2" x 3/8" tail post, F4, and its 1/4" piece. Glue F1 into its location, and hold in place with masking tape. While the glue is still wet, be sure everything is square and true. Finish by gluing F5, F6 and F7 with bottom cross strips at the location indicated. Hold with masking

(Continued on page 17)

# Grouper

formers are glued in place, top and bottom. The top and bottom  $\frac{1}{4}$ " stringers can be installed in the aft section to give the formers support.

While the fuselage is drying, start building the fin and stabilizer framework over the plans, which must be separated by waxed paper or plastic wrap. The framework is covered with  $\frac{1}{16}$ " sheet balsa, not paper! Build on a flat surface. After the frames are dry, glue the  $\frac{1}{16}$ " covering to both sides and pin flat. Sand and shape the fin and stab when dry. Glue the fin to the stab at right angles (they look better that way) and set aside to dry.

Return to the fuselage and work on the nose section. Box in the area around the tank compartment with  $\frac{1}{8}$ " and  $\frac{1}{4}$ " balsa. The  $\frac{1}{4}$ " balsa extends to the outer edge of formers F2, F3, and F4. It will be sanded later to support the skin in that area. Glue the  $\frac{1}{4}$ " stringers on the top and bottom in the nose section. Taper the forward portion of these stringers to allow clearance for the engine mounting plate.

Permanently mount the lower nose gear bearing mount in place. Cut away part of the lower  $\frac{1}{4}$ " stringer to provide clearance. Lock the screws in the blind nuts with epoxy. They will be difficult to tighten once the fuselage is sheeted. Locate the upper nose gear mount.

Glue the fin-stab assembly to the crutch, lining it up with the centerline of the fuselage. Now, glue the upper side stringers in place. Taper their aft ends to blend smoothly with the fin. While gluing these stringers, do not induce a twist in the fuselage. Glue the lower aft stringers in place.

Cut out two wing saddles from  $\frac{1}{4}$ " balsa and glue in place. Add the  $\frac{1}{4}$ " balsa reinforcements between F3 and F4. Make a cockpit floor from  $\frac{1}{8}$ " balsa and glue in place. Add scrap  $\frac{1}{4}$ " balsa to build out the wing saddle surface. Sand to the curvature of the fuselage.

Now cover the fuselage with medium grade 3/32" sheet balsa (plank, if you prefer). I cut the balsa sheets so all joints would butt over the stringers, which gives some added support to the butt glue joint when sanding. The fuselage should be supported on a flat surface and the top sheeted first. This will ensure a true fuselage. Once the top is sheeted, no further twist can be built in. When dry, remove and sheet the bottom.


Add the  $\frac{1}{2}$ " thick balsa cowling to F1 and round when dry. Epoxy the wing hold-down block in place.

After the fuselage is completely covered, it is sanded, doped, and silked. Cut out an opening for the engine, large enough for it to pass through. Cut the rudder and elevators from  $\frac{3}{8}$ " sheet. Sand to shape, silk, and hinge by your favorite method.

Decide how to finish the cockpit area. I covered the interior with stick-on red velvet plastic. A black readrest adds to appearance. Cover the instrument panel with stick-on walnut plastic and add Tatone instruments. A two-in. scale pilot flies the ship.

Recess the sheeting around the cockpit area for the acetate sheet disguised as a canopy. Make these recesses about  $\frac{1}{8}$  in. wide to provide adequate gluing


(Continued on page 86)




This Grouper's bare Lanier wing was balsa-covered for appearance, is much heavier.




Cockpit details always attract attention and make a non-scale model look real. Interesting here is the use of a plywood canopy for handling strength.




The Grouper nose provides ample air inlet and place for battery on the left side. In flight, the engine is hidden. Mufflers are located unobtrusively below nose.



The Mustang is quite distinctive. Airscoop, ink lines, and tail quickly identify aircraft.



Lots of room inside for an old PCS. Note mounting of plywood wing fillet for appearance only. Wing mounting blocks and belly scoop attach block also shown.



Semi-remote tail wheel steering is clever. Phenolic or ply coupler from servo pushrod rudder and wheel is held to threaded pushrods with nuts each side.

# Mustang

tape until dry. Bulkheads are placed into the fuselage to a depth indicated by a dotted line on the plans.

Plank the bottom rear with 3/16" or 1/4" soft balsa. Cross-grain the first 6 or 8" to prevent splitting. Bevel F3 and glue into position by using a straightedge from F7 forward to achieve the correct angle. Turtleback is made by trimming 1/4 x 1/4 x 22" strips to a taper of 1/4" at F3 to 1/8" at F7. These are cut at an angle so that they will fit with a minimum gap as the rear deck is formed. Allow these strips to go beyond F7 to form a part of the vertical stab fillet.

Start at top center and glue, pin, and glue, until finished. The structure ends up strong but light. Finish by gluing F1, F2, C1, and C2 in place. Engine and mount must be selected now in order to position F1 at the proper location. I put in a little right thrust and downthrust here. Use 3/32" plywood strips on both sides of F1 and at key slot for F2. Use epoxy at these two bulkheads. Glue in R1 and R2.

To avoid knocking off R1 and R2, start planking the radiator first. Cut and piece the sections for the radiator out of 1/4" soft to medium balsa. Build and glue a one complete unit, remembering that it will be separated later at R1. Building it as a one-piece structure makes it easier to shape and sand. Separate the front section to finish the detail work, such as hold-down screw, dowel, etc. The cowl, which also uses 1/4" sheet, goes fast. Rough out the bottom nose block and extend it under the wing cutout as shown. This enhances the profile appearance.

A 1/2" thick block is glued to the fuselage and reinforced on the inside with triangle strips. Use a 2 1/2" spinner mounted on the engine, and in the plane, to determine where and how to shape the cowl. A 6-in. block plane is a great help for shaping nose, cowl, radiator, and rear section. The radiator removed now means less sanding later. Close attention to the photographs or to a set of 3-views helps in shaping the bottom nose section.

Wing fairings are made from balsa and 1/32" plywood. With the wing in the cradle and wax paper between, glue the forward balsa piece and plywood fairing in place; hold with masking tape. When dry, remove the wing and glue 1/2" long triangle pieces under the 1/32" fairing to reinforce it. Put the wing back in cradle and glue the rear balsa fairing block in place.

Exhaust stacks are made from 5/16" diameter dowels, 1/2" long and sanded to a 45-degree angle; equally spaced and glued at a 45-degree angle onto a 1/4 x 4" piece of 1/32" ply. When gluing to the fuselage, also butt-glue a 1/16 x 3/16" strip along the top of the stacks at the fuselage.

The tail wheel assembly uses 3/32" wire into a 3/4 x 3/4" hardwood block with doors made of 1/32" ply. Copper-clad printed circuit board material is used for the control horn and is soldered to the tail wheel wire. The linkage hole should be located 1/4" from center. Position the assembly to be directly under the leading edge of the horizontal stab.


Build the horizontal stab framework, using 3/16" stock, including tips. The

(Continued on page 67)







The 020 Pse Wae looks strange inside the cardboard-simulated radial engine cowl.





# SBD DAUNTLESS



Generous tail  and ample dihedral make this great dive-bomber suitable for free flight. The first model flew out of sight.



PAUL SCHAAF, JR.

"HEY, DAD, how is it going to fly? I don't see any wires  the wing." I sat stunned. Had I neglected something important in my son's education?

After reviewing the planes we had built recently, I understood the reason for his question. We had been knee-deep in control line, but this was our first free flight model, and  word of explanation was needed.

"A free flight is a plane with properly proportioned flying surfaces and  somewhat smaller engine. Once launched, it is entirely on its own, but engine running time must be restricted since, if the model flies too well, all that will be left after the first flight is happy memories."



Some tips which should permit free flight ownership to last quite some time follow. The model is  liberal copy of  of the famous Navy Carrier planes of WW II, the Douglas SBD-4 Dauntless.



**Fuselage:** The fuselage is constructed of hard  $\frac{1}{4}$ " balsa sheet and is slotted  $\frac{1}{8}$ " at the back to provide  groove for the one-piece stabilizer. Then the wing mount is cut out and a  $\frac{1}{4}$ " balsa frame mounted around the cutout. This will provide  better and more secure platform for the wing. Titebond cement, which is strong and handles easily, is used for all joints.

The canopy, made of 1/16" balsa sheet, is cut and fitted as illustrated. Canopy frames are made of painted drafting tape cut to the given size, but they are not mounted until the plane is painted.



The firewall is  $\frac{1}{8}$ " plywood angled to the right approximately 1/32". Backing

it up are filler pieces made from  $\frac{3}{8}$ " balsa sheet. The cowlings are cut from thin cardboard which, when doped and painted, looks fine and is not as fragile as thin balsa. It will bend but not break. The tailwheel is cut from 1/16" sheet plywood. Wing rubber hold-down pegs are added to the fuselage where indicated.

**Rudder:** Use hard 1/16" balsa sheet for the rudder. Its rear is  separate piece which is mounted with fine wire to the front piece, thus permitting trim adjustment  required.

**Stabilizer:** The stabilizer is cut from  $\frac{1}{8}$ " balsa sheet. I made mine in three sections, with  crossgrained  $\frac{1}{4}$ " wide balsa strip inserted between the inner and outer panels to hold warpage to  minimum. This construction method is optional but recommended. After the

stabilizer is glued into its slot in the fuselage, fill the gap behind it with scrap.

**Wing:** The ribs  cut from 1/16" balsa sheet and the leading edge is  $\frac{1}{4}$ " sq. hard balsa. The model has two  $\frac{1}{8}$ " x  $\frac{1}{4}$ " center spars and the trailing edge is  $\frac{1}{4}$ " x  $\frac{3}{4}$ " tapered balsa. To provide a good secure mounting to the fuselage, the center area only has  1/16" balsa skin.

The wing is made in three sections, inner and two outer halves. The first rib on the outer panels must be angled in assembly to provide the proper dihedral, and gussets are added to strengthen this area. Wing tips, made from  $\frac{1}{8}$ " balsa sheet, have smaller upper and lower ribs to permit a good blending of the wing covering at the tips. My

(Continued on page 83)

Classic color scheme lines, rather than perfect scale shapes, define the model's origins. With luck, the Dauntless will take off unassisted. Its graceful climb is slow and steady.







# Owl Racer

**DON BERLINER**

Unique because of new ideas, the Pogo proved it has winning potential in its first two races. Smooth lines make it suitable for any model project.



Only engine performance information really matters in any racer. Pogo is not flown cross-country to the meets, so minimum instruments are used.

THE OWL is a pussycat. And a tiger. And a 'possum.

A pussycat, because Bud Pedigo, first pilot to race this new Formula One, says he'd turn a student loose in it.

A tiger, because it blasted around the three-mile oval at St. Louis at 209 mph its first time out.



A 'possum, because it's now named Pogo, who is one of the better-known 'possums of the Okeefenokee Swamp.

And the Owl Racer because it was designed by George Owl, who has been involved in the brains-and-slide-rule part of airplanes ranging all the way from Midget Monocoupe to X-15.

Engineers, as a general rule, don't make very good raceplane designers, for they tend to build airplanes that are too big and too heavy. But an engineer with racing experience is another matter, and that is the exclusive category into which George Owl fits quite snugly.

He got into the raceplane racket in 1947, when the Goodyear Racers flashed onto the scene and it seemed as though just about everybody was starting to build one—or at least was talking about building one. George was no exception, but his airplane was. It was the one and only high-wing ever proposed for the 190 cu. in. class. He built it for Woody Edmundson, then a rather successful pilot of racing P-51's and aerobatic Monocoupes, and now a very successful, charter flying operator.

The racer was called the Midget Monocoupe, and looked like one, with a Monocoupe's classic tapered wing atop a very small fuselage. It was ready in 1948, but Woody found it entirely too hot to handle, so it never got to Cleveland, although Woody and his other airplanes did. The Midget



Monocoupe drifted around for years, finally becoming the property of an EAA type in Miami, name of Henry Watts, who improved its flying characteristics and entered it in the 1969 Florida National Air Races. Everyone was impressed by its sporty looks, but the officials frowned on its wobbly flight path and ordered it to stay on the ground, where it will probably remain, at least when other planes are racing.

Owl had long since moved on to bigger and better things, changing jobs from Aeronca to McDonnell and then developing possibly the most radical racer in history—the P.A.R. Special. This slick little craft boasted an engine buried behind the pilot and driving, by means of a six-foot extension shaft, a Fairey pusher prop mounted aft of the Y-tail. As if that weren't enough, it also had a variable-incidence wing. But no amount of fine engineering, workmanship and piloting could overcome the drawbacks of the long shaft, which distorted during high-g turns, and so it was retired after achieving a best performance of 181 mph at Chattanooga in 1952.

His radical ideas having brought no success, George Owl vanished from the racing scene and busied himself at North American Aviation, designing such run-of-the-mill flying machines as the B-70 and X15, neither of which made so much as a ripple in the air

racing pond, although they reportedly were fairly fast.


Shortly after air racing returned in 1964, he did George Owl, this time well armed with ideas, vastly more experience, and an expert builder named John Alford. Together, they developed the Owl Racer. Hardly anyone knew of its existence until, as if by magic,

it appeared on the ramp in front of the race hanger at St. Louis in August, 1969.

The machine was beautiful, no doubt about it. Its lines were smooth and artistic. Its construction and finish were the equal of any racer in the country. But it looked a bit on the large size, especially in the front end. Polite questions about the reasons for the bulky cowl brought a painstaking explanation from its designer. And while it was obvious that a lot of racing veterans were far from convinced by the explanation, none of them was equipped to argue aerodynamics with a guy like George Owl.

The other half of the team was John Alford, an air tanker pilot flying Grumman F7F Tigercats. A qualified mechanic as well as pilot, John had converted Stearman trainers to dusters, restored Beech Staggerwings, and flown B-17s in forest fire operations. In addition to an outstanding job of construction, John will soon make a further contribution to the story of #87. His wife, Joan, will be its pilot for 1971, and thus the first woman to compete in Formula One.

A lot of brand new racers are exceedingly fast on the drawing board, in the workshop and at the home field. And a lot of pretty bubbles are burst in that first spin around a race course, when the unbiased stopwatch converts dreams into reality. But this time



**OWL RACER**

designer—

Geo. Owl



Designer theorized that less wetted area and fewer cowl intersections offer less drag than the typical tight-fitting cheek cowl. This is the easiest model for RC pylon.


there was nothing for the Owl crew to apologize for, as pilot Bud Pedigo clocked 208.90 mph, good for sixth place in an amazingly fast field of 13 racers. Four years of careful planning and hard work began to pay off.

The Owl Racer didn't become the Cinderella plane of the year by beating Rivets. In fact, it didn't even make the Finals in its first try, being plagued by poor takeoff acceleration. Still, it topped 200 mph in the Consolation Race and put everyone on notice that more would be heard. A few weeks later, at Reno, Pedigo earned over \$1000 by flying #87 into fifth place in the Formula One Championship Race at almost 204 mph.


Such performance for a completely new design, while not unheard of, is certainly rare. How did Owl and Alford do it? By careful detail work, by precise alignment of every important piece, and by knowing which tried-and-true techniques to use and which to ignore when their own calculations pointed down an untried path.

The main deviation from conventional design in the Owl Racer is its cowl—large, but simple. The Owl cowl, according to George, has less surface area, no sharp intersections, more interior space and a better shape for withstanding pressure. Moreover, it has a blunt front where the cooling intakes are located, to accommodate

(Continued on page 66)



Pogo's color scheme is metallic olive green striping and numerals on solid white, with a black antiglare panel in front of the cockpit. The tail wheel is tiny.



OWL RACER  
MODEL OR65-2-1

DRAWN BY ROBERT F. PAULEY

# NESMITH COUGAR



ROBERT BUENZLY

Squarish, simple lines make this aircraft an ideal beginner's scale ship. With lots of detail, it is a contest winner.

IT'S A RARE homebuilt aircraft magazine that doesn't include a Nesmith Cougar. With a wingspan of 20 ft. 5 in., the Cougar zips along, powered by an 85-hp air-cooled Continental engine or by a higher-powered 115-hp Lycoming engine. With an empty weight of 624 lb., this ship can cruise at 166 mph; its maximum speed is around 182 mph. Service ceiling is 13,000 ft. and the takeoff run is 310 ft. (solo).

Cougars have been built with fiberglass wings or wheel pants, with various cowling styles, and a few without the rear side windows. One Cougar even had folding wings for storage and towing by auto. Any of these features may be incorporated in the model.

My Cougar was built in Spring of 1969, when I decided to attend the Nationals at Willow Grove, Penna. With only seven weeks of building time, I wanted a ship with simple, yet unusual lines, and the Cougar satisfied these requirements. The ship's maiden flight at the Nats was rather precarious because the windshield blew off, but the Cougar has placed in every air meet since the Nats, including the Eastern

States Championships held at Johnsville Naval Air Station. It really doesn't take a huge, multi-engine scale ship to bring hardware home, as was quite evident at the 1969 Nats. The building of smaller, single-engined scale ships is on the increase.

## Construction

The amount of detailing is left to the builder's discretion. Throttle control, operating landing lights, navigation lights, an operating door, complete interior and workable controls from the control stick—a few of the point-gathering features that may be incorporated in the Cougar.

Construction by the usual stick and tissue method is not difficult. The fuselage is a simple box affair. Its sides are made from 1/4" sq. medium hard balsa, except for the four upright pieces in the cabin area which extend into the plywood wing center section C1. These four pieces are of 1/4" sq. hardwood.

Build one side directly on the plans. When dry, build the other side on top of the first side to make them identical. A sheet of paper should be laid on the first side after it is dry and before starting the second side.

This prevents the two sides from being accidentally glued together. Use pins to hold the second side down while gluing and assembling.

When the second side is finished, remove both assemblies from the plans and separate, being careful not to break any of the glued joints. Drill three holes for the leadout control line wire grommets at the top of the cabin on the left fuselage side. Glue the 3/32" plywood nose pieces so that they are on the inside when the fuselage sides are held upright. Join the sides together at the rear and add the 1/4" crossmembers on the nose.

Finish the fuselage framework by adding all the crosspieces, except the two directly below the engine compartment. Take the carved balsa tail piece and glue the tail wheel landing gear wire to it. Use gauze to strengthen this area if necessary. Next, glue the tail piece, with the tail wheel wire, to the end of the fuselage sides. Add the nose pieces and 1/4" plywood stabilizer mount, S1. Use a triangle to keep the sides a true 90 degrees from the crossmembers. It is quite easy to make a lop-sided fuselage.

Slide fuselage plywood formers F1 and F2 onto the motor mounts which have been drilled for the engine. I would recommend a 35 displacement engine for flying in windy weather or off grass. For flying off macadam or concrete, a 19 should handle the ship with ease, providing construction is kept light, and no flying is done in wind. My ship, with a Max O.S. 35, is quite stable in a moderate wind.

Mount the landing gear, using J bolts. When the engine mounts and the landing gear are lined up, solder the two landing gear pieces. Use either 3/32" or 1/8" dia. music wire for the landing gear. For a 35 engine, use 1/8" dia. wire.

Glue the two fuel tank mounts to the engine mounts after positioning the plywood formers to accommodate the engine and fuel tank. Secure the plywood formers F1 and F2 with ample amounts of cement. Glue the fuel tank to the tank mounts. Use fine wire, if necessary, but be sure the fuel tank is mounted securely. I used a wedge-shaped fuel tank, but a rectangular tank will do. Be sure the landing gear J bolts do not interfere with the tank. If they do, make the hardwood tank mounts thicker in height in order to drop the fuel tank to clear the J bolts.

Allow the fuselage to dry thoroughly for several days before any rigorous handling.

Carving the leading edge from 1/4" balsa is the most difficult task in the construction. Pin the 1/4" trailing edge, the leading edge, and W1 and W2 to the plane. Then glue the 1/16 x 1/8" bottom cap-stripping in place. Notch the 1/4" sq. hard balsa spar to accept W2 and glue in place. When dry, glue in the wing ribs. Next add the top cap strips. Cap-stripping may require a little more time than usual, but it pays off when the ship is covered. Add two wing strut mounts and set the wing aside to dry.

Stabilizer and tail are made from 3/8" balsa or two 3/16" sheets glued together. Sand to the airfoil shown in the plans. Use elevator hinges of your choice and then attach the control horn.

When the fuselage is dry, sand the outside edges of the four longerons round to resemble tubing when the covering is applied.

Glue the stabilizer to the rear of the fuselage as shown and, when dry, drill two 1/8" dia. holes through the stabilizer and S1. Then drill two 1/8" holes in the bottom of the tail. Mount the tail to the stabilizer, using 1/8" dowel, and glue securely. This makes quite a sturdy tail section.

The fuselage side fairings and bottom fairings are added at this time.

Cut down a Roberts three-line bellcrank and bolt to the bottom of plywood W2 on the wing. Bolt the engine in place and wrap it in aluminum foil until the ship is completed.

The real Cougar has only a one-inch dihedral. This may be eliminated on the model and it still will be an excellent flyer. I used a 1/4-in. dihedral on each wing panel. Glue the plywood leadout guide in place.

Lay the wing on top of the fuselage and allow the 1/4" sq. hardwood uprights of the fuselage to come through the corresponding cutouts on the center wing section W1 and W2. Do not glue as yet, but pin the wing in place and cut and bend the necessary pushrods and throttle linkage to shape. When

(Continued on page 84)



Author holding his finely-detailed Cougar. The high glass finish with MonoKote is suitable for homebuilt designs; some real planes are this glossy. Photos by Tom Alerico.



The Cougar is something of a fast-flying box. Its angular design detracts only mildly from performance but aids greatly in construction. Many full-size planes are built and flown.







# the P-38—best of the twins

Although all of the WW II twin-engined fighters left something to be desired, the Lockheed Lightning did just about everything ■ military airplane could do.

DON BERLINER

**THE TWIN-ENGINED FIGHTER** ■ a phenomenon of World War II. It offered speed, range, versatility, dependability, firepower and ■ host of other wonderful qualities. But ■ had one major flaw: it didn't work very well.

The Germans tried it with the Mes-


erschmitt 110, and the RAF Spitfires and Hurricanes quickly covered the English countryside with pieces of them. The British tried it with the Mosquito, which worked, but the Mosquito was supposed to have been ■ light bomber. The Japanese tried it with several im-

pressive machines but were too late.

Of all the enthusiastic efforts, Lockheed's P-38 Lightning probably ■ the closest to success, although it suffered from some of the ■ drawbacks as did the others, mainly a lack of maneuverability due to size. With

Biggest advantage of the P-38 ■ a center pod configuration which allowed concentrated firepower without converging fire.

By World War II, a fighter's cockpit was a far cry from the simple instrumentation of WW I. Almost 10,000 Lightning fighters ■ built.



## SPECIFICATIONS

### Dimensions (all models)

Length 37' 10"  
Wingspan 52' 0"

Height 9' 10"  
Wing area 327.5 sq. ft.

	P-38F	P-38G	P-38L
Empty weight	12,264 lb.	12,200 lb.	12,780 lb.
Maximum weight	19,900 lb.	19,800 lb.	21,600 lb.

### PERFORMANCE

Maximum speed	395 mph	400 mph	414 mph
Maximum range	1750 mi.	1670 mi.	2260 mi.
Climb to 20,000'	8:48	8:30	7:00
Service ceiling	39,000'	39,000'	44,000'

a wingspan of 52 feet and empty weight of more than 14,000 lbs., it dwarfed the Focke-Wulf 190 (span 34½ feet, empty weight 7000 lbs.) and the Zero (span 36 feet, empty weight 4000 lbs.).

But for all its size, the Lightning did practically every job assigned to it with a high degree of effectiveness. To make up for its limited maneuverability, it offered outstanding diving and climbing speed, very heavy concentrated firepower, and the safety of an extra engine. It was the first American aircraft to shoot down an enemy plane after the U.S. entered the war, and it was the first American aircraft to land in Japan after it was all over. Almost 10,000 were built, and they did just about everything that a military airplane can do.

The story began in 1937, when the USAAC announced its interest in a high-altitude interceptor. Convinced that no single available engine would produce the needed power, Lockheed's chief designer Hal Hibbard decided to use two of the brand-new 1000-hp, V-12

Allison V-1710 engines. After considering all sorts of arrangements, the veteran firm picked the twin boom set-up because the center pod would allow a group of guns to be aimed directly ahead instead of with converging streams of fire, and the booms would allow excellent streamlining of the engine nacelles without the need for a bulky and useless rear fuselage.

Construction began in June, 1937, and the extremely radical fighter was rolled out for its first flight in January, 1939, almost three years before the U.S. entered the Second World War. Just two weeks after the first test flight, Lockheed jolted the country with a cross-country dash from California to New York in seven hours, including two stops for fuel. Despite its size and the fact that its test program had hardly begun, the P-38 cruised near 400 mph, at a time when the USAAC's main pursuit plane, the Curtiss P-36 Mohawk, could barely top 300 mph.

Even though the prototype was

(Continued on page 63)

## VERSIONS AND VARIANTS

XP-38—prototype first flown Jan. 27, 1939

YP-38—13 service test-built, 1940-41, first one flown Sept. 16, 1940

XP-38A—1 production model with pressurized cabin, converted in 1941

P-38B—never built

P-38C—never built

P-38D—first production version; 36 built in 1940-41

P-38E—210 built in 1941; P-38D with modified armament

P-38F—first major operational version; 527 built in 1941-42

P-38G—similar to P-38F; 1082 built in 1942

P-38H—increased bomb load; 601 built in 1942-43

P-38J—first version with large chin scoops; 2970 built in 1943

XP-38K—1 P-38J with larger propellers, modified in 1943

P-38L—3923 built in 1943-45; 1687 more cancelled at end of war

RP-38—at least one built with second cockpit on left tail boom

TP-38L—two-place trainer

P-38M—75 P-38L's modified into two-place night fighter

XP-49—experimental high-altitude version with pressure cabin, 1350 hp Continental XIV-1430 engines

F-4—99 P-38E's converted to camera planes in 1942

F-4A—20 P-38F's converted to camera planes in 1942

F-5A—181 P-38G's converted to camera planes in 1942

F-5B—200 P-38G's converted to camera planes in 1943

F-5C—128 P-38H's converted to camera planes in 1943

XF-5D—1 two-seat F-5A

F-5E—705 P-38J's and P-38L's converted to camera planes in 1944

F-5F—P-38J's converted to camera planes in 1944

F-5G—P-38L's converted to camera planes in 1945


P-322—Lockheed factory designation for early P-38


Lightning I—143 built for RAF; returned to U.S. for training

Lightning II—524 intended for RAF, but never delivered; similar to P-38G



Twin tail booms allowed excellent streamlining of the engines while eliminating a useless rear fuselage. Note the turbosupercharger on the top of each boom.





# Pulse Rudder-Only Flying Techniques

BY CHRIS SOENKSEN

## INTRODUCTION

Pulse Rudder-Only flying is the logical way to begin gaining skill in radio controlled flight. A novice has only to worry about controlling one surface on the airplane and how this surface affects flight. Problems are not compounded by the application of two, three, or more variables in the beginner's unskilled hands.

After the basic skills are learned, the challenge of rudder-only flying is definitely not fulfilled, and can indeed be advanced to become an even greater challenge; many maneuvers (that would be impossible at first impression) can be performed by manipulating just the rudder—these include loops, spins, rolls, Immelmans, Split-S's, etc. Limits are imposed only by imagination and skill.

Another consideration is the expense involved. This is usually an important factor to beginners entering a new field with uncertainty and a small budget. Not only is the outlay for pulse rudder-only radio less, but also the airplane and engine can cost considerably less; fuel consumption is lower; and expensive crashes are not as probable as with heavier and more expensive airplanes.

Pulse Rudder combinations, such as the Commander R/O series, offer several other advantages. Because of their configuration, you have great versatility in installation and make it fit better for the exact Center of Gravity you need to achieve; you can effectively protect your receiver by wrapping thoroughly in foam and help avoid damage in those hard landings; because of the extreme light weights offered, you can go to the smaller series of planes such as the Dick's Dream and Citabria, which will fly in very small fields. AND you are not limited in its application. You can go to larger or smaller aircraft with a minimum of expense—the only items required to do this will generally be another battery and actuator. So, Pulse offers you extreme versatility and expandability. Like a well known small car introduced by one of the Detroit big three: It is simple to install, simple to operate, simple to maintain—your actuator has only ONE moving part!

Finally, the most important is the immense enjoyment that can be obtained from simple pulse rudder-only flying. This has brought many "expert" model pilots back to the relaxing but yet challenging field of wagging rudders. It is fun—and fun is the name of the game!

The following suggestions on how to fly pulse rudder-only planes are written in the hope that the reader will succeed in his first attempts to fly radio control. Too many potential flyers are lost because of an excess of expense due to the first aborted flights, a lack of help by experienced people, and a general attitude that absolute control has to be maintained on all of the control surfaces of an airplane at all times in order to fly. Ability is gained only by doing and practicing; reading these suggestions won't make anyone a pilot before he flies, but they should help smooth out some of the hitches in getting the first R/C plane in the air.


## PRE-FLIGHT CHECKS

### At Home

#### I. Check the airplane:

—For Center of Gravity balance and alignment according to the manufacturer's plans.

—For warps in flying surfaces.



The center of gravity (CG), or balance point, is marked on your plane plans and instructions. Using your forefingers try to balance the plane by holding underneath the wing and the fuselage (NOT AT THE TIPS). Lift the plane at the wing with the fingers at about the point shown on the plans. (If mark is about one-third back from the leading edge, put fingers at the point one-third back near the fuselage) If the plane is small, you can manage this by yourself—for larger jobs you'll need help.

If the nose dips, you need to have some of the weight back and you probably shift some of the R/C gear batteries further back. If the tail tip dips, you are tail heavy and need to move weight forward. Only as a last resort, should you use lead or solder to help balance, since this will add to your total weight. Your center of gravity (CG) balance point is to be at the spot marked on the plans before you attempt any glide.

—Make sure everything is up to snuff; otherwise success is hard! Look the plane thoroughly for cracks, breaks, loose nuts, binds in control linkages, and any other weak points.

#### II. Check your radio:

—For proper transmitter battery voltage

(check the instructions—on most 9 volt transmitter dry batteries, this should not drop below 7.2 volts—UNDER LOAD; or with transmitter on and operating).

—For freshly charged receiver batteries

—For adequate ground range (usually 75 to 100 feet with the transmitter antenna collapsed)

—For proper response of the rudder to transmitter command (left follows left, and right follows right)

#### III. Also make sure you have the following accessories:

—A fresh Glo Plug battery

—An extra Glo Plug

—Tools: Screwdriver, pliers, Glo Plug clip, wrenches, fuel pump bulb, fast-drying cement, pins, etc.

—Clean wiping cloth

—Box to hold all of the foregoing accessories

## At the Flying Field

### I. Test Glides the Plane

—Pick a calm day (5 mph or less), turn the transmitter and receiver on and gently launch the plane directly into the wind, aiming at a spot on the ground of about 75 ft. in front of you. Check this diagram for what to do. "D" is what to strive for.

## TEST GLIDES: EFFECTS - CAUSES - CURES

A. Very nose heavy or check to see if you put on the wing! Add weight to tail.


B. Tail heavy or thrown too hard into wind will also cause stall.

C. Slight tail heavy or add shim to elevator panel—generally do not look for a floating glide.

D. GOOD straight fast glide—do all testing with neutral rudder . . .

E. Fast but tricky may indicate wing warp unnoticed before.

F. Some degree of turn—Rudder neutral . . . Elevator not positioned correctly, wing warp or vertical fin not 0° to fuselage—can be trouble.



## II. Powered First Flights

—Before attempting this, again check the radio ground range.

—Start the engine and turn the radio transmitter and receiver on, checking for proper rudder action.

—Gently launch the plane directly into the wind, just as you did when gliding it.

—The plane should start a gentle climb straight out. Allow it to get some altitude and gently turn to the right or left by moving the transmitter stick a SLIGHT bit. Do NOT over-control!!! This is a common beginner's mistake. Do control in small segments while learning. After awhile you will learn to anticipate what the plane is going to do, so that you can be ready to apply proper corrections. Again, do this in gentle increments of control, never full right or full left, until you have enough skill and confidence to handle a close situation. Continue gentle turns and increase altitude to 200-250 ft, ALWAYS keep the plane UPWIND from you, that if you do make a wrong move, the wind will blow the plane back toward you. If the plane gets downwind it can go farther and farther away. This can result in a lost airplane.


—When the engine quits, judge the glide descent and try to land the airplane close to you. If you are close to the ground, DON'T turn sharply—it is better to have to walk a little ways rather than to pick up the pieces at your feet, because you tried to stretch a glide or turn too short. (More on landings later.)

CHECK THE DIAGRAMS BELOW FOR PROBLEMS AND SUGGESTED CURES. READ AND RE-READ. MAKE ANY ADJUSTMENTS JUST A SMALL BIT AT A TIME—AND AS A RULE, MAKE ONLY ONE ADJUSTMENT AT A TIME. IN THIS WAY YOU WILL SEE THE RESULTS OF WHAT YOU ARE DOING.

Another important thing to remember is that when the plane is flying away from you, right movement of the stick will make the plane turn to the right. However, when the plane is flying toward you, a right command will cause the plane to fly to your left. This is something you must learn and keep firmly in mind. It can be very confusing to a new flyer.


One way of handling this is that when you are flying toward you, you can push the wing up into a turn desired with your stick thumb. This is an easy method of remembering, and will be clearer to you.

FLIGHT TOWARD YOU . . . . PUSH UP INTO TURN . . . . YOUR STICK THUMB . . . . THIS IS BY FAR THE EASIEST METHOD FOR REMEMBERING THAT I HAVE DISCOVERED.



### INITIAL FLIGHTS: EFFECTS - CAUSES - CURES


- A. Good climb out - straight, steady with good speed. Into wind will give the start of a satisfactory flight.
- B. Good launch but is a weed cutter!! Refuses to gain altitude. . . . Increase angle between wing and elevator with a shim under leading edge of elevator 1/32 - 1/16 until good climb is noted as in Fig. A, also check for excessive down thrust. (Engine points down too much)
- C. Everything went fine until . . . Check the radio gear with the recommended ground check. In some cases the air speed is too slow and wing stalled letting the engine torque take over—spinning plane to ground.
- D. Persistent turn after launch to the left when, surfaces have been checked for warps and rudder is neutral; Indicates the engine needs additional RIGHT thrust adjustments. Depending on the plane/motor combination this could be 2° to 5° or 6°, generally 2° is sufficient.
- E. Right turn after launch could be too much thrust adjustment, warps, rudder and neutral. Important thing is that rudder control will respond or overcome this condition. Also when you have a difficult time it is still the best policy to spin the plane into the ground before you hurt someone.
- F. The Stall . . . slight or extreme probably has done less for the modeler than any one factor of success. So if the stall did not occur in test gliding, chances are that the motor does not have enough DOWN thrust. Also the initial flight should be of SHORT duration until the flight characteristics are known. There will be some planes that will never calm down. . . So hang it up and start a new one.
- G. This is a prang . . . . Check A thru F for help or get a bushel basket and whisk-broom and head for the barn.




## LANDINGS

When the engine quits, immediately **assume** your position with regard to landing. For the first few flights, until you get the "feel" of things, try to land in tall grass. Pavement or other hard surfaces should be tried only after you have experience! Hopefully the airplane is upwind, and if it is, circle back until it is about even with you on the "downwind leg". See figures below (at this time its altitude may be gauged as well as the glide angle observed). From this point it is fairly easy to estimate how far downwind to let go before starting a "base leg" or turn across the wind. Again observe the glide angle, and allow the base leg to use up more altitude, if necessary, before turning it into your "final approach" directly into the wind. At this point, concentrate on keeping the wings level until touch down. You may have to do some walking the first few times, but gradually you begin to get more accurate in your judgment. Later on, after additional experience, you can learn to play the glide to land just about where you want to. This will involve tight turns and quick reflexes, but the methods will become self apparent as your learning and experience progresses.

Sometimes it happens that a touch down directly into the wind can not be made due to insufficient altitude for the necessary turns. In this instance, it is better on keeping the wings level and let it go. It is better to walk a ways than to "bust up" your airplane.



LANDING PATTERN TOP VIEW



LANDING PATTERN SIDE VIEW

## ALTITUDE CONTROL

Altitude may be lost quickly whenever desired by applying full rudder and holding. The airplane will go into a spiral. See Figure D. You can neutralize the rudder at about 75 to 100 feet of altitude, but be prepared for a zoom and a stall! As soon as the nose starts to come up, apply rudder again, **MOMENTARILY**, until the nose stops rising. At this point, neutralize the rudder and you are flying again. Timing is critical, and should be attempted only after you have had some experience.

A safer way for beginners is to start circling and to tighten the circle until the airplane loses altitude. Apply **MOMENTARY OPPOSITE** rudder to stop the turn and level the wings again. Anticipate your airplane. When a change in flight path is signaled, release the command as soon as the airplane starts to visibly respond. It is far better to do a series of short, inadequate, (if taken singly) commands than a long, hard blast that must be counteracted because of overcontrol.


As you will see from Figure A, if you hold in only a very slight turn and your airplane is trimmed correctly, it will go into a slight climbing turn.

If you increase the rudder turn, you will do as in Figure B, and that is be able to maintain or hold your altitude level. This will vary from airplane to airplane, and no amount of literature can tell you exactly how much rudder this is, since this varies for each different airplane.

As shown in Figure C, if you apply hard rudder and release you will begin an altitude loss spiral. This is especially helpful if your airplane is gaining excessive altitude and you want to get it back down toward you.

Hard rudder and hold builds up a spiral dive, and also helps to build up speed. This speed is essential for any attempts at stunts and maneuvers. This will be covered in some further detail in one of the next sections.

Study the foregoing four turn and altitude control diagrams. This will simplify rudder only flying for you.



When your plane has been test flown and adjusted properly for weather, you will find that you should be able to fly it in winds of 15 to 20 miles per hour. This will require a decrease in the wing angle (putting small shims of 1/32 to 1/16 inch at the trailing edge as one example). The glide will not be much, but remember you are still flying and you can have fun. In calm weather, remove the shims.

It is well always to have a flight plan of some sort in mind as to what you want the airplane to try to do. This is better than just flying all over the sky, because you may find yourself in a tight squeak, and no real brain command on hand.

## STUNTS AND MANEUVERS

You can perform stunts and we will cover some of them briefly. Quite generally, stunts are a result of building up speed. We've already seen that your plane will climb if adjusted right, and with a small rudder turn will still continue to climb. With a slightly increased amount of rudder turn, your altitude will hold.

If you apply harder amount of rudder you will begin to lose altitude. If you apply hard rudder completely and hold, you will go into a spiral dive. This is used quite effectively to get back down to a flyable altitude or to gain speed for maneuvers and stunts.

A few of the simple stunts which may be performed with your rudder-only airplane are: Roll, Split-S, and Wing Over. All these stunts are begun by entering a speed spiral dive to build up speed. With those maneuvers, effective use is made of the zoom which normally follows the dive.

**ROLL:** Spiral dive and release when the airplane is headed into the wind. When the nose has come up to about 45 degrees above the horizon, apply rudder and hold. The airplane will make a horizontal spiral. This may be rough, but it will be recognizable. Neutralize when the wings are horizontal and the airplane is right side up.

**SPLIT-S:** Dive and roll as foregoing, except neutralize the rudder when the airplane is upside down and the wings are level. The airplane will complete a half loop. When it comes out of the loop, be sure to kill the zoom that is liable to happen with a turn.

**WING OVER:** Dive and neutralize. Allow zoom to continue until the airplane is pointing straight up and almost stalled. Apply hard rudder and hold until the nose comes back up to horizontal.

All stunts should be performed with at least 200 feet of altitude. The Split-S, very definitely requires altitude, because it uses up a lot of it before it is completed.

Additional stunts which involve "going over the top" in an inside loop, such as loops, immelman turns, etc., can be performed only by altering the trim. Considerable experience is needed to fly an airplane trimmed for these maneuvers, and they are not recommended for beginners, and we will not go into detail here as to how to perform them. After you have gained stick experience and have logged some flight hours, these will more or less become automatic to you and you will know how your airplane responds to what commands you give it, and you can probably determine how these are performed by yourself.

This rudder only story is really never over, but the foregoing hopefully will give you some ideas as to the fun that rudder only can bring.

## FLY SAFELY

1. Join the AMA—among the privileges and benefits of the Academy of Model Aeronautics membership, are the fact that liability insurance is provided for all members. The dues are small—the benefits are great.

In addition to your insurance coverage, you will receive "American Aircraft Modeler" magazine, which will cover the whole field of model aircraft flying, and will enable you to read much more about radio control activities as well.


2. Avoid flying in populated areas. Try to stick to open country.

3. Don't fly over crowds—keep the airplane away from people.

4. Don't stunt at low altitudes.

5. Stay away from power lines and telephone lines. If your plane should accidentally become tangled in a power or telephone line, DON'T try to get it back yourself. Call the telephone or power company. They have the equipment to do the job safely. As a matter of fact, most of them will prefer to do it this way rather than risk a law suit over injury.

6. Never fly an airplane that isn't mechanically perfect. Never attempt to fly an airplane in which the radio response is less than acceptable. It won't cure its problems in the air if you have any slight problems on the ground.



7. Don't try to fly in areas of persistent interference.

## TAKE OFFS

ROG (rise off ground) is beautiful to behold if done properly. The surface must be smooth and hard (an asphalt pavement is ideal). Place the airplane on the surface, pointing it into the wind. When ready, just release (don't push!) the airplane. Correct any turning tendencies with GENTLE commands. Easy does it! Once enough speed is reached, the airplane will lift off by itself. Allow it to climb straight out until sufficient altitude is reached before beginning a turn.

## HAVE FUN!

The Pulse Rudder-Only flying story is never really over; and once having learned it, it will never leave you—just like bicycle riding. You can use it to advance the ladder by achieving more and more finesse in R/O flying; or you will find it excellent training for full house flying.

Just one word of advice, however. Don't trade in your Pulse R/O outfit. You may want to save it to fly when it's too windy for your big job, or when your super duper outfit has had to go back to the factory, or when you just plain want to relax without your knees knocking together. Pulse Rudder-Only is FUN—and fun is what you got into this hobby for—Right?

## DEDICATION



This presentation is respectfully dedicated to the memory of the late Frank "Dick" Adams in appreciation for the uncountable, pleasure filled hours he gave me. His work is responsible for the present "State of the Art" now enjoyed by many thousands who are flying Rudder Only.

Sincerely,  
Chris Soankson

*Chris Soankson*

## C/L BILL BOSS

General Correspondent  
SPORT and SCALE



Not what it seems, as any combat flier knows! Sam Bridges and Harold Brown at it.

**Quick Engine Change:** Carl Steuer has designed a control line plane which permits an engine change to be made in a matter of seconds. Just take off the rubber bands, move the fuselage, and put in a new engine containing motor, fuel tank and nose wheel for this tricycle landing-gear plane. All flying controls are mounted in the wing and tail section, which are completely independent of the removable fuselage section.

Steuer developed this type of plane to avoid ruining a day of flying because of motor failure. The design also permits the use of different sized motors, say a 19 for calm flying weather and a 35 for the rougher days. This type of plane also makes a good training ship. The novice can start off with a small engine and increase the engine size as experience is gained.

A further suggestion: why not build a plane in basic blocks, such as nose, wing, fuselage and tail sections. Each then can be modified to shape, length, weight, etc., thus permitting design experimentation without having to build a completely new plane if a particular design doesn't work out.

**Fuel Economy Run:** Many clubs run events based on getting the best possible air time on a given amount of fuel. Sometimes this type of flying is incorporated into events such as the Quadathlon, which includes Stunt, Beauty, Speed and Time Duration. Other clubs simply fly a Fuel Economy Run. Vic Garner's comments on the Hows and Whys of Fuel Economy are based on his article in the WAM "Propwash Newsletter."

He states that the power output of the average model engine is usually greater than that required for level flight, therefore engine intake and exhaust must be restricted to reduce the power output. The exhaust presents no problem, just bolt on a favorite muffler using maximum restriction. This also helps keep in part of the unburned fuel and adds noticeably to the economy. Restricting the intake may be more of a problem as a restrictor has to be made for most engines. Some suggested sizes for intake restrictors follow: 19 engine about .160", 29 about .155" and a 35 about .145". The sizes are approximate and could vary with the particular engine.



Carl Steuer's two-piece model, based on a military observer aircraft, can be flown with different units or pods. Flies on 19 to 30 sizes. Note elevator pushrod.



Lovely CL version of VK Nieuport 17 kit by Dee Mathews. Interesting feature is long shaft to hide model motor.

With the engine restricted, the available power is reduced and rpm is down. For sufficient power to ROG, Vic uses a 9/4 regular or a 9.6 narrow-bladed prop. Larger props put a greater load on the engine, making the needle valve setting critical and causing overloading and heat. A well broken-in engine is a must. Most engines seem to have good torque characteristics at about 8000 rpm and that's what Vic looks for as maximum the ground for all three sizes of engines.

At present, for the Economy Run event he uses a homebrew fuel made of white gasoline (67%), N.P.G. oil (18%), and nitroethane (15%). Any oil designed for two-cycle engine operation which will mix with the gas probably will work. However, the N.P.G. oil has given the best results and can be found in most motorcycle shops. If nitroethane is not available, nitropropane, propylene-oxide, or Francisco's Pickup Octonizer may be added as the igniter. Experiment with various percentages in the mixture to find the one which works best.

Providing a constant flow of fuel to the engine can be accomplished by using crankcase pressure, by plugging the tank vent and bending the filler tube into the windstream. Pen bladders will do for normal-type fuels but are not recommended for the gasoline mixture because the gas affects the pen bladder material.

For further information, write Vic Garner, 3867 California Way, Livermore, Calif., 94550.

**Nieuport 17:** Dee B. Mathews, a scale builder, sent in details and pictures of his Nieuport 17 and remarked, "Wish magazines would publish more bibliographies on scale subjects. I have spent many hours gathering information and developing construction and finishing techniques. I have any avid scale modeler. Too bad we can't share our gleanings."

In view of that desire, here are details on his Nieuport. The model is based on a V-K kit, powered with a ST56 and employs an

extension shaft through a dummy scale Le Rhone engine. All control surfaces are operable from the cockpit. Silk covering is finished with three coats of a mixture of Ambroid Cement and thinner. Clear dope is then applied. This combination gives the plane an oxidized varnish appearance. Silver areas are sprayed with silver Aerogloss, and then oversprayed with Hobbypoxy satin clear, providing an authentic finish (Re: Bergen Hardesty and Muse De'Air).

The plane is a good flier. During the past two years it placed first in both the Wichita Midwestern Champs and Tulsa Glue Dobbies Annals.

Many of you have a pet scale project, construction or finishing techniques which would interest other scale modelers. Why not send them in? Your idea might help solve someone's most difficult problem, or you may find an idea to help you.


## C/L JOHN SMITH

Specialist Correspondent  
SPEED and RACING

**FAI Speed Team Qualifications:** Thirty finalists for the three-man FAI Speed Team for the world championships in 1972 will be selected by the following methods. Last year's team is already qualified for the finals. Seven will be qualified by the best seven speeds at the 1971 Nats (all age divisions). The remaining twenty will be picked on a point basis, points being accumulated by flying in FAI meets from January-August 1971. With a minimum of ten contestants in each con-

(Continued on page 82)

The Vasillo and Hemmingway team with their A record ship. Partially built-in pipe on a TWA 15 with a polished tail.



# C/L JOHN BLUM

## Specialist Correspondent

### CARRIER and STUNT

From Across the Sea: Stephen Blake sends photos and information of the top British Stunt fliers. England's team for the World Champs in Belgium (August 1970) consisted of Mick Reeves, Jim Mannall and Steve Blake.

The team was selected by the SMAE (AMA equivalent) program through a series of established qualification contests. An elaborate tabulation of number entered, with tallied by contest and averaged to determine individual placings, is maintained. In 1970, 29 modelers entered six major competitions in an attempt to qualify for the World Champs Team.



A hot Carrier ship by Edwin Sensebaugh is K&B-powered. Uses flaps and auto rudder. Note aileron positions. Weights 34 oz.



Inside Cedric Elliot's ship (see below) is a mechanical marvel, which retracts the three-wheel landing gear with the motions as the real U.S. Navy Crusader fighter. It is an electrical system. Obviously the wing is removable. Complete plane weighs only 58.

Photos indicate that the models similar to those of the U.S. in design and outward appearance and with attention to paint scheme, lettering and details. Of particular note is that each is equipped with a muffler. Although a requirement in FAI Stunt in 1971, their presence conforms to the SMAE ruling

of several years ago requiring the of mufflers in England. This reflects recognition of a growing problem and attempt to solve it...



How To Handle: Thirteen-year-old John Roberts presents a crafty idea on UC handles. (Continued on page 82)



The Elliot Crusader. Engine is very well-hidden in the air intake. Stabilizer is apparently all-moving. This must look fabulous in the air with the wheels up. Even muffler is inside.

Twin Carrier job must have both engines running throughout flight.

fine handle can be simply a dowel and a wire. It's cheap too.



## R/C DON LOWE General Correspondent SPORT and PATTERN

**False Economy?** Under discussion lately has been the prospect of cheap FCC licenses by means of a club license. With the fee increase from \$8.00 to \$20.00 for a five-year license, many clubs are turning to the provision in the law which permits a club to obtain a license covering all members. Apparently this is legal and various club newsletters note that it is being exploited.

Two thoughts on such licensing are worth serious consideration. The first concerns the FCC response to the apparent reduction in the number of individual licenses of the allotted frequencies. Presumably, when considering frequency assignments, the FCC responds to the projected need on the basis of the number of users and the worth of the need. The question is, does the FCC respond to the number of individuals using the frequencies or the number of transmitters? It would seem a lengthy list of names is more impressive than a number.

I would rather pay the \$20.00 than jeopardize something which a number of people worked long and hard to obtain and which serves us all extremely well. Remember when you had your frequency? And remember the AMA RC frequency fund? What we have wasn't obtained overnight. Lots of other people are clamoring for our allotted frequencies. Should we make it easier for them?

The second point has to do with the AMA legal council's views relative to club control of the activity. It is assumed that any transmitter licensed under the club arrangement may be used only when the use is "under the direction of the club." This presumes that the activity primarily would take place at the club field or in a circumstance where club officials control the activity. Does this include contest activity by individuals or casual flying by members at other than club facilities? I would think not. For example, I am a board member of the WORKS Club I would not want to assume responsibility for Joe Doakes of the WORKS Club flying in a lower Slobovia AAAAA contest 10,000 miles away. What do you think?

**Equipment Reliability:** An item in the North Jersey R/C Club newsletter, "Printed circuit," brings up a subject close to the modeler's heart. Under certain circumstances a modeler bashes plane after plane with a rig which presumably has received the full factory treatment after each bash and has been pronounced healthy. This is discouraging to the modeler and has driven some to take up golf!

Why does this occur? Some modelers do treat equipment pretty badly and it's easy to blame the problem on faulty installation, failure to charge batteries, etc. But in many instances, this just is not the case. Manufacturers must shoulder some of the blame for doing a less than thorough job of equipment repair. Most modelers would rather spend a little more to eliminate the problem than to spend many hours and extra dollars building or rebuilding their aircraft.

Reliable repairs affect not only dollars and airplanes but also lives. A 100-mph Super Retractable No. 8 bomb is dangerous enough under full control! Present model aircraft equipment is super-sophisticated and outclasses what the military uses for similar purposes. Super-small servos, silky-smooth control sticks, peachy-keen buddy systems and



Schimitar by John Hancock, Macheke, Rhodesia, Africa. A colorful plane from AAM plans.



Navy's Angels team members inspect Reno R/C Club display at 1970 Reno National Championship Air Races—for big planes.



Hong Kong's No. 1 flier, K. M. Tang, flies Beachcomber Republic of China Nats.



Lee Shulman (standing) and associates demonstrate the Shulman system for Pattern contest management. Note racks in background for flier and frequency control. See text.

select-a-frequency options are already available. Instead of a projected face-lifting or super shrink job, why not spend model change dollars on the nuts and bolts of reliability? I think the modeler would vote for this. . . .

**The Shulman System:** Leon Shulman is a man of many talents, one of which is organizing and running the annual Eastern States RC Championships in New Jersey. He operates what some call the Shulman System—an organizational and operational technique for getting the maximum number of flights for all contestants with less work for everybody. It encompasses the basics of a shortened flight pattern, visual display of flight order, multiple flight lines and making the contestant responsible for assuming the position when it is his turn to fly.

Lee has put together a nine-page document complete with pictures and all the de-

tails of his system. This report would be of value to contest directors who want to spruce up their operations. Those interested may contact Lee at 42 Blake Ave., Cranfield, N.J. 07016. . . .

**Taiwan Report:** From Taiwan, Republic of China, via L. W. Hoffman, comes news of a model Nats sponsored by the China Youth Aviation Association. Some 325 contestants were in attendance, with 57 RC registrants. A modified FAI pattern was used and J. C. Chin was the RC winner. RC is popular in many countries and is growing by leaps and bounds. . . .

**Help for the Needy:** Gary Moore is teaching model aircraft building to orphans at a "Big Brothers" Home in Neosho (Joplin, Mo.). The home handles about 150 kids in a year's time, and Gary is seeking help in the form of models, supplies, excess radio gear,

etc. Anything you might offer would be appreciated. Contact him at 328 Adams, Neosho, Mo. . . .

**Help for MonoKote Fanciers:** Stumpp suggest using a knife or wide screwdriver heated with the MonoKote iron for those hard-to-get-to edges which the iron simply can't reach. . . .

**Special Issue:** The Tri-Valley newsletter (South Bend, Ind.), edited by Jerry Smith, put out a special five-year anniversary issue that is outstanding. The newsletter, with its pictures, and gimmicks, plus professionally drafted hints, is always a real pleasure to read. Some of the ideas have been reprinted in national magazines, but a choice collection of these items is contained in the special issue. Congratulations to Jerry and his cohorts, Eva Kouse, typist; Howard Nelson, photographer; and Robert Hensler of "Baron Grinlit" fame.

## R/C CLAUDE McCULLOUGH Specialist Correspondent SCALE

**Help Wanted:** Members of the 1970 U.S. Team to the Scale World Championships had to pay their own travel costs and from the East Coast because so little money was donated to the Scale Fund. Since the team for 1972 may be picked early in the 1971 Nationals if not too soon, begin a drive to provide proper support comparable to that available to World Championship fliers representing other events. Taking up a collection at club meetings is a quick and effective money raiser. A small contribution from everyone interested in scale would do the job. Dig down and send to 1972 Scale Team Fund, c/o AMA Headquarters. . . .

**Measure Up:** Care spent in research and drawing up accurate plans will be wasted if close tolerances are not held during construction. This common fault is not realized by the builder until a scale judge finds something like a wing chord  $\frac{1}{8}$ " to  $\frac{1}{4}$ " oversize. Lapping top and bottom planking invariably produces a longer trailing edge than the same combination does on paper. Such areas require checking and special attention with a sanding block. Worse than dimensional errors from a scale appearance standpoint are those of shape, particularly leading edges and wing-tail tip cross sections. Many otherwise beautiful models are spoiled by hasty carving, leaving outlines too thick, blunt or squarish. The only way to get these right is by constant reference to photos of the prototype aircraft while building. . . .

**Big Wheel:** Building scale subjects calling for four and five-inch tires will be easier with the new English Micro-Mold line. Sizes start at two and one-half inches. Tough and well made, they have a tread pattern and an ingenious interchangeable hub design allowing selection of three different styles. Walt Maucha picked up a pair of the five-inchers while in England and has installed them on his Fly Baby. Sig will carry them in this country. . . .

**Low Tack:** Some types of finish cannot tolerate masking tape that sticks tightly. World RC Scale Champion Mick Charles had to redo the paint job on his Sirocco when part of it stripped off with the tape. This nearly put him out of the running and caused a lot of extra last-minute work. Try the tape sold in drafting supply houses for fastening paper to a drawing board. It resembles masking tape but is specially made not to lift the surface on removing. Don't leave any type of masking



Roy Scott's B.E. 2C is a true masterpiece. Realistic filler is not for strong winds. Bombs too.

tape is a model very long for it begins to set up and will be difficult to remove.

Another useful aid in doping and decorating is liquid masking, available in art supply stores. Hobby shops featuring model railroad or plastic kits have a similar product called Magic Masker. Painted on with a brush, it dries to a rubbery film which can be picked up after completion of the color scheme and pulled off and painted. Good for intricate outlines and surfaces with compound curves. . . .

**Sticky Problem Solved:** Plastruc model railroad butyrate tubing and structural shapes have been previously suggested in this column for many detailing applications. makers

offer Plastic Weld, a bonding fluid that is a whiz at gluing up Plastruc parts. Also works well are many other tough-to-glue materials useful in scale building—plexiglas, ABS, styrene, etc. . . .

**Scale Data Sources:** Federal Records Center, General Services Administration, Naval Supply Depot Bldg., Mechanicsburg, Penna. 17055, has a million cubic feet of records and in that mountain of paper are many 3-views, inboard profiles, cockpit construction drawings and framework assembly layouts, primarily of Navy aircraft, of the 1930's and earlier. State the type of drawings required and they will advise as to availability and cost of reproduction. Some delay can be expected in reply.

Sad! Radio failure totaled Terry Melleney's beautiful Miles Hawk. Luckily, pilot survived.



# R/C

**GEORGE SIMPSON**  
Specialist Correspondent  
**R/C CAR RACING**



Cars of the Baine racing team, are scratch-built, heavy, reliable, and regular winners.

**New Concepts:** As more and more people are drawn into our hobby, new ideas are being tried out. Some of these idiosyncratically rebirths of old and disproven theories, while others are very novel and worthwhile concepts. In this month's column, I will describe some of the latest trends in RC cars.

**Engines:** The trend is toward mounting the engine in a horizontal position to neutralize the up and down vibrations generated by the piston; these may lessen adhesion by the tires. Heatsinks are readily available but during the winter months these are not used at all. The VECO engine has deep fins on the cylinder head to preclude any necessity for additional heatsinks. Many racers now mount 29, 35 and even 40 carburetors on the 19 engines. This is quite legal because only the engine displacement is limited by the national racing rules.

**Radios:** These are becoming smaller, simpler and cheaper. We used to have to pay up to \$500 for RC gear, but now there is a basic radio (by Kraft) which sells for less than \$100 and can be used for cars. Many manufacturers are seriously considering spe-

cially-made sets for cars with reduced power output (to eliminate the need for licenses and to reduce interference), switchable frequencies, and human-engineered controls. Many modelers put the antenna on top of the set, on its face, rather than on the side as is done for planes. This eliminates the hazard of poking somebody's eyes out while you are driving from the driver's platform. Also, the vertical antenna radiates a better signal and prevents the transmitter from tipping over when not in use. As most cars use only two controls, one tiller or steering wheel controls the steering while the other is for throttle. The two are occasionally combined.

**Chassis:** Most chassis that you can buy are in kit form. They are fairly heavy but can be lightened by drilling holes in the metal. Radio compartments are covered up with a vacuum-molded plastic sheet. There is a new trend toward ultra-light chassis but these should be considered by experts only; they are quite fragile. A good reliable

chassis which will take a lot of hard knocks, plus the stresses associated with starting the engine, is worth more than a lightweight chassis which will flex, bend and lose alignment.

**Bodies:** The struggle is between the purists (good guys) who believe that they should race cars and the others (bad guys) who will not hesitate to put a shoebox on four wheels if it increases the speed of the car. These contraptions are called "thingies" and they are felt to reduce a dignified hobby to a fad where speed and speed alone counts.

**Tires:** Front tires are quite narrow, small and hard in order to reduce their steering effect to a minimum. Rear tires, on the other hand, are getting to be quite wide and soft, although on many surfaces only the hard rear tires (such as those offered by Heathkit, Wen-Car and Ra/Car) will work well. Witness the 1970 Nationals. The 1971 National Racing rules definitely call out tire diameters, widths and even color; check the rules before you invest.

# R/C

**FRED MARKS**  
Specialist Correspondent  
**TECHNICAL ITEMS  
AERODYNAMICS**

**Mitter-Minder:** From Sid Kaufman on an idea for an automatic warning device for transmitters. Whenever the battery voltage decays to a preset level, an audible signal is emitted and, if the filler doesn't drop the transmitter from fright, he can bring his plane in and land it before the transmitter is functioning.

The schematic for the Mitter-Minder is presented here. According to Sid, none of the parts is critical and the components cost less than \$3.00. The speaker is exposed to a two-inch square p.c. board with the components mounted around it. The potentiometer can be set to allow oscillation at 1.1 times the number of cells for nickel-cadmium batteries or 80% of rated voltage for dry cells. Drain is about three milliamperes with or without audio oscillation.

**Old Fumble Fingers:** The equations given in the October column for calculation of Vmax in miles per hour contained two typographical errors in the figure I laid out.

The 375 in equation one should have had a decimal point in front of it, and the 712 factor in equation two should be outside the cube radical. My apologies to Jack Burns—and to Nic Damuck, who wrote to say that calculations for his H-Ray showed it would reach about 53 mile per hour! The corrected formula yields 53 mph for the H-Ray. This may be a bit high, I suspect, but it also reflects in the curve wherein the H-Ray with a 19 indicates something better than marginal out of grass. Actually, the grass has to be very short, but we won't quibble over a blade or two.

**Noisy Boat Servo:** Frederick C. Williams is interested in RC boats but has been unable


to find a basic book for a beginner. He writes, "I recently built the Caltex Lumba-Lumba as my first attempt. It turned out rather well, so I decided to install radio equipment. After its purchase and learning more about RC, I realized I had been misinformed by the dealer who had sold me an MRC Arcon transmitter and matching relayless receiver with an Aristo-Craft Boatomatic actuator.

The equipment operated erratically because of electrical noise generated by the servo. After considerable trial and error application of capacitors and RF chokes, I finally suppressed the noise. Ultimately, satisfactory operation was achieved only by detuning the receiver to provide reduced sensitivity. However, this reduced range to about 100 feet. The motor control of the Boatomatic would not work successfully because of electrical noise from the switching contacts involved. How can I get the equipment to function as it should?"

Mr. Williams' letter raises three points. The first is that of information for beginners. AAM has available a bound collection of Howard McEntee's monthly feature, "Getting Started in RC." For a beginner, this will be money well spent. Another excellent book, *Radio Control for Model Builders*, by William Winter (Hayden Publications), describes numerous installations in unusual models. (Now out of print, but to be reissued next year—Publisher.)

The second point is the practice by a few hobby shops of selling to inexperienced modelers equipment which is out of date or about which the seller knows nothing. The truth is true of buying used equipment from other modelers. To those who mislead knowingly, I only say that personal integrity is an extremely important commodity and is absolutely necessary to retaining lasting friendships and keeping repeat customers.

To the inexperienced modeler: learn before investing. It's much less expensive. Get to know modelers who are experienced. Join a club. Subscribe to or purchase model magazines which have how-to articles in them. Purchase RC books, such as those listed earlier. Write the equipment manufacturers for literature. Get catalogs from ACE RC,



Kaufman's Mitter-Minder watches voltage.

World Engines and other advertisers in this magazine. While the spectrum of equipment available will confuse a new modeler, he can no longer plead ignorance. Finally, if you are readily available to consult, write about your specific problem and I will either advise you or refer you to someone who can.

Finally, the MRC set purchased by Mr. Williams is a low-power, relayless unit designed to operate an escapement in one of the 020- to 049-powered planes. It is not readily suited to his intended application. The Boatomatic requires a single-pole double-throw relay. The receiver must be operated from a separate power supply.

In this instance, the receiver should be mounted in a shielding metal can, the output leads should be brought out to a separate, externally mounted relay through 12 microhenry chokes. The receiver should be mounted as far from the electrical drive motor and the servo as practical, and it will be necessary to have arc-suppression on the relay contacts. Usually .01 microfarad capacitors from the common contact to the normal open and normal closed contacts respectively will suffice.

If the problem isn't cured by this, use the system in the application for which it was intended and purchase a good, used reed set (around \$50) which is ideally suited to boat control.

## R/C BOB MORSE

### Specialist Correspondent PYLON RACING

Quarter Midget Racing: The Pioneer RC Club completed its seventh AMA-sanctioned event of the year by hosting one of the first quarter midget racing meets in Northern California.

Gary Korpi took first, Bud Phillips second, both flying the new K&K Ballerina with 15 power. Rick Walters finished in third place with the new Andris Little Toni which had an O.S. 15 in the nose.

Of a total of ten entries, eight still were flying at the conclusion. Mike Taylor and I entered a hastily built kluge and flew as the Over the Hill team. We finished far down the list, but we did enjoy the racing.

After flying in quarter midget, we feel Formula 1 racing is still the premier event, but quarter midget racing does offer speed and thrills. Those who haven't tried it yet will be pleasantly surprised at the speed these tiny ships with pipsqueak engines can reach.

One of the major problems with quarter midgets is lack of a national standard for rules. At present, a flier may travel a great



Lineup of Quarter Midget racers. Correspondent's Kluge is obvious, others are either new K&K Quarter Midget Ballerina with K&B's — Bob Francis Products' Little Toni.

distance to enter a race and then find the ship he built to enter in the Sleepy Hollow — — disqualified at the Country Corners Event.

Bob Andris and a group of quarter midget devotees are meeting in an attempt to formulate a national set of rules from the many variations used around the country. Those interested in joining this program may contact Bob at 12155 Terrence Ave., Saratoga, Calif. 95070. . . .

New Products: Most impressive at the quarter midget — was the appearance of two new fiberglass and foam ships for this event. Both were nicely done and flew extremely well with speed enough to take top

places. Placing first and second was the K&K Products Ballerina which appeared to fly equally — well as its larger stablemate, the Formula 1 Ballerina. Taking third and fourth places was Andris Products Little Toni which showed excellent workmanship and very attractive lines.

Another new item is a nylon servo tray (\$2.95) for the Micro-Avonics XL servos. Many who are flying these servos will welcome this product. We are presently flying with such a tray and do not hesitate to recommend it. Available from D&R Products is a bulkhead switch mounting kit. Send orders to 27635 Forbes Rd., Laguna Niguel, Calif. 92677.

## R/C HOWARD MCENTEE

### Specialist Correspondent GLIDERS and FAI

Rocket-Powered Gliders?: Well, not exactly. Model rocketeers call them boost gliders and they look something like hand-launched FF gliders. They must be rugged because of the speed at which they travel under rocket thrust. Power flight is practically vertical until engine power —. Then the engine is jettisoned to float slowly to ground by parachute, while the craft assumes a gliding attitude. Boost gliders have been flown by rocketeers for some years and a contest category is set up for them. A fair number have been lost, drifting away — thermals — landing where they cannot be found.

The dream has been to control the gliding flight by RC. Very lightweight equipment is now available to do this, and a successful

pioneer in the field is Doug Malewicki, who has done — article — the subject in Model Rocketry. In his design, the rocket engine is in the elevated — pod of the 17-in. span glider. The whole propulsion unit drops off at peak of climb. The glider weighs 2.8 oz., including loaded rocket pod, and carries a tiny Bantrol receiver and actuator which control the rudder — thread linkage. Fifty mAh nickel-cads furnish receiver power. Radio installation is carried in a pod beneath the wing. Many successful flights have been achieved, including some high competition places. . . .

Commercial Thermal Sniffer: In addition to units previously mentioned is — designed by Dick Jansson. It will be marketed through Willoughby Enterprises, 14695 Conceda Pl., Tustin Calif. 92680. The entire package weighs about 1 1/4 oz., — x 1 1/4" and is in sealed ABS case. It operates from receiver batteries, 4.8V — less than 30 ma. The unit has been air-tested extensively and has enabled Jansson to win at least one thermal meet. Two 18-in. wires attached to the unit may be taped to the wing LE for —. Operation is on five spot frequencies — the Amateur two-meter band and the crystal-con-

trolled transmitter produces FM output. Plane unit and a suitable receiver list for around \$100. . . .

ECSS Reorganization: The East Coast Soaring Society has made quite a few changes in its setup. Membership will henceforth be on an individual basis, rather than by clubs — the — in 1970. It is expected that at least five meets will be held in 1971, but the schedule is not complete yet. All glider fliers who attended ECSS meets in 1970 will receive membership forms; other interested fliers may contact Carl Torber, 8306 Fremont St., Carrollton, Md. 20784, for information. A permanent group of officers will be elected early in 1971, including a nine-member Board of Directors. Members will be kept informed, by a newsletter, of meet locations, results, rules, glider flying spots — the East Coast, etc. Dues will be \$5 per person, to cover newsletter cost. . . .

HSSS Goes AMA: This pioneer RC glider club, based near Santa Ana, Calif., has applied for AMA Charter, which is expected to bring many benefits to this active group. Club members were warming up for a North vs (Continued on page 80)

The Michaels Miskeet, held by designer, now available from Fliteglas.



Yes, it is a small pulse RO boost glider. See text.



# F/F BOB MEUSER

General Correspondent  
SPORT

**Simple Tailboom Form:** Rolled-up tapered balsa tubes are used as tailbooms on Wakefield and Coupe d'Hiver rubber-powered models and Nordic gliders. Some use a pool as a form to wrap the balsa around, but the dimensions and taper are not usually the best. Detroit Balsa Bugs Earl Schick and Phil Klintworth have worked out a way to make a better form. Both Phil, a former U.S. Nordic Team member, and Paul Crowley have used

the method successfully.


Basically, the form consists of a sheet of brown wrapping paper cut to a taper and wrapped around a steel rod. A 3/8-in. dia. rod is a convenient size and can be bought at hardware stores. The wrapping paper must be a little wider than the length of the tailboom. The thickness of the paper must be determined, so a stack of ten layers of paper with a micrometer and divide by ten. Determine the diameter the form should have at both ends—equal to the inside diameter of the tailboom. Use the graph to determine the lengths of the two sides of the paper, L1 and L2, corresponding to the end diameters D1 and D2.

Roll the wrapping paper out on the floor  
(Continued on page 76)

Dihedral:  
3/4 at tip  
1/2 at break

	Weights, gm	Areas, sq. in.
Prop & spinner	35	
Fuselage	62	
Wing (AR 14.2)	65	239.0
Stab (AR 7.9)	■	54.5
Motor	40	
Timer	20	
	230	293.5

Prop Data:  
24 diameter  
26 pitch  
2 1/2 blade width  
1/16 undercamber  
2" tip washout




Covering: red transparent Super Monokote. Flight pattern: right right.  
Auto stab: 0° incidence for climb changing to -1 1/2° at 15 sec.

**CITADEL**

John Allen, Albuquerque NM  
First place, 1971 USA Team Finals

Members of the Detroit Balsa Bugs worked out this method, which uses heavy wrapping paper, to make forms for rolling balsa tail booms. Pool do not usually have proper taper and dimensions.




# F/F BUD TENNY

Specialist Correspondent  
INDOOR

**Success Story:** Richmond, Virginia, now has a modest site for indoor flying, due to the efforts and perseverance of Fred Harlow. He began by looking around for possible sites and finally decided to contact the Henrico County Recreation Department. When he presented the idea to Elliott R. McGeorge, Fred found Mr. McGeorge, in common with most people, envisioned gas-powered models, with the attendant noise, smoke and mess.

Fortunately, Fred was prepared with models and put on a flying demonstration. The contrast between an expected growling monster and a sedately silent indoor model won over Mr. McGeorge. Now Fred and his friends have a school cafeteria available for indoor sessions. It is interesting to note that Fred had previously furnished photos and an article about indoor models but they did not dispel the noisy bomb preconception. It takes a live showing to be convincing! Needless to say, Fred and his friends are grateful to Mr. McGeorge for his help, and they hope their success will encourage others to make similar attempts.


**Instant Helium:** A service for gala party hosts may well be a boon to indoor fliers. Tiny Harley has alerted us to the availability of helium gas in pressure cans, \$5 for three cans. One can should fill at least one model steering-size balloon, perhaps with some to spare. This seems like a high price, try renting a helium bottle and carting it to indoor contests!



John Triolo's microfilm autogiro. To classify as such, rotor area must equal or exceed other lifting areas. Other classes included ornithopters and helicopters. Each type is an ambitious project. Yes, it flies.

For that matter, \$5 worth of helium in this form would have been worth its weight in gold to the U.S. Indoor Team last spring while flying at the 1970 Indoor World Championships! Even if the models had been too high to steer effectively, most of the models could have been saved from their untimely ends on the salt mine walls.

(Continued on page 76)




## F/F BOB STALICK

Specialist Correspondent  
GLIDER and RUBBER

The Case for Unlimited Rubber: With the coming of the three-min. max in many areas, including the Navy-sponsored Nats, an obvious problem arises in Unlimited Rubber. A look at the 1970 Nats Open winners (and 1969 winners) indicates that to take first place 12 three-min. maxes had to be flown, second place required only 11 three-minute maxes plus. How much of this kind of endurance contest is dependent upon the model and how much is dependent upon the resiliency of the flier is a moot point—sometimes it's a matter of who decides to quit flying first...

Another Case in Point: Unlimited Rubber has perhaps the greatest variety of design approaches of any FF event now being flown, since its sole restriction is a 300 sq. in. maximum wing area. Where else could a hotly contested Unlimited event be won by an EZB, recently happened in the Northwest? Where  
(Continued on page 78)



## F/F WALT MOONEY

Specialist Correspondent  
SCALE



Bob Peck's Longster climbs aloft — Q20-power, it's always a high-time flyer.



Bill Warner's nifty semi-scale Peanut is a Poullin J.P. 30, which placed first with an average of 51 seconds for best three flights at Las Vegas New Year's meet.

Jumbo Scale: N.A.R. Flightmasters have up with a requirement in their annual Jumbo scale contest for rubber-powered scale models with wing spans of four feet or more. flight is official unless a scale pilot is in the cockpit during the flight. For a small additional effort, considerably more realism is attained. Since these rubber-powered

models, the requirement leads to comments such as, "Your pilot is a bust, isn't he?"

This year's Jumbo contest attracted more than a dozen entries, and the air over the Los Angeles' model airport at the Sepulveda basin was graced with a flock of large, quiet, and piloted scale birds.

(Continued on page 79)

## F/F CHUCK BROADHURST

Specialist Correspondent  
POWER

Prop Blades Break: You'd better believe it when Doug Galbreath says he'll never use a Cox gray 7/3.5 prop — his FAI Power models unless they're beefed up. This prop was originally intended by the manufacturer for on the Cox 09 engine, but Doug insists that for sheer pulling efficiency they're the best he's ever used — his 15 engines.

At recent Northern California Free Flight Council contest, wrenching, ear-splitting


sound belched from Doug's Eros. It came three seconds after launch, when the model about 100 feet in the air. The plane's engine, a Rossi 15, obviously had undergone a sudden and enormous increase in rpm's. Shaking violently, the model became almost a blur. Its rudder off — the model appeared to stop in mid-air, its forward thrust gone. Then it did — tail slide and headed, power on.

(Continued on page 79)

Torpedo 40 hauls Howard Harvey's C job straight up. Plane is named Tiny Tim, but knows why. Note color pattern.



MonoKote covering, Van Nest-Cherny engine mount, hot Tigre engine, Seelig timer, everything is automated on Dick Lyon's Struttler designed for FAI.



A free flight kite,  
alias Ben Franklin's Revenge,  
uses rubber motor for  
its own wind.

# Stringless Wonder

BILL HANNAN



HERE'S A LOW-COST project which can be completed in a few hours and which is guaranteed to attract attention! Stringless Wonder is the result of a desire to enter something out-of-the-ordinary in a local kite contest. I've always enjoyed flying kites but, like Charlie Brown of "Peanuts" fame, I generally ended up with tangled strings. Solution? Eliminate the string!

The prototype of Stringless Wonder was accepted as a legitimate entry at the kite contest by the judges, who finally decided that my entry simply "made its own wind!" To see just how far rules could be pushed, I also entered my scale towline glider, and it was also welcomed, which goes to show that there are still unexplored ways to have fun with this hobby.

Kites have traditionally been colorful, and Stringless Wonder is no exception. The original is red, white, and blue, but why not let your imagination go wild and really be creative?

## Construction

The plan is full-size and should be covered with plastic wrap or waxed paper. Select several straight medium-hard 1/16" square balsa strips, and cut them to the length shown. Cutting the long pieces first will minimize waste. Take time to achieve good fits for maximum strength as well as neat appearance. The outer wing panels and stabilizer are not glued to the wing center section until after they are covered.

After the frames have dried thoroughly, cover them on the top side only (the fin is covered on just one side) with lightweight tissue. It may be applied with clear dope or thinned-out white glue. To prevent warping, pin or weight the parts to the building board

for an hour or two, while the tissue adhesive dries. Do not water shrink or dope the covering, as it would surely distort.

**Motor Stick:** Select a straight, very hard 1/4 x 1/8" balsa strip and cut it to the length shown. A scrap of 1/8" balsa is glued to the underside of the motor stick to shim it to the size required for a North Pacific propeller bearing assembly. This is the type of plastic thrust bearing which is furnished with Delta Dart kits (AMA Cub), North Pacific Skeeters, and Sleek Streak ready-to-fly models. The rear rubber motor hook is bent to shape from a thin-wire paper clip and bound to the rear of the motor stick with thread and glue. Don't get carried away with the amount of thread, or the resulting lump will prevent the wing from

seating properly. Only a few turns of thread are needed.

**Assembly:** The perspective drawing shows the relationship of the various parts. First, place the wing center section flat on the building board and weight or pin it in place. Next, glue on the outer wing panels, adding suitable blocks under each tip for 1 1/4" dihedral per side. Allow plenty of time for drying. Turn the assembly over and add a little extra glue in the V slots at the dihedral joints. Use discretion, as an excess of glue may soften the joints, and the dihedral will be lost.


Next, glue on the motor stick in its correct location. Add the vertical fin, centering it carefully. Then the stabilizer may be installed. It is glued to the underside of the fin, creating an incidence angle. The small paper rudder and elevator (typing paper) are glued in place next.

The optional kite tail is made from tissue about 1/4 in. wide, and two or three ft. long. This is strictly for effect, and helps create the illusion of a kite while flying. An overly long tail will add excess drag and reduce performance.

**Propeller:** The prototype model performed best with a 5 1/2" dia. plastic VF-8000 propeller, which may be obtained from Sig Mfg. Co. This propeller features a neat spinner and also an effective free-wheeling device. The model also has been flown with other plastic props, including the Kaysun 4" dia., Kaysun 5" dia., North Pacific Skeeter (4 1/4" dia.), and the North Pacific Sleek Streak (5 1/2" dia.).

Since the model was designed for the VF-8000, which weighs more than any of the others because of its spin-

(Continued on page 73)



Not-so-obvious detail is absence of covering material at motor. See plan.

POWER: ONE LOOP OF 3/32" PIRELLI  
OR 1/8" BROWN RUBBER.  
EXPERIMENT FOR BEST RESULTS!

BLOCK UP WING TIPS  
FOR 1 1/4 INCHES  
DIHEDRAL EACH SIDE



FRONT VIEW  
(NOT TO SCALE)

1/16" SQUARE MEDIUM-HARD BALSA  
(TYPICAL)



ELEVATOR  
(TYPING  
PAPER)

STABILIZER

1/16" SQUARE  
BALSA

RUDDER  
(TYPING  
PAPER)

FIN

BALSA

MUSIC WIRE HOOK  
WITH THREAD BINDING

# "SUPER DELUXE" PILOT ARF'S

There are various degrees of almost-ready-to-fly airplanes. Some are finished to a higher degree of almost ready to fly-ability than others. If you look at some of these Pilot airplanes, I am sure you will agree they have added an extra dimension into the art of preparing an almost-ready-to-fly model. To get a real nice job on the Cavalier, which is the flagship of the Pilot line, you should spend two evenings. This includes radio and engine installation. The other planes should finish up in an evening. Wherever possible, the aileron and rudder are on and hinged. The Cavalier and the Shell Fly "B" are superb low wing, high performance, airplanes. The high wing symmetrical section Sky Wagon with its long tail moment is

especially fine acrobatic trainer. The Olympia and the Cessna Cardinal are excellent 3 channel beginner's models. The little Piper Cherokee, being a low winger, might frighten some beginners but, with the dihedral that this model has, it is a beautiful and docile 3 channel airplane. We would recommend a 60 cc engine for the Cavalier, a 40 for the Shell Fly "B" and the Sky Wagon (or maybe a 35), and a 15 to 19 for the Olympia, Cherokee and Cardinal. Because of the extra effort that has gone into these Pilot kits they are a little more expensive, inch for inch, than many almost ready to fly models. For somebody who highly values his time, think even at the slightly increased price the extra finish is well worth the effort.


## CAVALIER



Wing Span 63.78"  
Length 49.80"  
Wing Area 635 sq."  
Engine 60  
R/C Mech. 4 Ch

**\$69.98**

## CESSNA CARDINAL



Wing Span 63.78"  
Length 35.43"  
Wing Area 397 sq."  
Engine 15 to 19  
R/C Mech 1-3 Ch

**\$34.98**

## SHELL FLY B



Wing Span 51.21"  
Length 39.4"  
Wing Area 480.5 sq."  
Engine 30 to 40  
R/C Mech. 4 Ch

**\$49.98**

## CHEROKEE



Wing Span 46.48"  
Length 36.23"  
Wing Area 387 sq."  
Engine 15 to 19  
R/C Mech. 1-3 Ch

**\$34.98**

## SKYWAGON



Wing Span 52.75"  
Length 40.55"  
Wing Area 485 sq."  
Engine 30 to 40  
R/C Mech. 3-4 Ch

**\$49.98**

## OLYMPIA



Wing Span 46.08"  
Length 34.25"  
Wing Area 379 sq."  
Engine 15 to 19  
R/C Mech 1-3 Ch

**\$34.98**




# WORLD ENGINES INCORP

8960 Rossash Avenue, 45236



## I. M. PRODUCTS ACCESSORY LINE



### "H" CLAMPS


These clamps can be used in fuselage construction in many other ways in the workshop. This is something we have needed for a long time to keep fuselages square, etc. These are packed two in each package.

2.50 Catalog No. IM0068

### RAM AIR FITTING

This is an air scoop package, contains two scoops to a package and comes complete with the wood screws necessary to mount them to the side of your fuselage. These air scoops act like a supercharger and the air rams into the scoop and then on into your fuel tank. You connect the vent line from your fuel tank to the back of the scoop. Our tests indicate that the real payoff on these air scoops is in the idle. They just seem to make the engine run a lot more solid than without them. It is something we have needed for a long time. Incidentally, there are two different sizes in each package, one large and one small.

.50 Catalog No. IM0065



### GRIP TUBING

This large heat treat tubing is used to hold a push rod wire into a push rod dowel. The small size works very well with 1/4 inch dowel. The large size is recommended for use with 5/16 inch square balsa push rods. Another very clever idea from IM Products.

Push Rod Keeper Tubing, Small .99 Catalog No. IM0066  
Push Rod Keeper Tubing, Large .99 Catalog No. IM0067




### PILOTS

One of these pilots is 2 inch scale, the other is 1 1/2 inch scale. These pilots come in white plastic. We recommend that you use some sort of enamel to paint the pilots. The pilots seem to be made of a material similar to that which tanks are blow molded from. These are really sharp for open cockpit type aircraft. In order to form these pilots it was necessary to make them so that the legs come off. These can be put on permanently with a little plastic cement.


1 1/2 inch scale IM Pilot  
2 inch scale IM Pilot

2.50 Catalog No. IM0069  
2.95 Catalog No. IM0070



# CORPORATED, CINCINNATI, OHIO

Telephone 513-793-5900



EXPLODED VIEW

WING CENTER SECTION


FULL SIZE PLANS

# "STRINGLESS WONDER"

FREE FLITE KITE  
(BEN FRANKLIN'S REVENGE)  
BY BILL HANNAN

1/8" HARD  
BALSA SHIM

MOTOR STICK  
1/4" x 1/8" HARD




OUTER WING PANEL

THIS AREA  
IS NOT COVERED  
WITH TISSUE

POSITION OF  
MOTOR STICK

BALANCE  
POINT

OUTER WING PANEL






Our MCE is shown decorated with colored tape. It is white with green and yellow trim. Other color bodies available — red, blue, and yellow. Nice decal sheet is included. The body is not scale — such but, with trim and decals, it becomes unmistakably realistic.



## MRC Two-channel Radio in the MCE Sidewinder Indy Wedge

WENDEL GREEN and FRED MARKS



Most fascinating component is highly effective cam-actuated brake system which is coupled with the throttle servo.

Changeable crystals are useful feature. IC decoder. The system's great range makes it suitable for aircraft use also.



Patented steering system offers excellent gear-train protection and variable intensity steering. In other words, it helps prevent spin-out. Lots of caster effect used.

## Technical Feature

THE MCE IS a well-built, rugged car which makes no compromises on quality and which is as fast around a course as any car in current production. During five and a half hours of track testing no part fell off of it or failed, even though the testing inadvertently included two rather brutal crack-ups. MCE has designed and produced an RC model based on the premise that the car must finish a race in order to win it.

The MCE's basic layout is similar to many RC cars: sidewinder-mounted engine which drives the rear axle through spur gears and a sliding pillar front suspension, all held together with a deep aluminum-channel chassis, three inches wide and two inches deep. A firewall just aft of the cockpit provides part of this car's excellent radio compartment sealing. Fasteners are aircraft quality with self-locking nuts.

Front suspension pillars are constructed to provide Ackerman effect steering and the front wheels turn on bronze bushings. Massive aluminum carriers provide ball bearing support for the rear axle. By placing the ball bearings at the centerline of the rear wheels, axle bending in case of a bad crack-up is retarded.

The car's most unique feature is its cam-actuated brake assembly. External adjustment can be made to suit individual driving preference and type of course simply by adjusting the set-screw holding the cam onto the shaft.

The driven cone of the clutch is carried on a bronze bushing on an extension of the engine crankshaft. This arrangement provides excellent support. After five and a half hours of very hard driving, the driven cone of the clutch showed no observable wobble. An Enya 19 engine we used provided more than sufficient power and operated smoothly throughout the rpm range. Other vital characteristics are found in Table I.

To track test an RC car, it is run on various surfaces under various conditions to determine its durability and handling characteristics and to evaluate any unique features. Three types of courses, the 20-ft. radius circle, the

TABLE I

Weight—6.4 lb.
Wheelbase—11 7/8 in.
Tread front—9 in.
Tread rear—9 3/16 in.
Rear tire width—1 3/4 in.
Rear tire diameter—3 3/16 in.
Front tire width—1 5/16 in.
Front tire diameter—3 in.
Front suspension travel—3/16 in.
Drive train
16-tooth pinion
96-tooth bull
Center of gravity (as tested)—4 1/4 in. forward of rear axle
Radio compartment sealing—excellent
Bearing material
Rear axle—ball bearings
Clutch—bronze bushing
Front wheels—bronze bushing
Wheels—five-spoke aluminum

THIRTY EIGHTH

IN A SERIES

HOWARD McENTEE

# Getting Started in RC

## Suggestions from the Pro's

THE PROFESSIONALS in the modeling field—the hobby dealers and RC manufacturers—should have definite ideas on what's best for the RC beginner. For their suggestions, AAM contacted some 20 people known to be active RC fliers, as well as being leaders in marketing and retailing RC plane kits and equipment. Despite followups, only four answered, but their worthwhile comments follow.

Carl Goldberg referred us to the beginner RC information in his catalog, which he obviously has given a lot of thought. He recommends that the beginner get into RC with a plane of modest size, equipped with rudder, elevator and engine throttle. The plane should be flown with rudder only at first, until the technique is learned. Other controls may be brought into use once the flier develops the desired automatic reflexes. Carl notes that proportional with its natural and logical control movements is much to be preferred over escapements or other elementary control systems. He feels the plane should be of moderate size be-

cause "the smaller models bounce better," emphasizing the fact that most beginners are going to have a goodly proportion of hard landings (or worse!).

Carl suggests that the beginner avidly read the model magazines as well as one or two RC books. Among others, he recommends *RC Primer*, by H. G. McEntee, and *How to Build RC Models*, by William Winter. For equipment, Carl recommends single-channel pulse apparatus, which may be used either for rudder-only or adapted to Galloping Ghost, and with superhet receiver only (Ace Pulse Commander systems and World Engine Digit Migit mentioned specifically).

Several of his kit planes are well-suited for the beginner: Junior Falcon, 1/2A Skylane and Ranger 42. These planes have been flown with full house propo (rudder, elevator, ailerons and throttle), but such installations are definitely not for the beginner!

Another manufacturer to answer our request was Jack Stafford, who specializes in top-grade RC scale kits.

Noting that he has no trainer in his line and is therefore not biased in this area, Jack usually recommends that a beginner buy a Lanier plastic job, use a Veco 50 or 61 engine and four-channel radio, and get an experienced pilot to help him out. Jack does not recommend: small engines, small planes, going it all alone, less than four-control digital radios, scale models.


Glen Sigafoose, boss of the well-known Sig Manufacturing Co., Inc., remarks that Ace Radio Control is doing a fine job of supplying top quality single-channel equipment for those who have neither time nor inclination to spend \$300 to \$400 on equipment. He points out that, once a modeler has become adept with this equipment, he can do a creditable job of flying if it is matched to a suitable model. He mentions Goldberg Jr. Falcon, 1/2A Skylane, Ranger 42, deBolt Cub and Champ, Andrews H-Ray and similar craft. Sig Mfg. has a line of similar planes such as the RC Sport, DH Beaver, Stinson L5, Relic, Stits Flut-

(Continued on page 85)



# compare...


prices...features...quality – see why  
Heathkit® R/C gear leads the field



Kit includes chassis, body, wheels, tires, fuel tank & tubing, R/C compartment & foam pad, clutch, gears, axles, servo linkages, mounting tape, all hardware, decals, manual.

## Heathkit "Spectre" 1/8 scale R/C car kit

only **\$49<sup>95</sup>\***



Join The Fastest Growing Hobby In America!... building and racing radio-controlled Gran Prix cars. Feel the tense excitement as a dozen cars slam into the "s" turns... the gripping near-panic as you thread your car thru the pack... the surge of excitement at watching your car roar down the straightaway at scale speeds of up to 200 mph. This is the hobby... and "Spectre" is the car.

**On The Move, Nothing Beats A "Spectre".** The piece chrome plated steel chassis gives the car a true frame, and tracking and handling like a real Gran Prix machine. Adjustable caster & toe-in allow trimming for top performance. Special rubber tires that actually lock onto the nylon "mag-type" wheels independent front suspension give the "Spectre" traction to take corners at speeds


that put other R/C off the track, and the 5.5:1 gearing delivers maximum torque at speeds.

**Other Features Include** ■ high impact plastic body... coil spring suspension... a dirtproof, oilproof box inside to protect your R/C equipment... locking hardware. And the "Spectre" comes complete with everything you need except engine and R/C equipment... there are extras to buy make as with many other R/C cars.

**Get On The Track With A Winner**... order your new Heathkit "Spectre" now.

Kit GD-101, R/C car only, 8 lbs. **\$49.95\***

Assembled GDA-101-2, Veco .19 engine, 1 lb. **\$29.95\***



### Heathkit 3-Channel R/C System

The Ideal System For The "Spectre"... reliable digital circuitry gives you interference-free operation. Powerful transmitter with pre-assembled RF section has trim controls that leave sticks always centered. Receiver is housed in a virtually indestructible nylon and weighs just 1 oz. measures just 2 1/2" L x 1 1/2" x 1 1/2" D. Double-tuned front end, RF amplifier, dual AGC and ceramic IF filters peak performance. System includes 2 servos having 2 linear and 1 rotary output each for extra versatility. Rechargeable nickel-cadmium battery packs in both transmitter and receiver with built-in charger.


Kit GD-57, transmitter, receiver, 2 servos, batteries, charging cord, switches and soldering iron, (specify, 27 MHz, 53 MHz, or 72 MHz — 72 for planes only), 11 lbs. **\$129.95\***

Kit GDA-57-1, transmitter, battery, charging cord, (specify freq. desired), 11 lbs. **\$54.95\***

Kit GDA-57-2, receiver only, (specify freq.) 1 lb. **\$34.95\***

Kit GDA-19-4, 1 servo, 1 lb. **\$21.50\***

### Best-Buy 5-Channel R/C... Heathkit GD-19 only \$219.95\*



- Powerful transmitter has pre-aligned assembled RF circuit
- Kraft sticks with thumb lever trim adjustment
- Flat-pack rechargeable receiver & transmitter batteries • 2.3 oz. receiver has ceramic IF filters for sharp selectivity
- Four servos
- Choice of frequencies each of 3 bands. Includes soldering iron. 11 lbs.



### Heathkit "Thumb Tach" only \$19.95\*

- Measures RPM at any rotating device... propellers, gears, flywheels, shafts etc.
- Two ranges—0-5000 0-25,000 RPM ■ 3% accuracy
- No direct connection—uses reflected light pulses—can't load engine
- Unlimited uses in R/C modeling—needle valve adjustments, comparing fuels and glow plugs, indicates power loss, shows peak in RPM you can't hear. Fast, easy assembly • GD-69, 1 lb.



### NEW

#### FREE 1971 CATALOG!

Now with more kits, more color. Fully describes these along with over 300 kits for stereo/hi-fi, color TV, electronic organs, guitar amplifiers, amateur radio, marine, educational, CB, home & hobby. Mail coupon or write Heath Company, Benton Harbor, Michigan 49022.

HEATH COMPANY, Dept. 80-4  
Benton Harbor, Michigan 49022

☐ Enclosed is \$\_\_\_\_\_, plus shipping.

Please send model (s)

☐ Please send FREE Heathkit Catalog.

☐ Please send Credit Application.

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

\*Mail order prices; F.O.B. factory. Prices ■ specifications subject to change without notice. GX-212



a Schlumberger company

# NEW PRODUCTS CHECK LIST



Write the manufacturers for more data; tell them, "I saw it in American Aircraft Modeler."





**Aero Publishers, Inc./747.** 272 pages of on everything you could ever want to know about Boeing aircraft, from Bill Boeing's first flight in a Curtiss Hydroplane up through the Jumbo Jet. Planes and the people who built them. Paperback, \$7.95; hardbound, \$12.95. Aero Publishers, Inc., 329 Aviation Rd., Fallbrook, Calif. 92028.

**FRANK PIERCE**

**Proven Products Co./Drill-Align.** Ensure accurate 90-deg. cutting even with hand drill! Mounts in any drill, contains two spirit levels for horizontal and vertical orientation. With mounting cement, \$4.00. Proven Products Co., 19644 Ventura Blvd., Tarzana, Calif. 91356.

**Badger Air Brush Co./Mini-spray gun.** Lightweight for small scale models or touch-up, gun provides small controllable spray pattern. With long-lasting 15-oz. compressed air supply, \$9.00. Badger Air Brush Co., 9201 Gage Ave., Franklin Park, Ill. 60131

**Jasco/Beginner's free-flight and glider.** Quality for beginner with complete but simple instructions, kits employ many simplified pro features for successful flying. Present line has two gliders, two rubber jobs. Prices range



from \$ .69 to \$1.98. Frank Zaic, Jasco, Box 135, Northridge, Calif. 93124

**MRC/F-710 Digit system.** On 27 or 72 mHz, F-710 permits option of 5 frequencies on 27, 3 on 72. Change in field by plugging in optional MRC matched crystals. Increased RF efficiency with lower battery drain than previous models. Five channels available. With four linear servos, \$320.; with four rotary servos, \$300. Model Rectifier Corporation, 2500 Woodbridge Ave., Edison, N. J. 08817

**MCE/Complete RC racer system.** Not a kit, unit has fully assembled production racer chassis, digital two-channel RC, molded plastic body, all other parts metal. With Porsche, Ford GT, or Indy turbine wedge body, engine, RC gear, \$249.95. Model Car Enterprises. Available exclusively from Model Rectifier Corp., 2500 Woodbridge Ave., Edison, N. J. 08817

**Dave Bloom/"Pro" Starter.** Heavy-duty starter for model cars. Rubber insert on edge of flywheel revs engine via its flywheel. Series-connected starter button, heavy copper alligator clips for 12V battery. \$34.95. Dave Bloom, 3211 S. 52nd Ct., Cicero, Ill. 60650





**Lanier Industries, Inc./Comet.** Restyling of old standby Comet produces Comet II. New access hatch and doublers to reinforce aft fuselage are some of the changes. \$46.95. Lanier Industries, Inc., Briarwood Rd., Oakwood, Ga. 30556

**Marco/RC lapel pin.** RC'ers can have status symbol. All current frequency colors available as miniature flag for lapel tie-tack. Solid color for 27 mHz, two colors for 72 mHz and 6 meters. \$2.95. Specify color to Marco, Ltd., 200 Prospect St., Lunenburg, Mass. 01462

**K&B Mfg. Co./New Veco.** 19 RC "Series 71" engine uses new hemispherical head with extra deep cooling fins. Machined surfaces eliminate head gasket. \$30. With hi-performance "squish band" head, \$33.50. K&B Manufacturing Co., 12152 Woodruff Ave., Downey, Calif. 90241

**Bob Holman Plans/Scale wheels.** Soft, shockproof wheel with plastic hub adds realistic touch to WW II scale models. From 1/2" to 5" diameter, from \$3 to \$6.95 per pair. Semi-pneumatic. Bob Holman Plans, Box 741, San Bernardino, Calif. 92402

**J & J Industries Inc./New 60 RC.** Ait-balsa precut construction, top-quality wood. Seven-hour building time. With full-house RC, Eyeball can do every AMA and FAI maneuver. Recommended for 60 engine. \$49.95. J & J Industries, RC Model Aircraft Division, Box 202, Oakhurst, N. J. 07755




# Ed Ellis Wins

## 1970 NATS RC SCALE

# With Super Coverite

and Quik-Stik, the miracle iron-on adhesive backing



This is Ed with his "spirit of St. Louis." Coverite took him about 1/6th the time for silk. It wrapped around compound curves as easily as flat surfaces. And the Quik-Stik adhesive ironed on with an ordinary household iron, and shrunk drum tight.

AVAILABLE AT YOUR DEALER'S OR

### Silkthin Coverite™

with the same fibres that cover many full-size airplanes, but woven silk thin for model planes.

\$1.85 per pak, white • blue • red • yellow • orange.

Lighter than silk: only 3/4 ounce per sq yd.

Stronger than silk: more than 100X silk. 25,000 PSI.

Faster than silk: takes only 1/2 the time of silk.

Easier than silk: Goes on with regular glues & dopes OR with new Coverite Quik-Stik in brush-on pint cans (\$1.95). Wraps itself around curves. Shrinks tight with household iron. Never warps.

Finishes better than silk: Makes structure virtually shatterproof, using any dope or epoxy.

**You too can switch from silk to coverite and save time and money**

#### Specifications:

**Material** — DuPont Dacron polyester fibres, woven to Coverite's specifications for model airplanes.

**Application** — Exclusive Quik-Stik adhesive backing eliminates messy glues. Lay in place, iron & watch it shrink drum tight.

**Painting** — Has built in filler coat. Requires 1/3rd the amount of dope or paint used on silk.

**Strength** — 100 times stronger than silk. Makes structure virtually shatterproof. Tensile strength 25,000 PSI.

**Cost** — At \$2.95 per pak, 27"X36", it is 25% to 50% cheaper than silk when finished.

**Colors** — White, red, blue, orange, yellow.

**The magic of DuPont Dacron brings you the most authentic model airplane covering in the world**

Clip and mail to Coverite, 119 York Rd., Jenkintown, Pa. 19048

Please rush me the following Coverite products:



Super Coverite  
\$2.95/pak



Silkthin Coverite  
\$1.85/pak



Coverite  
Quik-Stik

\_\_\_\_\_paks of red

\_\_\_\_\_paks of red

\_\_\_\_\_pint cans @ \$1.95.

\_\_\_\_\_paks of white

\_\_\_\_\_paks of white

\_\_\_\_\_paks of yellow

\_\_\_\_\_paks of yellow

\_\_\_\_\_paks of blue

\_\_\_\_\_paks of blue

\_\_\_\_\_paks of orange

\_\_\_\_\_paks of orange

Here is my favorite dealer's name Coverite can credit his account

My Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_

Zip \_\_\_\_\_

APRIL 1971

# MODEL AVIATION

Official magazine

# A.M.A. NEWS



Academy of Model Aeronautics • 806 Fifteenth Street N.W., Washington, DC 20005

INTERESTED IN JOINING A.M.A.? Over 32,000 did in 1970. Membership details may be had by requesting FREE BROCHURE from above address.

## RC Modeling Event of Year Slated for Pa. in Sept.

The Commission Internationale de Aeromodelisme (CIAM) of the Federation Aeronautique Internationale (FAI) has accepted the proposal of the Academy of Model Aeronautics to organize the 1971 RC World Championships in the United States of America. The event is scheduled to be held next September 15-19. Location is the Central Bucks County Airport near Doylestown in the state of Pennsylvania, about 50 miles southwest of New York City.

FAI Class F3A Aerobatics will be flown in the World Championships competition. In addition, during surplus time, FAI classes of Pylon Racing and Thermal soaring will be flown. An international RC Exposition will also be held, featuring displays and demonstrations of models, engines, RC equipment and accessories.

The site is near the scene of many past National Model Airplane Championships which were held in the Willow Grove area in 1969, '65, '61 and other years. Nats veterans are familiar with the area motels and restaurants—these are expected to be filled with modelers from all over the country next September.

### Many Locations Surveyed

The site is one of about twenty which were considered for the event. For several months it appeared that Norfolk, Va., was to be the location, but problems developed concerning site availability — the AMA committee had to look elsewhere. Another Virginia site, nearer the Washington area, was also in the running but lost out due to cost and travel factors.

In the final analysis the site that was selected provided the best combination of a dozen factors, only one of which was its suitability as a flying site. Contestant and supporter accommodations were an important factor — was the cost involved. In fact the cost and income factors dominated all others since the operation of a World Championships requires a major financial investment.

Several military installations, including nearby Willow Grove Naval Air Station, were ruled out due to poor income potential—it was not possible to charge for parking or general admission, vital sources of revenue. In contrast to most AMA meets in which contestant fees finance the event, FAI requirements concerning entry fees, food, and lodging require a substantial subsidy on the part of the host country.

At Doylestown the enthusiasm and cooperation of the airport operator, Mrs.

George Lemmon, produced the necessary combination of all factors. In effect we have been given the airport for the contest period, to operate — necessary. This includes use of hangars and grounds, plus parking and admission control.


The site is small compared to those typically used for other major U.S. RC events, but this will be an advantage in control and compact operation. Two flying circles will be provided on the airport's single runway, and a close-by RC Exposition will be provided in the hangar area.

### Operation Friendlift

Because most of those who participate in FAI RC World Championships live in

or near Europe, a special transportation arrangement has been made available by the AMA to assist those who must cross the Atlantic Ocean to participate. The arrangement is called Operation Friendlift and is intended to reduce the cost of travel for competitors and their families, friends, helpers, and observers.

This special travel arrangement is the primary factor which has enabled the World Championships to be held in the U.S.A. Without it insufficient European participation would have resulted, preventing international approval of the event in the western hemisphere. Through the arrangement, supporters using it are sharing the cost of subsidizing European teams. (turn page)



## AMA Reservations for World Championships

Members of national aero clubs (AMA in U.S.A., MAAC in Canada, equivalent organizations in other countries) may obtain a special package reservation for the 1971 RC World Championships. The package is for two people to share: one motel (with two double beds), parking at WC site (1 car), two admissions to site, two admissions to RC Exposition, two special identifications, two program booklets, two souvenir packets. Package cost is \$30 for one day, plus \$20 for each additional day.

Accommodations will be at a major hotel in the World Champs vicinity. The package arrangement will assure that modelers will be lodged together rather than booked at random, so that they may contribute to and share the World

Championships atmosphere. Because of the anticipated demand, however, early reservation is recommended to avoid booking at alternate motels if an overflow situation develops.

The World Championships schedule provides for practice flying on two days, Wednesday and Thursday, September 15-16; competition flying — Friday through Sunday, September 17-19. Requests for reservations should specify which nights — desired for lodging. Payment for package reservations must be made in advance, in full, no later than August 31, 1971. Checks or money orders should be made payable to AMA (RC/WC Package) and sent to Academy of Model Aeronautics, 806 Fifteenth St., N.W., Washington, D.C. 20005.

Operation Friendlift has been made possible by the enthusiastic support of many U.S. modelers who are contributing funds and hard work to make this most pleasant and exciting RC World Championships experience for all participants. They look forward to this opportunity for repayment of many kindnesses to U.S. modelers at past World Championships. Here's how Operation Friendlift works:

AMA, as the FAI aeromodeling representative in the U.S., is currently accepting reservations and fees for seats on a chartered jet airliner. AMA is also accepting Operation Friendlift reservations and fees for accommodations at headquarters hotel near the site.

The charter flight, by Boeing 707 Douglas DC-8 jet arranged with a major U.S. airline, is scheduled to depart from Paris on Tuesday morning, September 14, to land at London for additional passenger pickup, then proceed to New York for arrival there the same afternoon. The flight will return the following week.

Competitors on official teams using this flight will pay special round-trip fare of only \$50 per person, to and from either London or Paris. Seats are also available to supporters: mechanics, friends, family members, model press representatives; all of whom must be members of FAI national aero clubs (equivalent to AMA in each country). The supporter round trip fare is \$150 per person.

Accommodations at the World Championships headquarters hotel will be provided for six nights, including meals. Competitor entry fee payment by national aero club will automatically obtain accommodation and meals. Supporters who use the charter flight may obtain similar accommodations for the six-day period.

Charter flight and accommodations reservation forms for supporters, including site maps and hotel brochure, obtainable from the national aero club of an FAI member-nation or by writing direct (via Air Mail) to the following address: FAI RC/WC Forms, Academy of Model Aeronautics, 806 Fifteenth Street, N.W., Washington, D.C. 20005.

Following the contest, which will conclude on Sunday Sept. 19, there will be several days without competition activity. Arrangements will be made, however, for sightseeing through conducted tours or individual visits. Competitor and supporter meals and accommodations for this period following the contest will not be provided, but the AMA will assist with special arrangements, as follows:

a. Those who wish to be guests of U.S. families will be housed at no charge, to the extent that such accommodations are available.

b. Those who wish to stay at a U.S. hotel will be assisted to obtain the minimum cost in accordance with the class of accommodation desired.

The AMA estimates that approximately 100 seats on the charter flight will be available for supporters. A similar number of accommodations at the headquarters hotel will also be available. Note: The arrangements described apply to those able to the chartered jet—different arrangements are being made for those coming from countries other than Europe. Team entry fees are the same but supporter fees for accommodations will vary in accordance with lodging arrangements.

Whereas supporters who use the char-

ter flight obtain a package arrangement which includes air fare, lodging and meals, other supporters who do not use the flight (up to four for each team, with and fees to be submitted with the official team entry form by the national aero club) pay only for lodging—food is not included. All other aero club members have still another arrangement, described on page 55.

#### First RC Championship in America

It has been sixteen years since an aeromodeling World Championships has been held in the U.S.A. (Free Flight in 1954), and this is the first time an RC World Championships will be held anywhere except in Europe. AMA officials are planning to make this the greatest RC event ever held so that anyone who is able to participate will enjoy a grand and happy experience.

At the FAI meeting in Paris, fourteen countries indicated intent to send teams. These, plus others from North and South America and various other countries outside of Europe, indicate a big World Championships turnout of twenty or more teams. Enthusiasm in Europe is very high, and a big crowd of supporters, in addition to team members and their families, is expected.

#### RC World Championships Fund—Contributions Tax Deductible!

It is estimated that \$20,000 will be needed to cover obligations necessary to host this event. This in itself is not unusual amount—the annual National Contest typically costs AMA about \$35,000. But the Nats there usually well over a thousand modelers to pay entry fees, plus about fifty sponsors. The World Championships, however, involves fewer than 100 contestants, and there are specific limitations on entry fees, plus obligations for lodging and feeding the contestants. Even with sponsors, therefore, the income factor for a World Championships is much less than that for a Nats.

To offset this problem an AMA RC World Championships Fund has been created. Contributions to this fund up to press time were over \$1,000. This is expected to be doubled by money collected from the raffle at the annual Toledo RC Conference (Feb. 27-28).

This raffle typically produces about

\$1,000 and the Toledo Weak Signals RC Club has announced that proceeds will go to the RC/WC Fund. If this year's raffle is equally successful, the RC/WC Fund will have been helped considerably. Hopefully other RC conferences, trade shows, or expositions will also have such Fund projects. In fact the DC/RC Club kicked off the fund last December by donating \$150 initially and then another \$55 shortly after—all from enthusiastic responses from two club meetings.

In the end it is expected that the contributions from clubs and individuals will determine the success of the World Championships effort—the basic goal is \$1.00 per adult AMA RC member.

Most contributors have expressed similar sentiments: they recognize that World Championships in the U.S. will be the greatest RC event ever and the best opportunity we've ever had to promote RC and model aviation to the public. They also typically indicate a desire to give something back to a sport and hobby which has provided them with many years of pleasure.

The DC/RC Club goes far to challenge all other clubs to match or beat their contribution. Here's what they said in a recent newsletter:

"The Board (DC/RC) has now embarked upon additional plans to provide additional contributions to the AMA World Championship Fund. The Board expects members with ideas for fund raising activities to get in touch with them. In the meantime, the following channels for increasing this fund are under consideration:

1. To encourage members to contribute kits, engines or other substantial articles of new RC gear to the club for raffling at the monthly club raffles. The proceeds therefrom to be given to the fund.

2. To encourage individual members to make direct contributions to the Fund, either direct or through the Club.

3. To commit the proceeds of our annual March AUCTION to this Fund.

4. To form a "WORLD CHAMPS BOOSTER" group. An immediate effect would be to publicize direct contributions to the club for the fund, or equipment donated for raffle—all in the amount of \$5.00 or more. (Note: Contributions may also be made anonymously—if desired.)



It's bombs away for Paul Lambert's RC Eindexer in the 1910 Air Races last fall. The event later was a color feature of the St. Louis Globe-Democrat's Sunday Magazine. Bob Mattes photo.

## Memo from AMA President John Clemens

Please know that being elected president of the Academy of Model Aeronautics brings on mixed emotions! Of course the strongest of those emotions, here at the beginning of my term in office, is one of great pride and gratefulness at the endorsement of those who voted for me. Close behind that emotion of prideful delight is the awareness that I shall be on trial in the eyes of those who chose to vote for one of the other worthy candidates. Both of these emotions dictate that I prove myself through performance. I have every intention of doing this. My sincere thanks for your faith.

**Looking Ahead:** The new AMA Executive Council which will direct the destinies and activities of AMA is made up of a strong, experienced and very aware group of gentlemen; some are "hold-overs" and some eager new office holders. The HQ staff (AMA's "business bunch") are experienced and are in new larger and more convenient quarters.

I have no worry that the membership will be alive and active; The membership (over 32,000 in 1970) has shown their interest and awareness with a whopping 20% total vote in the election. This is the greatest ever, and far ahead of the usual 10% vote realized by organizations of a similar type.

As icing on our usual broad cake of progressive activities, the United States through AMA this year will be proudly hosting the RC World Championships!

**For Progress**—AMA will need your

thinking and doing: To be a good member, learn who your district leaders are, offer suggestions and aid, and be a part of one of the nicest "fun things" that our wonderful country has to offer.



Newly elected AMA President John Clemens, left, reviewed statistical charts with Executive Director John Worth when he visited AMA HQ in January. Interesting chart Clemens is pointing to shows tremendous membership growth, from 16,536 in 1965 to 32,157 in 1970. Another record seems to be in the making, with 22,812 already recorded at the year's start. AMA clubs show big gains, too.

## AMA as Seen by John Patton, Outgoing President

I believe our Academy of Model Aeronautics has come a long way toward reaching the status we want it to have. The old image is being replaced by a much more mature one which commands the kind of respect and attention that is due this sport of ours.

During the past two years our membership has grown from 25,000 to 32,000. We've survived several attempts at encroaching on RC frequencies. Our Delta Dart beginner program has been well received, particularly by the U.S. Navy. Our bid for the RC Aerobatic World Championships in 1971 has been accepted by the FAI. Aeromodeling magazines are now filled with constructive information, without the bitter controversial articles that once took up valuable space.

A great measure of this change is due to the efforts of AMA clubs and individual members whose continued display of good sportsmanship steadily builds our image. The unselfish way our members pitch in to help, especially the youngsters who are just being exposed to aeromodeling through the Delta Dart program, is truly inspiring.

There are two groups that I would especially like to commend, as I believe they deserve the most credit for the recognition and respect our AMA is now beginning to enjoy:

First, our own AMA HQ gang headed up by Executive Director John Worth, Technical Director Frank Ehling, Publications Director Carl Wheeley, Office Manager Earl Denny—plus all their as-

sistants. I'm sure we could not find a more sincere, devoted, unselfish group thinking and working AMA 24 hours a day.

The other group is comprised of our elected volunteer national officers and their appointed people—Contest Coordinators, Associate V.P.'s, Contest Board members, etc.—all of whom give much time and effort. Each of our Vice-Presidents I have found to be a man of outstanding character and sincere devotion to a common cause, the advancement of aeromodeling and our AMA to make our sport more enjoyable and more rewarding for all.

To all of these people I say thanks for making my two years as AMA President most enjoyable. I am sure that our new President, John Clemens, will lead to even greater accomplishments.



John Patton (right), 1969-70 AMA President, conversing at last year's Nats with Murry Frank (left), former Contest Coordinator, current Dist. VIII AMA Vice-President, and Bob Lophshire, AMA Public Relations Director.

## Why Join a Model Club?

Having heard this question many times, Al Culver decided to try to answer by stating what he feels are the advantages and disadvantages. The following is reprinted from The Balsa Sheet, newsletter of the Pocatello Glue Angels (Idaho) of which Culver is Senior Advisor. Read what he says, and if you agree as we think you will, look in the February American Aircraft Modeler for the AMA chartered club nearest you.

First let me say that I started building models in 1942, but it was not until 1951, when a telephone installation brought a man named Fred Foster to our house, that I was introduced to the Boise Balsa Butchers. I can honestly say that I learned more about model airplanes in the next two years, while I was a club member, than I had in the nine before or the sixteen since.

The nicest part was being saved from mistakes that others had made and which, otherwise, I surely would have made. This is probably the greatest advantage club participation has had for me, and I can find no single or cumulative disadvantage to outweigh it.

Now for a disadvantage: contest officiating and club work cuts into building and flying time. I agree that this is so, but every time I look at a kit, or piece of equipment that so many take for granted, I see one of the by-products of contests—you will find very few new innovations being marketed that didn't win or help to win.

How about flying in the contest without belonging to a club and helping to run them? Well, who's going to put them on for you when you wear out the good old workhorses?

Why should you go to the work and expense of belonging to a club if you don't fly in contests? Have you ever lived in a city where the sale of model airplane cement was against a city ordinance, or parks and schools were off limits to models, or no hobby shop could afford to stay in business? Have you tried as an individual to eliminate these problems? Solidarity of the area modelers is the only answer.

Clubs develop "in" and "out" groups that cause internal strife. This does happen when activities drop off and poor leadership is elected, but human nature has a basic cure: just have more fun, and before long everyone will be stampeding to get into the act. Ever watch a bunch of fishermen converge on a hole where you just caught a big one?

A club doesn't have enough to offer you. This is true—a club has nothing to offer anyone. The guy who goes to a club meeting, goes home, flies in a contest, takes his trophy home, etc., soon loses interest because the challenge is met. But did you ever watch the guy at a club meeting who is trying to promote an event? You can almost bet that he will be made event director. He will go to the contest and run the event to the best of his ability and go home totally beat—but he'll have had the most self-satisfying time of anyone. No, the best you can get out of a club is only a portion of what you put in; the rest is what you get in self-satisfaction and self approval.

If there is a club in your area, join, support and participate in its activities. If there is none, find two or three other modelers and start one!

# AMA News Bits

## CL Scale-Racing Twist

Last September the AMA chartered South Jersey Aeromodelers ran a Control Line Goodyear Challenge Meet which featured events for standard AMA Scale Racing (Goodyear) and a special race for similar models but with a fuel tank limitation of one ounce, 100-lap heat races and a 200-lap feature—no requirement for pit stops. Contest Director George Hubschmidt said that this special race had several diesel-powered entries, indicating that it would be an excellent training ground for U.S. FAI Team Racing if the concept could be widely accepted.

## Model of the Month

The award for this popular feature of the AMA chartered MARKS Club, Rialto, Calif., was won "hands down" in October by Bob Kuncce, said the MARKS Newsletter. Kuncce had a seven-foot (fuselage) radio model of a Russian MIG jet. The newsletter didn't indicate the power source, but the location of the 16-oz. fuel tank at the center of gravity is interesting. If it were placed at the nose of the plane, the C. G. would be moved two feet forward with a full tank! The solution Kuncce employed was to transfer the fuel by pressure from the big tank to a much smaller one in the nose. The airplane was very successfully flown on the Saturday morning following the club meeting.

## HL Duration Times Three

That's multiplication were's talking about—the formula applied by the AMA chartered Minneapolis Model Airplane Club to equate HL Glider with other FF model types (Gas, Rubber and Towline Glider) which typically have longer flights; the purpose was to have a contest for Juniors only with these events

combined. We don't know whether the three-to-one ratio was too much for real equalization, or whether there were just some good HL flyers present—first, second, fourth and fifth were taken by HL Glider flyers, while third place went to a Towline Glider pilot.

## Keep RC Linkage Free

Shell Portnoy makes an observation in Glow Plug, newsletter of the AMA chartered Middle Tennessee RC Society, Nashville, worth repeating and which—if his advice is followed—may save many an aircraft from disaster. Shell feels that many modelers, particularly newcomers, are misled into thinking they can get away with a little binding in the linkages between servo and control because of the three to four-pound thrust of most servos—believed to be sufficient to overcome a little drag. "I don't go along with this kind of thinking," Shell said. "A little binding here and a little binding there is all going to add up to completely losing the transmitter's signal, and then you are going to blame the crash on radio failure."

## RC Pilot Qualification

The purpose of the October Executive Meeting of the AMA chartered Valley Forge Signal Seekers (Pa.) was safety, according to the club's paper, Hear Ye. The concern was with improved spectator control, the unknown piloting ability of new club flyers (and visitors) and the sometimes careless habits of experienced flyers. The meeting took action on all of these areas, but the one which particularly attracted our attention was the formation of a Flight Qualification Committee responsible for judging the flying ability of members and non-members, rendering all possible assistance to those who need help, and

determining when the individual has learned sufficiently to control his aircraft in a safe manner.

The committee will be a large one, made up of the most proficient and active flyers, so that there should always be one or more of its members present at nearly all flying activity. All "qualified" flyers (who observe the club rules and demonstrate controlled takeoff, flight and landing) will be provided with identification which then allows solo flight without a committee member's presence. The club stresses that no aerobatic flying is necessary or wanted for qualifying—only a safe flyer.

## HL Glider Finish

Lots of ordinary household items lend themselves well to model airplane use—aluminum drink cans, wire coat hangers, etc. And we read in The Satellite, newsletter of the AMA chartered San Valere MAC (Calif.) that Ajax scouring powder makes an excellent rubbing compound for HL Glider wings. Should give a super slick finish.

## Unbelievable!

A zillion to one chance are the odds Jack Perrilla gives for a recurrence of the freak, almost hilarious, accident involving well known RC aerobatic flyers Jim Martin and Tony Bonetti when they were putting in a demonstration flight at the October club contest of the AMA chartered Rockland County RC Club (N.J.). We don't glory in reporting airplane fatalities, but this one we couldn't pass up.

The club's paper, RCRC Flyer, reports it this way. "Both aircraft were taken out to the runway, fired up, checked, and both rolled away together on take-off. Bonetti rolled his aircraft to inverted, and you could see his gear retract. Martin remained upright with his gear still down. As they flew away in the distance," reported Perrilla, "it looked as though Bonetti's plane climbed up into Martin's, and would you believe that the planes locked together belly to belly? They tried every trick they knew to get separated, but both ships

Another photo from the St. Louis 1910 Air Races, below, shows test pilot James House taxiing Bob Kurl's big Fokker DR-1. O.S. 80-powered, it is a fourth the size of the prototype. Globe-Democrat photo by Dick Weddle.



Above, Bobby Deremer III with Cox .02-powered Flying Sorcerer built from AAM plans. He's hoping for return from OOS flight. Bob Deremer photo. Below right, winners in Jr. HL Glider and Delta Dart in the Southwest Championships, Dallas, Tex. Murry Frank photo.

Below, President's Award to the New England RC Modelers was presented to Harvey Thomasian by Stu Richmond, outgoing president, at the club's last meeting for 1970. Thomasian is AMA Dist. 1's RC Contest Board member.



plunged to the deck still locked together in a death dive and totaled out."

Think that's bad? How about this: both of the airplanes were beautiful "Eyeballs" owned by Jim Martin—out two models in just one crash!

### Don't Demotivate!

When the call goes out for help from the club's Board of Directors, members must respond positively, said **Palmer Cramer**, past president of the **AMA chartered Fresno Radio Modelers (Calif.)** in the **Watts New** monthly paper. He wasn't complaining about the large number of members who have devoted their time to the success of the club; to the contrary he commended them. His main concern was for continued support by the members of programs and activities drawn up by the club's new officers and Board of Directors. The new officers are an enthusiastic bunch, he said. "It's up to members to insure that their enthusiasm doesn't turn to disenchantment."

### Club-Owned Field?

A recent issue of the **Newsletter** of the **AMA chartered Birmingham RC Club (Alabama)** tickles its readers with this possibility. Editor **Jim McNeil** speculates that, presently, 20 to 30 acres could be bought for \$10,000 to \$15,000. With 50 club members to pay off the debt in a period of 20 years, he figures that the annual payment might not be much more than club members currently are paying for rental property. And if the club owned the land, it could also build a club house—block by block if necessary. **McNeil** credits **Haywood** with the wisdom and foresight which led to the club's having become incorporated—an important first step in a project such as real estate ownership.

### RC Display

**Pathfinder Days** in **Fremont, Calif.**, provided the setting for acquainting the public with the activities of the **AMA chartered Southern Alameda County Radio Controllers**. **Steve Horton** directed the setting up of a nice display booth

## AMA By-Laws Revised

More than one official AMA publication is authorized, and procedures for nomination of AMA officers are to be specified by the Executive Council, according to by-laws revisions ratified by AMA Leader members (including Contest Directors) in late 1970. The revision for official publications received a vote of 658 in favor to 36 against, while the revision for nomination procedures was accepted by a vote of 658 in favor, 24 against.

**Publications.** The council sought a by-laws revision as a result of a question raised concerning the nature and relationship of various AMA publications now being produced, in contrast with the by-laws which indicated that there was only one "official" publication. The council agreed that the three current monthly publications (**Model Aviation** section of **American Aircraft Modeler**, **Competition Newsletter** and **AMA Monthly Mailing**) were vital and should be regarded as official. The approved Article XII—Official Publications, as revised:

"There shall be one or more official publications of the AMA to be published regularly as directed by the Executive Council. The role of these publications shall generally be to serve as a vehicle to accomplish the purposes of the AMA. They may offer information of general interest to the AMA membership and

shall be among the means by which official information is distributed to the membership. The official AMA publications shall be prepared and distributed under the supervision of the Executive Director. The number and nature of official publications shall be determined by the Executive Council. The Council shall also decide whether any such publication shall be provided as a direct benefit of membership (automatically, via dues payment) or supplementary (at extra charge)."

**Nomination Procedures.** The AMA Executive Council felt that the by-laws were vague and not very helpful in defining nomination procedure authority even though the current procedures, evolved over many years, were basically sound. A by-laws change was, therefore, approved by the council and ratified by the Leader member vote to note the existence of a procedures document and to require its publication in advance of each election. The revision to be added to Article IX—Nominations and Elections:

"Section 5. Nomination procedures shall be in accordance with an AMA Executive Council approved Official Nomination Procedures document and this document shall be published in the AMA general membership publication at least 90 days prior to the annual Nominating Committee meeting."

See the May 1970 "AMA News" section of **AAM**, page 62, for current Nomination Procedures.

for several typical multi's, a 12-ft. KA6 sailplane and a Sopwith Triplane—a real hit with the crowd. Information brochures were given to the public, directing them to the club's flying field for first-hand viewing of RC flying excitement.



### Quarter Midgets Move West

Popularized by the **MARCS Club** in Ohio with the intent of encouraging newcomers to RC Pylon Racing, the basic concept is gaining a foothold in

California, according to **The Modulator**, newsletter of the **AMA chartered Pioneer RC Club**. However, **Lou DeLateur** (new **Modulator** editor) prefers to call the event "Class A" in keeping with other AMA events using .15 engines, also to eliminate possible confusion by the public with quarter midget auto racing. The California club favors rules with minimum aircraft restrictions: 300 sq. in. minimum wing, .15 cu. in. engine, and required 15-second engine idle. Most of all, they don't want the aircraft re-



Super sleek FAI Power model by **Dick Lyons** is the fifth modification of his "Strutter" series. Photo below shows aluminum pylon struts, Seelig timer installation for engine shut-off plus auto stab, rudder. **Rick Lyons** photos.



Above, flex-wing RC model by **Lance Patterson** said to be fun both to build and fly, but elevators were ineffective. Photo by builder. Right, **Bob Peck's** Cox .02-powered Longster FF model held by **Mrs. Peck**. **Hannan** photo.

Left, **Gary Fries, 13**, won three trophies with this 1/2A Galaxie, his first gas model (helper unidentified). Carl Fries photo. Below, a few members of the **Muncie Controllers**: **Dick Ramey, Bill Dutchman, Rob Dutchman, Greg Brausa, John Fisher, Mike Eber** photo.



quirements bogged down in "formula" restrictions. Eight entries participated in the Pioneer's Quarter Midget race last November, pretty good for a first time.

## Hard Working CD

One of the busiest workers in the southwest is Eddie Thomas of the AMA chartered Key City Prop Twisters, Abilene, Tex. He was Contest Director for the club's approximately 20 meets in 1970 involving all kinds of activity—FF, CL, Indoor and RC. Photo submitted by Jerry D. Farr shows Thomas (seated) and Don Smyth, club president, during a recent FF contest.



Thomas is an ardent Free Flighter (who wins his share of hardware), but he is also seen at the Rat Race circle and indoors with a Paper Stick model. He's a terrific worker whose enthusiasm rubs off on all modelers he encounters.

## Flying Wing Contest

Twenty-eight entries turned out for the AMA sanctioned Northrop Flying Wing Contest last November at the Los Angeles Model Airport (Sepulveda Basin). Those 28 entered about 70 models, all of them flying wing types, in four categories: FF gas power, towline glider, FF rubber & Jetex and Radio Control. Contest Director was Carl Hatrak.

Junior age flyers Kelly Pardoe and Joel Rieman out flew all covers to take first places in Towline and Rubber/Jetex. Does this mean that youngsters are better able to give the kind of thinking required for a new (to most modelers) subject? H. A. Johnson and Jim Kelley, both Open age AMA flyers, won first places in gas power and RC categories.

## Delta Darts for Experts

Good gimmick employed by Dave Linstrum and the AMA chartered Chicago Aeronauts Club last December was a morning contest for "Souped-Up" Delta Darts, by self-proclaimed experts and an afternoon building session and contest for beginners, using the HIAA Flyer version of the Delta Dart. The morning experts stayed to help beginners build and fly in the afternoon.

The beginners' models were all stock HIAA Flyers, but the only requirements for the experts was the use of original covering, original surface outlines and original prop assembly. Use of lightweight wood, long motor sticks, pylons, multiple motors, multiple flying surfaces,

sanding, and warping the prop were all permitted as was use of the expert's own Pirelli rubber.

## Big Plane Pilots vs RC Pilots

Dale Webb discussed why he feels the full-scale airplane pilot usually doesn't immediately adapt to RC piloting in Contrails, newsletter of the AMA chartered Charleston RC Society (S.C.), and he's probably right. The important difference, he says, is that the pilot isn't inside the RC airplane to get the "feel" for flight by the "seat of the pants" — he does in the big ones. But with practice the RC modeler gets something akin to this "seat of the pants" method. He learns to feel the attitude, speed and direction of the plane at all times.

To the beginner, pilot of the "big ones" or not, this can take some time. First he has to "see" the attitude change, then determine what happened, which way the plane is going, which wing is down, and decide what corrective action is required. Then chances are he'll over-correct, and the whole process repeats itself. It's sure different from being inside the plane!

# CONTEST CALENDAR

## Official Sanctioned Contest of the Academy of Model Aeronautics

March 7—Los Angeles, Calif. (AAA) S.C.I.F.S. Kite-Off FF Meet Site: Sepulveda Basin W. Grote CD. 6708 Robinson Ave., Chino Park, Calif. 91709. Sponsor: Southern Calif. Ignition Flyers.

March 14—Van Nuys, Calif. (AAA) Valley Circle Bunters FAI CL Meet Site: L.A. Model Airport W. Neitzband Jr. CD, 580 N. Holliston, Pasadena, Calif. 91106.

March 14—Elkhorn, Calif. (AAA) Orbiters FAI FF Meet Site: Lake Elkhorn G. Howard CD, 2801 N. Arroyo Dr., San Diego, Calif. 92103.

March 21—Aurora, Colo. (A) MMM Month's Indoor Meet Site: Hinkley High School G. Bartuk, Jr. CD, 2004 So. Columbian St., Denver, Colo. 80227.

April 14—Van Nuys, Calif. (AAA) Valley Circle Bunters FAI CL Meet Site: L.A. Model Airport W. Neitzband Jr. CD, 580 N. Holliston, Pasadena, Calif. 91106.

April 18—Phoenix, Ariz. (A) Spring FF Contest Site: Pinnacle Peak W. Morris CD, 1422 E. McKinley St., Scottsdale, Ariz. 85257.

April 24-25—Daytona Beach, Fla. (AAA) Daytona Eagle-Boatle CL Meet Site: Daytona Beach R. Lambert CD, 1732 Halfview Dr., Daytona Beach, Fla. 32014.

May 2—Tucson, Ariz. (AAA) CSMAC Spinks CL Invitational Meet Site: Rodas Park T. Snow CD, 3409 N. 2nd Ave., Tucson, Ariz. 85704.

May 2—Wichita, Kans. (AAA) 4th Annual Wichita Hawks Spring FF Rally Site: 13th & Webb Road M. Tallman CD, 204 Exchange, Wichita, Kans. 67217. Sponsor: Wichita Hawks.

May 2—Hadley, Mass. (AAA) Hampshire Showdown All RC Races Site: H.C.R.C. Flying Field, E. Mitchell CD, 290 North Dune St., Westfield, Mass. 01085. Sponsor: Hampshire County RCers.

May 2-9—Huntsville, Ala. (AAA) 11th Annual Rocket City RC Meet Site: Old Huntsville Airport C. Schulte-field CD, 27000 Briarwood Dr., S.E., Huntsville, Ala. 35891. Sponsor: Rocket City RC Club.

May 9—Van Nuys, Calif. (AAA) Valley Circle Bunters FAI CL Meet Site: L.A. Model Airport W. Neitzband Jr. CD, 580 N. Holliston, Pasadena, Calif. 91106.

May 15-16—Lafayette, La. (AAA) Third Annual CL & RC Model Aviation Day Site: States Ford, J. Molan CD, P.O. Box 52344, Lafayette, La. 70501. Sponsor: Acadian RC Club.

May 15-16—Jacksonville, Fla. (AAA) Rebel FF, CL & RC Rally 1971 Site: Ineson Airport, F. Carney CD, 1830 Loyola Dr., Jacksonville, Fla. 32218.

May 16—W. Suffield, Conn. (AAA) Nor-East RC Air Races Site: N.E.R.C. Field A. Simmonds CD, 145 Lene Dr., RFD #1, Vernon, Conn. 06066. Sponsor: Northern Connecticut Radio Control Club.

May 22-23—Lafayette, La. (AAA) Third Annual CL & RC Model Aviation Day Site: Cousineau High School, J. Molan CD, P.O. Box 52344, Lafayette, La. 70501. Sponsor: Acadian Radio Control Club.

May 23—Gainesville, Ga. (AAA) South RC Airplane Water Carnival & Picnic Site: Gainesville, L. Purdy CD, Oakwood, Gainesville, Ga. 30506.

May 29—Union, N.J. (AAA) 17th Union Model Airplane CL Invitational Site: Morrison Field, F. DeCler CD, 52 Broadview Ave., Maplewood, N.J. 07040.

May 30—Chardon, Ohio (AAA) C.R.C. "300" Pylon

## Melons at Taft?

Very likely according to a report in the Satellite, newsletter of the AMA chartered San Valeers MAC. Certain sections of the big field were being prepared for planting. But don't panic. According to Ralph Prey, "the City of Taft is very much interested in the modeler, and so we can expect support from the Taft Chamber of Commerce to help work out a suitable arrangement to continue flying at Taft."

## Throttle without Elevator

That anonymous Blue Jay in Fly Paper, newsletter of the AMA chartered Greater Pittsburgh Aero RC Society, reminds us that elevator control changes only the attitude of the aircraft; thrust determines the rate of climb or descent. Point of this is that Blue Jay has witnessed on more than one occasion the kind of conditions of elevator control failure which resulted in crashes which might have been prevented with judicious use of high and low throttle. Like he says, a hot landing likely would be better than having the plane drop out of the sky.

RC Races Site: Club Field E. Vidmar CD, 26500 Zenan Ave., Euclid, Ohio 44132.

June 5-6—Spencerport, N.Y. (AAA) 12th Annual N.Y. State RC Championships Site: Spencerport, T. Salvemini, Sr. CD, 6 Valley Ln., Avon, N.Y. 14414. Sponsor: Radio Control Club of Rochester, Inc.

June 5-6—Dahlgren, Va. (AAA) National Capital RC Tournament Site: Naval Weapons Lab R. Violett CD, 14 B. Rd. 1, Clarkburg, Md. 20754.

June 5-6—Lincoln, Neb. (AAA) Lincoln Sky Knights 12th Annual Midwest Open RC Meet Site: Arrow Airport R. Brindall CD, 630 Brindale Dr., Lincoln, Neb. 68505.

June 5-6—Nashville, Tenn. (AAA) Mid-South 8th Annual RC Championships Site: Percy Warner Park, R. Roubicek CD, 216 Vaughn's Gap Rd., Nashville, Tenn. 37205.

June 6—Little Rock, Ark. (A-Entry Restricted) 2nd Annual MARC Fun-FF Site: Little Rock, F. Osburn CD, 18 Mohave, N. Little Rock, Ark. 72210. Sponsor: Mid-Arkansas Radio Control Society.

June 6—Hadley, Mass. (AAA) Hampshire Showdown RC Air Races Site: H.C.R.C. Flying Field, R. Barrouche CD, 32 Lyman St., East Hampton, Mass. 01027. Sponsor: Hampshire County RCers.

June 12-13—Ovittville, Va. (AAA) R.A.R.C. 11th Annual RC Contest Site: R.A.R.C. Field, C. Foreman, Jr. CD, RFD #24, Box 885, Mechanicville, Va. 22111. Sponsor: Richmond Area Radio Control Club, Inc.

July 12-13—Kansas City, Mo. (AAA) Kansas City Radio Control Annual Meet Site: Lake Jacomo, B. Hammond CD, 3117 Charlotte, Kansas City, Mo. 64131. Sponsor: Kansas City Radio Control Assn.

June 12-13—Houston, Tex. (AAA) Houston RC Club Annual Contest Site: Mahay Field, B. Striegler CD, 5821 McKnight, Houston, Tex. 77055. Sponsor: Houston RC Club.

June 13—Van Nuys, Calif. (AAA) Valley Circle Bunters FAI CL Meet Site: L.A. Model Airport W. Neitzband Jr. CD, 580 N. Holliston, Pasadena, Calif. 91106.

June 13—Hadley, Mass. (AAA) Hampshire County Thermal Airs Meet Site: H.C.R.C. Flying Field, J. Papageorge CD, 104 Rocky Hill Rd., Hadley, Mass. 01035. Sponsor: Hampshire County RCers.

June 13—Lakewood, N.J. Notice Only RC Meet Site: Lakewood N.A.S. A. Schroeder CD, 18 Spencer Rd., Glen Ridge, N.J. 07028.

June 19-20—Kent, Wash. (AAA) BMA Model Aeronautics Scholarship FF, Ind., CL & RC Contest Site: Boeing Square Center, J. Crosetto CD, 14800 SE 54th, Bellevue, Wash. 98006.

June 19-20—Dayton, Ohio (AAA) Wright Brothers Memorial Annual RC Meet Site: Wright Patterson AF Base, D. Lowe CD, 5930 Clair-Van Dr., Dayton, Ohio 45420. Sponsor: Western Ohio Radio Control Society.

June 19-20—Greenville, S.C. (AAA) South Eastern RC Championships Site: WRC Club Field, T. Neves CD, P.O. Box 10115, Greenville, S.C. 29603.

June 20—W. Suffield, Conn. (AAA) Nor-East Air RC Races Site: N.E.R.C. Field R. Granville CD, Fernwood Ln., Somers, Conn. 06071. Sponsor: Northern Connecticut Radio Control Club.

June 20—Salem, N.H. (AAA) Salem Model Airplane CL Fair Site: Salem High School R. Sherman CD, 408 River Rd., Tewksbury, Mass. 01876. Sponsor: Lawrence Air-Isotests.

June 25-27—Portville, N.Y. Southern Tier RC Fun Fly Site: Route 305 So. R. Brown CD, 1255 High St., Bradford, Penn. 16701. Sponsor: Clean Model Airplane Club.

June 26-27—Wallops Is., Va. (AAA) MARCS Annual RC Meet Site: Wallops Island R. Jones CD, 50 Albemarle Ave., Baltimore, Md. 21294.

# AMA News Extra . . . . .

## CONTROL LINE WORLD CHAMPIONSHIP TEAM PROGRAM

U.S. teams for the 1972 Control Line World Championships will be selected by means of a Team Finals competition planned for Labor Day Weekend in 1971. Although the Team Finals site had not been definitely fixed when this was written, Cleveland, Ohio, was in strong contention. From the results of the Team Finals three modelers will be chosen for the U.S. FAI Speed Team, three for the FAI Aerobatics Team, and three teams of two modelers each for FAI Team Racing. Twenty-seven flyers (or teams) in each category will be admitted to the Team Finals through qualifying by one of the two means described below. In addition, the three 1970 U.S. CL Teams are automatically qualified to compete in the Team Finals.

1. Qualify by Accumulating Points at AMA Sanctioned Meets (other than the Nats). Twenty flyers (or teams) from throughout the country may qualify in each category by this means. Points are awarded in proportion to the number of program entrants in each category at each contest and in accordance with their placing relative to each other. For example: the top ■■■■■ among seven entered in the Speed event of the contest and pre-registered in the program place 3rd, 4th, 6th and 9th. They receive 7, 6, 5 and 4 points, respectively--top scorer receives one point per program entrant who flies in the event. Each lower placed program entrant in the event receives one point less than the program entrant preceding him; ■ points below 10th. Each program participant may enter and have counted for points as many ■ sanctioned contests as he desires between May 1, 1971, and August 9, 1971.

How to Enter. Entry in the point part of the program as described above is by one-time payment, made only by mailing the proper fee (\$5 for Open members, \$3 for Senior, \$1 for Junior), for each category, to ■ HQ, 806 Fifteenth St., N.W., Washington, D.C. 20005, identified ■ "CL Team Selection, ■ category" (fill in Speed, Stunt ■ Team Race). Modelers ■ entered will be sent certification forms which they will need to have signed by Contest Directors of meets in which they enter and place. Only contests after program entry will be considered for points earned. It will be the contestant's responsibility to obtain certification for meets he has entered and to submit same to AMA HQ.

Exceptions, Special Procedures. (1) Irrespective of whether an event is run with combined or separate age classes, team program entries are combined in that event without regard to ■ for determining number of entries ■ which to base points as well as place position. (2) With the CD's permission a Speed flyer may post ■ score and earn points even if no FAI Speed event is scheduled; however, the CD must certify that FAI rules were observed (except that FAI-type pylon fork is not required). (3) FAI Team Race flyers may likewise use ■ Scale Racing (Goodyear) event, provided models are to FAI rules and a 100-lap time is recorded (with at least one other contestant in the race at 50 laps). (4) Stunt scores may ■ earned in either AMA events of FAI events. If in an AMA-rule event, the appearance score is not ■ considered in determining place position for program entrants (for team program purposes only). Mufflers (required by FAI Stunt rules) will not be required in the qualifying part of the program; will be required at the Team Finals.

2. Qualify by National Contest Performance. To be qualified for the Team Finals will be the top seven 1971 Nats CL flyers (or teams) in FAI Speed, Stunt and FAI Team Racing who have paid prior to flying ■ special FAI Team Program Fee for each event of interest (\$5 for Open, \$3 for Senior, \$1 for Junior). Such special fee is in addition to regular Nats entry fees; does not apply to the point system part of the program, nor will point system fees apply towards the Nats special fee. Nats placing will not count toward the point accumulation part of the program. Nats FAI Speed and FAI Team Race events are run by FAI rules; Nats Stunt is run by AMA rules, but scores, for the Team Program only, will be computed without appearance points.

General. All program participants must have ■ 1971 AMA license with FAI stamp affixed or paid for prior to flying; must also be at least 14 years of age by June 1, 1972. Program entry fees go to the eventual team members to help offset travel costs. FAI model specifications are in the 1970 AMA rule book, page 66-70. Stunt models built for AMA normally will conform to FAI rules. FAI Speed models require a larger surface ■ (projected wing plus stab) than normal for ■ Class A Speed, and ■ two-line control system is required ■ is fuel to one of two FAI formulas. FAI Team Race models have restrictions ■ surface area, fuselage cross-section, landing gear, etc.

## CONTROL LINE CARRIER AND COMBAT SAFETY RULINGS

Effective immediately the minimum control wire sizes for Navy Carrier Classes I and II are revised, dependent upon the number and type of control lines; and Combat control wires must be of the multi-strand type only. This emergency action, authorized by new CL Contest Board Chairman Jean Paillet and AMA President John Clemens, supersedes respective information contained in the March "AMA News Extra". The following minimums will be applied until such time ■ the Contest Board may reconsider the matter.

Carrier I: .024" for single-strand line; .021" each for two lines, either single- or multi-strand; .018" each for three lines, either single- or multi-strand. Carrier II: .028" for one single-strand line; .027" each for two lines, either single- or multi-strand; .021" each for three lines, either single- or multi-strand. Profile Carrier: same as for 1970 (no change). Each of the lines must bear equal load. (Note that single-strand and multi-strand sizes are the same to eliminate speed advantage of one type over the other which, to do otherwise, would effectively eliminate the use of one type.)

Combat. Previously permissible minimum lines were .014" single-strand and .018" multi-strand. Now, only .018" (minimum) multi-strand lines are permitted--solid lines ■ longer may be used.

By special arrangement with the publisher this ■ produced at the very ■ minute, just before the magazine is printed, to bring you the latest news concerning current Academy of Model Aeronautics events of national significance.

# DIRECTORY OF AMA OFFICERS

Which officers live in your district? Select correct address when writing officers.

## HOW TO USE

Over 150 AMA members serve as volunteers on various committees which determine operating policies of Academy activities—many are listed here. Members are invited to communicate their comments, suggestions, proposals, complaints by writing to the appropriate committee at any time. Note that the Executive Council and Associate Vice-Presidents represent area interests for general AMA policy matters. Wherever district numbers are shown, write to the nearest address in your area. It is recommended that a copy of any correspondence be sent also to AMA Headquarters.



## COUNCIL

### President

John E. Clemens, 1905 Greenville, Box 84573, Dallas, Texas 74206

### Secretary-Treasurer

Earl Witt, Longview Trailer Court, R.D. #3, Chambersburg, Pennsylvania 17201

### Executive Director

John Worth, c/o AMA HQ, 806 Fifteenth Street, N.W., Washington, D.C. 20005

### Vice-Presidents

- I: Cliff Pifer, Highland Avenue, Atkinson, New Hampshire 30811
- II: William Ross, 145-24 22nd Street, Laurelton, New York 11413
- III: Ron Morgan, School for the Deaf, Haverhill, Massachusetts 01830
- IV: John Patton, Route 25, Frederick, Maryland 21701
- V: James Perdue, 111 Christopher Ave., Athens, Alabama 35611
- VI: Al Signorino, 11950 Glenvalley Drive, Bridgeton, Missouri 63042
- VII: Jack Josell, 23003 Lawrence, Dearborn, Michigan 48128
- VIII: Murry Frank, 2033 Blankenship, Wichita Falls, Texas 76308
- IX: Stan Chilton, 446 Ida, Wichita, Kansas 67221
- X: Chuck Broadhurst, 3818 El Ricon Way, Sacramento, California 95825
- XI: Robert D. Stalick, 1120 Shady Lane, Albany, Oregon 97321

## ASSOCIATE VICE-PRESIDENTS

- I: John Ross, 10 Sterling Dr., Dover, Massachusetts 02030
- II: Art Schroeder, 18 Spencer Road, Glen Ridge, New Jersey 10891
- III: J. Moynihan, 123 Evergreen Drive, Tonnawanda, New York 14150
- IV: Ray DeLaVaux, 1316 Gilman, Philadelphia, Pennsylvania 19111
- Albert Seidowski, 21460 Sheldon Rd., Brookpark, Ohio 44113
- IV: Cliff Telford, 8612 Rayburn Road, Bethesda, Maryland 20834
- Thomas Baker, 406 Hawthorne Road, Kings Mountain, North Carolina 28080
- William Conkling, 915 Thornbush Court, Hampton, Virginia 23061
- V: Frank Schwartz, 2400 West End Avenue, Nashville, Tennessee 37203
- Jerry Wagner, 274 East 8th Street, Hialeah, Florida 33010
- Warren Lawrence, 2210 Tilton Circle, Decatur, Georgia 30032
- Henry Williams, Jr., 3 Alpine Drive, Taylors, South Carolina 29687
- VI: John Blum, 2417 Glen Place, Granite City, Illinois 63040
- Glenn Lee, 102 West Mandrake, Baxley, Illinois 60510
- VII: Frank Morrissey, 14100 West Park Ave., New Berlin, Wisconsin 53151
- VIII: Bob Kutz, 6127 Henderson Avenue, Shreveport, Louisiana 71106
- Bud Tenny, Box 545, Richardson, Texas 75080
- Calvin Scully, 3506 25th Street, Apt. C, Fort Arthur, Texas 77440
- IX: John Kelly, 7020 E. Colfax, Denver, Colorado 80220
- Jim Murray, II, R. No. 2, Box 50, Kinsley, Kansas 67345
- X: Robert Barnes, 3029 Ala Napuan Place, Apt. 304, Honolulu, Hawaii 96815
- John Pond, 4135 Avanti Drive, San Diego, California 92117
- Alex Chiscoln, 1559 W. Celeste, Fresno, California 93705
- Bob Meuser, 4200 Gregory Street, Oakland, California 94619

Correspondence for the committees, representatives and administrators which follow should be addressed to the proper committee or individual and sent c/o AMA HQ, 806 Fifteenth St., N.W., Washington, D.C. 20005. Upon receipt of such mail HQ will resend it to the proper individual and/or send copies to the entire committee if the response required needs to be representative of the entire group.

## NATIONALS EXECUTIVE COMMITTEE

John E. Clemens, Dallas, Tex.; Ron Morgan, Scotland, Pa.; Pete Peters, Dallas, Tex.; Ed Shippey, Santa Barbara, Calif.; Pete Storch, Chicago, Ill.; Earl Witt, Chambersburg, Pa.; John Worth, Washington, D.C.

## SPECIAL COMMITTEES

Junior Committee—Ed Abram, Olatunga, N.Y.; Safety Committee—Al Signorino, Bridgeton, Mo.

## FAI CIAM REPRESENTATIVES

Coordinator—Maxnard Hill, Silver Spring, Md.; Radio Control—John Patton, Frederick, Md.; Control Line—Steve Woolley, Belpre, Ohio; Free Flight—Dave Linstrum, Buffalo Grove, Ill.; Scale—LeRoy Weber, Rio Vista, Calif.; Rockets—G. Harry Stine, New Canaan, Conn.

## FAI PROGRAM ADMINISTRATORS

Control Line—Laird Jackson, St. Davids, Pa.; Free Flight—Dave Linstrum, Buffalo Grove, Ill.; Indoor—Bud Tenny, Richardson, Tex.; Radio Control—Tom Rankin, Ellicott City, Md.

## RC FREQUENCY COMMITTEE

Walt Good, Bethesda, Md.; Ed Lorenz, chairman, Poughkeepsie, N. Y.; Howard McEntee, Ridgewood, N. J.; John Phelps, Liverpool, N. Y.; Paul Runge, Higginsville, Mo.

## CONTEST COORDINATORS

- I: Elvin Bowe, 101 South Riverview, Haverhill, Massachusetts 01830
- II: Warren H. Trupner, 67 Raymond Avenue, Staten Island, New York 10314
- III: Ken Heber, Route No. 2, Shippensburg, Pennsylvania 17357 (East)
- Marge Weisenbach, 4568 West 146th St., Cleveland, Ohio 44135 (West)
- IV: Alice Jaworski, 6408 Mariella Avenue, Baltimore, Maryland 21214
- V: Tom McLaughlin, 4140 Fern Court, Pine Glades, Pensacola, Florida 32503
- VI: Whalen Webb, 15722 Vine Avenue, Harvey, Illinois 60439
- AC: Al Signorino, 11950 Glenvalley Drive, Bridgeton, Missouri 63043
- VII: Odell Marchant, 2004 N. Hillsboro, Minneapolis, Minnesota 55427 (West)
- Walter Hartung, 14759 Kilbourne, Detroit, Michigan 48213 (East)
- VIII: S. Frank, 2033 Blankenship, Wichita Falls, Texas 76308
- IX: Ray R. Combs, R.R. No. 1, Box 112, Moorland, Colorado 80645
- AC: Ben Burton, 1613 East 10th, Salina, Kansas 67401
- X: Leon C. Farnsworth, 301 Carl Drive, Visalia, California 93277 (North)
- Lee Polansky, 885 West Huntington-1, Arcadia, California 91006 (South)
- XI: Albert Grell, Route 1, Box 105, Tangent, Oregon 97389

## CONTEST BOARD COORDINATOR

Don Lindley, 301 East Elizabeth Drive, Crown Point, Indiana 46037

type below indicates Chairman of Contest Board

## CONTROL LINE CONTEST

- I: John Enlis, 105 Grafton Street, Brockton, Massachusetts 02401
- II: Jean Paillet, Emerson Road, Brookville, Glen Head, New York 11545
- III: Laird Jackson, 508 Meadowbrook, St. Davids, Pennsylvania 19087
- IV: William Pardue, 1201 Surrey Drive, Greensboro, North Carolina 27408
- V: William D. McIlwain, 1325 Carol Drive, Memphis, Tennessee 38118
- VI: Arthur E. Johnson, 1818 Oak Drive, Rockford, Illinois 61108
- VII: Arthur Adamstein, 22454 Fairfax, Taylor, Michigan 48180
- VIII: B. F. Davis, 1613 Carl, Fort Worth, Texas 76103
- IX: John R. Mason, 2214 South Pine Crest, Wichita, Kansas 67221
- X: Pete Brandt, 5817 W. Ironwood, Palos Verdes Peninsula, California 90274
- XI: Keith Loucks, 1419 South 48th, Tacoma, Washington 98408

## FREE FLIGHT CONTEST BOARD

- I: Henry S. Luck, R.F.D. No. 2, Hamburg, Old Lyme, Connecticut 06371
- II: Ed Fronczek, 34-14 Broadway, Long Island City, New York 11106
- III: Floyd Miller, 1300 Brookridge Drive, Columbus, Ohio 43206
- IV: Joe Mylo, Jr., 219 Shunandoah Road, Hampton, Virginia 23061
- V: George C. Pickel, 1631 Steen Drive, Clarkdale, Mississippi 38614
- VI: James Gremel, 8818 Jo Court, Berkeley, Missouri 63124
- VII: Phil Kintworth, Jr., 27701 Lenex, Apt. 202, Madison Ill., Mich. 48071
- VIII: Buzz Averill, 2014 Palomas Dr., N.E., Albuquerque, New Mexico 87110
- IX: Frank Monts, 6519 Marjorie Lane, Wichita, Kansas 67221
- X: Mel Schmidt, 1140 Scrubridge, La Habra, California 90631
- XI: John Lendeman, Route 2, Box 460, St. Helens, Oregon 97051




## RADIO CONTROL CONTEST BOARD

- I: Harvey Thomasian, 789 Brigham Street, Northboro, Massachusetts 01552
- II: A. E. Sattler, 29 Waldorf Place, Schenectady, New York 12307
- III: Howard Grogan, 1326 Wakening Street, Philadelphia, Pennsylvania 19124
- IV: George Hill, 4106 Freewood Lane, Annandale, Virginia 22003
- V: Don Coleman, 527 Pecan Street, Box 436, Citronelle, Alabama 36522
- VI: Bud Atkinson, 234 North 8th Street Terr., Blue Springs, Missouri 64103
- VII: Peter Waters, 31219 Kenton, Livonia, Michigan 48154
- VIII: Dan B. Carey, 6742 Kinsman Road, Fort Worth, Texas 76116
- IX: Leon Tregellas, 3003 E. Everett, Wichita, Kansas 67217
- X: W. C. Northrop, Jr., Nightline Drive, Huntington Beach, Calif. 92646
- XI: Ralph Brooke, 3421 South 194th, Seattle, Washington

## SCALE CONTEST BOARD

- I: Richard Sherman, 408 River Road, Tewksbury, Massachusetts 01876
- II: John Condon, Sr., 80-09 247 Street, Bellrose, New York 11428
- III: Edward Wisser, 1521 Summit Street, McKeesport, Pennsylvania 15130
- IV: Hurst Bowles, 1649 Birch Road, McLean, Virginia 22101
- V: Lee Webster, 1000 Sycamore Circle, Manchester, Tennessee 37355
- VI: Frank Beatty, 2556 Penton Road, Granite City, Illinois 62040
- VII: Claude McCullough, Box 40, Montezuma, Iowa 50171
- VIII: John Cashman, 8508 Normandy Road, Fort Worth, Texas 76112
- IX: Don Johnson, 12601 West Virginia Avenue, Denver, Colorado 80228
- X: Russ Harris, 1451 LaHabra Street, Lake San Marcos, California 92089
- XI: Earle Moorhead, 275 South View Place S., Salem, Oregon 97302

## LEARN TO FLY!



Testors designed their Slow Wind and Cosmic Wind trainers specifically to make learning to fly easy, fast and fun. Crash model kits are made of plastic, rubber band assembly allows parts to separate on impact without damage. They're the perfect planes for new pilots.



The Slow Wind and Cosmic Wind trainers are powered by the reliable Testors Wind-Up motor and each plane comes with the best step-by-step, illustrated flying manual around. See them at your hobby/model dealer. Then go fly a T-1000!

In Canada:  
The Testors Company Ltd.  
2450 Finch Avenue West  
Weston, Ontario



The Testor Corporation  
620 Buckbee Street  
Rockford, Illinois 61101, U.S.A.

FROM START... TO FINISH... AND EVERYWHERE IN BETWEEN



Whatever you do in model building, Testors has you do it right. The Testors name means trouble-free fast quality finishing materials and tough quick drying cements.

It's been that way for over 40 years. Just ask Bill Smith, or his friends, or ask your local model shop. There's a Testors behind what Testors stands for.

The Testor Corporation  
2450 Finch Avenue, West

TESTORS

Testor  
620 Buckbee Street  
Illinois 61101

## P-38—Best of Twins

(Continued from page 29)

washed out when it hit a ditch on landing at the end of its sensational speed run, 13 YP-38's were ordered for tests. Before that order had been completed, the situation in Europe had become so serious that ■■■■■ were ordered and the P-38 was on its way. Its competitors in the USAAC competition for a fast interceptor had flopped. The runner-up Grumman XP-50 (similar to the P-51 Skyrocket) crashed ■■■ its first flight, while Bell's radical twin-pusher FM-1 Airacuda lacked all sorts of important qualifications.

The P-38, the first really modern fighter ordered by the Army, featured efficient turbosuperchargers buried in the tail booms, opposite-rotating propellers to counteract torque and P-effect (a technique first used in the Wright Flyer, but somehow forgotten), and generally superb streamlining. More important was its so-far-unrealized potential to accept an amazing variety of modifications without slowing down. The interceptor was about to become a fighter, a bomber, a photoplane, a cargo and troop transport, an air ambulance and a glider tug.

When the U.S. entered the war, fewer than 75 P-38's were on hand, but at least they were in production, while the other types which were to play such important roles—the P-47 and P-51 in particular—were still being tested. The only other fighters then being built for the Army were the Bell P-39 and the Curtiss P-40, neither of which was up to the standards of performance being set in Europe by the Messerschmitt and Focke-Wulf, or in the Pacific by the Zero.

The first really combat-ready P-38 to be delivered was the P-38D, the first of which appeared in August, 1941, with four .50 cal. machine guns and a huge 37 mm. cannon in the sleek nose. This model was quickly followed by the P-38E which carried a smaller 20 mm. cannon and thus set the pace for all those which were to follow. A low point in the history of the Lightning was reached when the first one ordered by the RAF arrived in England. Lacking the turbosuperchargers and the opposite rotations of the propellers, its performance was understandably poor, and the airplane was rejected and sent home.

Not until late 1942 did the airplane hit its stride with the P-38F, first model to see action in quantity. Power of its Allison engines had been increased from 1150 hp to 1325 hp, raising the top speed firmly over the 400 mph mark. Versatility now came into the picture. With drop tanks, its range stretched well over 2000 miles. With the streamlined tanks removed, it could carry 2000 lbs. of bombs. With all armament removed and cameras installed, it became the world's fastest, longest ranging reconnaissance airplane.

Dog-fighting was not the Lightning's specialty, yet it had its greatest success in the Pacific against the light, maneuverable Japanese aircraft. Its concentrated guns simply overwhelmed the lightly built and poorly protected Japanese fighters and bombers, and its great ability to climb and dive enabled it to break off the battle whenever it was in danger of being outmaneuvered. Its finest hours came in

# FLY THE WINNER\*

\*First place  
in the World Scale  
Championships

\* the 1970  
world champion  
**HIRTENBERGER**  
FRONT ROTOR HP 61R/C

**\$64<sup>95</sup>**  
(Complete  
with  
Muffler)

## PERFORMANCE AND PARTS TOO!

### BIG POWER

11,000 to 12,000 RPM with 11-8 propellers. Plenty of power for FAI stunt models and Heavy Scale models.

### CHECK THESE FEATURES

- Designed for maximum performance with mufflers
- Schnurli bypass porting system
- Flat top piston design
- Single piston ring
- Ball bearings on crankshaft
- Adjustable idle mixture control
- Excellent fuel draw ability
- Reliable idle characteristics
- 6 months warrantee
- Fits standard mounting systems

### COMPLETE PARTS STOCK

Nelson carries a complete inventory of parts for the 61R/C Engine. Part orders shipped same day received. We also maintain a complete service shop for major engine repairs.

### COMING SOON

2 new Hirtenberger Engines . . . FR-40 and RR-40 . . . write for bulletins today!



**Nelson  
Model Products**

West 59th Street  
Chicago, Illinois 60638

Dealer Inquiries Invited — Standard Trade Discounts

## MORE ABOUT THE LIGHTNING

Lockheed's P-38, as author Berliner brings out, was a most versatile aircraft. It looked different, but it looked "right." Its wing configuration, in fact, was good enough to be scaled up for use on the Constellation—or "Connie"—airliner. And, as scale modelers known, both the Lightning and the Connie make effective flying models. For a four-engined craft, the Connie flies with amazing ease. It is that versatility which makes the Lightning ■■■ fascinating. It is not merely a matter of being able to take varied combinations of stores, or to fly low or high. There was a global versatility as well or, one might say, that tactical versatility was so great that strategic versatility was inevitable.

The P-38 got to escort bombers in Europe—thanks to its range—at a time when long-ranged escort was a desperate need, when the scale of German fighter/antiaircraft versus Allied bombers was ready to tip. The P-38—and of course the remarkable Mustang—helped break the back of resistance in Europe.

And then the P-38 raised havoc in the North African desert, where enemy fighter pilots, and the guys on the ground who took the strafing, called it aptly the "Twin tailed devil." It fought valiantly in the Southwest Pacific—where Charles Lindbergh had his famous go at the Nipponese. In short, it was just about everywhere and into everything. As one lady aircraft spotter was reported to have called in: "There are two airplanes overhead with their arms wrapped around each other."

# \$169<sup>00</sup>

## Complete with 4 SERVOS

Here is a real price breakthrough! Only \$169.00 for this superb 4 channel digital proportional system with 4 servos. This is a completely assembled set. There are no extra servos or conversion kits to buy later on. It's a terrific value!

Digiac is known in all parts of the world for its consistently reliable performance. Flyers keep telling us how impressed they are with its flawless performance. After all, what is most important in a digital proportional system? RELIABILITY!

The radio is the latest design from one of Japan's foremost manufacturers of R/C equipment. The powerful servos are built with the widely acclaimed Mitsumi motor. The high power transmitter is in a compact, lightweight case for ease of handling. The receiver is highly sensitive and has excellent noise immunity. It has high image rejection to avoid adjacent channel interference. It's well filtered that it operates on dry cells even in the airborne pack. These are the reasons why Digiac is so outstanding!



Digiac is distributed exclusively by RAND SALES with our own factory-authorized service. Demand has been overwhelming! We suggest you send your order right away as you won't be disappointed. One thing more, we put an attractive free gift for you with each set... your personalized name plate for attachment to your transmitter.



These are the best looking wheels we've seen!

### SCALE-LIKE REGULAR

- ☐ 3" - 2.59 pr.
- ☐ 2 3/4" - 2.39 pr.
- ☐ 2 1/2" - 2.19 pr.

Notice the realistic diamond tread! The inner part of the hub is removable for installation of an electric brake.

### WHEELS

### LOW BOUNCE

- ☐ 3" - 2.59 pr.
- ☐ 2 3/4" - 2.39 pr.
- ☐ 2 1/2" - 2.19 pr.
- ☐ 2 1/4" - 1.99 pr.



NOW \$169<sup>00</sup>

☐ Digiac-4 Reg. \$189<sup>00</sup>  
4 channels with 4 servos  
Airborne weight 13 oz.  
Operates on economical dry cells (not included)

NOW \$219<sup>00</sup>

☐ DP-4 Reg. \$239<sup>00</sup>  
Complete with nickel cadmium batteries and charger.

Treat yourself to these terrific values!

Check your choice above and send this

☐ Money order or check

Postage prepaid orders over \$5.00. Under \$5.00 add 30c for postage and handling.

☐ C.O.D. ☐ BankAmericard No.

☐ Master Charge No.

Name

Street

City

State

Zip

☐ Send me your free catalog.



rand sales co.

box 20059, columbus, ohio 43220

service with the 5th Air Force during the island-hopping campaign to clear out the strings of enemy bases. The two top American aces of the war—Richard Bong with 40 kills and Thomas McGuire with 38—both flew P-38s with the 5th AF.


As long-range P-47's and P-51's gradually took over the escort duties of the P-38, other tasks were created for it. The graceful curves of the fighter nose were replaced by the awkward lines of the hastily created "droop snoot" versions which carried a navigator on special long distance missions, or a bombardier to do the precision work for a large formation of standard P-38's. Others carried special large tank-like containers under the wings, in which not only spare parts but ground crews were transported. Similar pods were used to carry a pair of stretcher cases, each, in the ambulance version.

As radar became more effective, the night fighter grew in importance and all sorts of modifications to standard types were hurried along. One of these was the two-seat night-fighting P-38M, with a bulge in the rear part of the canopy to clear the head of the radar operator, and a bomb-like radar device hanging under the nose. It looked awful, but worked well and flew almost as fast as the clean versions. This was the final modification of the P-38 to see action.

When the war ended, the P-38 continued on, though in a somewhat what changed role. Hundreds were placed on sale as surplus for the disgustingly low price of \$1500 for a low-time, late-model Lightning. More were sold to returning GIs than any other type of fighter because of their reputation for doing so many things well. No fewer than 19 showed up for the 1946 Cleveland Air Races, 15 of them starting in the Bendix Transcontinental Race from Los Angeles, and four entered in the pylon events. They were expected to shine in the 2000-mile Bendix, but Mustangs took the first four places. They weren't expected to do much around the pylons, because of their size, but Lockheed test pilot and pre-war racer Tony LeVier beat all the Mustangs to finish second in the classic Thompson Trophy Race. He was at Cleveland mainly to do a sensational aerobatic routine in his P-38L which foreshadowed by many years Bob Hoover's great single-engined and dead-stick work in the Shrike Commander.

Others bought P-38's for more practical reasons, and the type was common for many years throughout the Americas as a high-altitude photo-mapping aircraft. One occasionally still finds them in the classified ads of Trade-A-Plane, but time has a way with old airplanes, and the newest P-38 is now more than 25 years old. Still, there are a few in the air. Two showed up in the September, 1970, Reno Air Races (N25Y and N38LL) and a third in the California 1000 race at Mojave in November, and there is one up around Seattle which flies in shows.

If you want to take a close look at a Lightning, there are P-38L's in the USAF Museum in Dayton, Ohio; Harrah's Museum in Reno, Nev., and Ed Maloney's Museum in Ontario, Calif. The Confederate Air Force has a P-38L with P-38H nacelles, while the Smithsonian has a P-38J in storage.



## SHOWCASE

LARGE, WELL ENGINEERED, CUT OUT AND ASSEMBLE CARD MODELS FROM ENGLAND.

MODEL LOCOMOTIVES AND TRACTION ENGINES. PRINTED IN FULL COLOR.

AMERICAN WOODBURNER, PORTABLE, 11" MODEL, RED, GOLD & BLACK.

FLYING SCOTSLAND, 11" MODEL, 11" MODEL.

THE ROYAL SCOT, 11" MODEL, 11" MODEL.

SHOWMAN'S TRACTION ENGINE, 11" MODEL, 11" MODEL.

THE MALLARD, 11" MODEL, 11" MODEL.

PRICE \$3.00 Each

from GERMANY

CATHEDRALS, PLANES AND SHIPS available. Supplementary method instructions in English furnished.

Large cut out and assemble 150 transistor circuit models, offered at a special price to acquaint you with a new form of scale modeling.

- \* DOUGLAS DC7-C130 span \$1.30 (was \$2.00)
- \* ELECTRA-24 span \$1.30 (was \$2.00)
- \* SUPER CONSTELLATION 136 span \$1.80 (was \$2.80)

FIVE 1/2" MILITARY A/C (INCL. SPITFIRE)

Medieval Castle #17 \$2.45

Paper Models(European)  
CATALOG OF OVER 100 SHIPS, PLANS, CASTLES \$2.00 (FREE WITH ORDER)

SHIPPING CHARGE

CALIFORNIA RES. \$2.00  
OTHER STATES \$1.00  
OVER \$5.00 \$2.00

FOREIGN ORDERS  
Postal Money Order or  
Bank Check, collectible in  
U.S. funds without charge.

NO C.O.D.

John Hathaway 410 W. 6 St. San Pedro CA.

# SIG

## FIRST IN BALSA!

More Material - Same Price!  
Combined!

Best Quality - Lowest Price!

**THE BEST WAY TO  
FINISH YOUR MODEL  
IS WITH  
SIG SILK AND  
SUPERCOAT DOPE  
IT'S ALSO THE LOWEST COST**



### COLORS AVAILABLE

Polar Gray	Brite Green	Marsen	Brite Gold
Lemon Yellow	Light Blue	Chocolate Brown	Copper
Cub Yellow	Miami Blue	White	Metallic Blue
Tennessee Red	Dark Blue	White	Metallic Green
Light Red	Jet Black	Silver	Metallic Marsen
Forest Green	Orange	Diana Cream	Clear
Dark Green			Thinners

### BRUSH

4 Ounce... \$ .59  
8 Ounce... \$ .95  
Pint... \$1.49  
Quart... \$2.79

### SPRAY

3 Ounce... \$ .49  
6 Ounce... \$ .79  
16 Ounce... \$1.39

## New 1/2A Profile DEWEYBIRD MARK I

KIT CL-15

SCALE APPEARANCE

WINGSPAN: 22 1/2"

.049 ENGINE

Designed by Dave Shipton \$2.95

Designed by Dave Shipton, of Hobby Hide-A-Way, Delavan, Illinois, The Deweybird Mark I is a semi-scale control line model of Jim Dewey's midger. Dave has created a model that is very easy to build and fly. The beginner should have no trouble with this airplane, yet flight characteristics are such that the advanced modeler will enjoy it. It will perform well on a good .049 engine. There will be larger Deweybirds out soon.

## NEW KWIK BILT\* SERIES

The KWIK BILT Series is a completely new concept in model building. The modeler first constructs what is basically a simple profile model. Then he adds two molded plastic fuselage shells that give the model complete form and detail. The balsa profile gives the model a great deal of strength and the resulting model is very light weight for good flying qualities, yet can be built by even a novice in a very short time. Other models in the KWIK BILT line will be available soon.



\$3.95

Semi-Scale KIT KBCL-1

## SPITFIRE

1/2 A Control Line

18" WINGSPAN

.049 ENGINE

BALSA WING

18" WINGSPAN  
.049 ENGINE  
SHAPED BALSA WING

Semi-Scale

## P-40 WARRHAWK

KIT KBCL-2

1/2 A Control Line

# SIG BEGINNER'S MODELS

## AMA CUB

KIT FF-5



38¢

by FRANK EHRLING  
PROP ASSEMBLY INCLUDED  
RUBBER-POWERED  
TISSUE COVERED.

## PIGEON

KIT FF-13



#1 TRAINER

WINGSPAN 12"

PRESHAPED AIRFOIL

FULLY DETAILED PLAN



## SHOESTRING

U C PROFILE

SEMI-SCALE GOODYEAR

WINGSPAN: 25" ENGINE: .10-.15

## AMA RACER


by FRANK EHRLING

KIT FF-4



39¢

TISSUE COVERED  
RUBBER-POWERED  
PROP ASSEMBLY INCLUDED  
FEATURES ADJUSTABLE WING



## SIG PARASOL

PLAN IS COVERING MATERIAL

PAINTING REQUIRED

WINGSPAN 18"

PROFILE

## BUSTER

KIT CL-12



\$4.95

U C PROFILE

SEMI-SCALE GOODYEAR RACER

WINGSPAN: 24" LENGTH: 24 1/2"

ENGINE: .010 to .15

## SIG CUB

COMPLETE KIT

KIT FF-1



\$1.28

FLIES 1000'

RUBBER-POWERED ENDURANCE MODEL  
MOLDED PLASTIC PROPELLER



## FLIP

KIT FF-14

#2 TRAINER

WINGSPAN 14"

PRESHAPED AIRFOIL

FULLY DETAILED PLANS

## THERMAL HART

"Second Step" Model after AMA CUB

KIT FF-12 by FRANK EHRLING

FULL-SIZED PLANS

WINGSPAN 24" COMPLETE KIT



88¢

## LITTLE SNIPPER

HOT 1/2A COMBAT Featuring a

18" Molded Foam Wing!

For any tank mounted .049  
Can be built in one short evening.



KIT CL-10

\$2.95

## SUPER SINBAD

TOWLINE GLIDER

KIT FF-2

\$5.95



62" WINGSPAN

FREE FLIGHT RADIO CONTROL

A high performance towline glider of proven design.

Strong, Simple Construction.

## SINBAD 40

TOWLINE GLIDER

KIT FF-3 BIG 40" WINGSPAN

Strong, Simple Construction  
Kit Features Die-Cut Sig Balsa



\$2.50

Send Only 50¢ Today for  
**SIG'S BIG NEW CATALOG!**  
The Model Builders' "Bible"



THE 1971 SIG CATALOG is the greatest Model Airplane Catalog yet! Over 224 pages devoted exclusively to merchandise used in the building or flying of model airplanes. Features the complete Sig Line, plus practically all other items available. Hundreds of models are illustrated including gliders, sailplanes, rubber-powered flying scale, control line stunt and scale, and every type of R.C. model. Send 50¢ today for your copy or buy it from your local hobby dealer. You will agree it is the best bargain in the model airplane industry.

**ORDERING  
INSTRUCTIONS**

FIRST, SEE YOUR LOCAL DEALER! If he will not supply you, then order directly from us. We will ship promptly. To Order, please add \$1.00 for postage and handling in the U.S. Canadian orders please add \$1.50. Minimum order is \$1.00. Please remit by bank draft, check or money order. Print your name and address plainly. Sorry, No C.O.D. shipments. All prices subject to change without notice.

**MFG MANUFACTURING CO., INC**  
401 S. FRONT STREET  
MONTEZUMA, KAN 66501

# COMBAT

## GIVES REALISM TO MODEL AIRCRAFT



### 110 authentic CAMOUFLAGE COLORS

Wood, metal and plastic models Come Alive with COMBAT'S authentic pre-mixed colors. Formulated by modelers for modelers to achieve what every model builder wants—Realism! A true flat finish, ease of application and a longer shelf life make COMBAT the leader in camouflage colors.

### Money Saving ASSORTMENTS

- ☐ **500 BATTLE OF BRITAIN**  
12 Colors, \$6.60 val. ... only \$6.00
  - ☐ **710 GERMAN WW II AIRCRAFT**  
12 Colors, \$6.60 val. ... only \$6.00
  - ☐ **720 JAPANESE WW II AIRCRAFT**  
12 Colors, \$6.60 val. ... only \$6.00
  - ☐ **760 MODERN U.S. AIR FORCE**  
12 Colors, \$6.60 val. ... only \$6.00
  - ☐ **700 WW II COLLECTORS ASSORT.**  
72 Colors, \$40.00 val. ... only \$32.00
- Please add 10% for postage.

**COMBAT COLORS, Inc., Dept. A.M.**  
3145 Bordentown Ave., Parlin, N.J. 08859

### Straight and Level

(Continued from page 6)

we'll all know if he made it. If you — going by, the location is one mile east of the old store — Route 46. Saved by the bell, Rich thinks.

TWO BROTHERS in New York, Irwin and Nat Polk, are celebrating this year their 35th anniversary as Polk's Hobby Department Store. And that's another heart warmer. In 1933, the "brothers" were advisors to the old Bamberger Model Aero Club, in that well-known Newark, N. J., department store. Old-timers remember the second-floor walk-up hobby shop the forward-looking brothers started about 1937 on the corner of 34th Street, near Penn Station in New York. Then, about the time of WW II's beginning, they expanded into the present five-floor operation on Fifth Avenue—a floor for each hobby yet! Many a contest they sponsored — the old days and, when gas jobs came in, they threw in with Charlie Grant, then MAN's ramrod, who began the International Gas Model Association. Eventually, IGMA was turned — to the NAA—before AMA was born.

From experience we know what, and how very much, the Polk brothers did for model aviation. For example, when Irwin directed the Nationals in Detroit before the war, it was still customary for the entrants to expect a victory banquet, followed by trophy awards. That year in Detroit there were 1700 entrants. Banquets cost dough.

Distraught the afternoon of the anticipated banquet, no money in the till. Irwin bumped into Roy Howard of the Scripps-Howard Newspapers, who lent a sympathetic ear. That night, a bagpiper band awakened the dead in the Hotel Fort Shelby, then led the procession down to a lake steamer where a banquet was held — the parking hold. The logistics are still a mystery.

And Nat, at the time the HIAA-AMA Air Youth program was envisioned, when told at a small lunch of powers-that-be that funding was out of the question and that money could not possibly be raised, said he'd do it. And he did—for several years. By phone he reached to every nook and cranny of the country and into allied industries. He had a little help. But he gave of himself as nobody has done before—or since. Happy anniversary, "boys!"

### Owl Racer

(Continued from page 24)

a steep angle of airflow without stalling, thus producing maximum cowl thrust, similar to wing lift.

The original exhaust and cooling systems were worth note, with both exiting on the bottom of the airplane, just ahead of the firewall. The stacks were located at either side of a cowl flap in a very clean arrangement. After the 1968 season, the exhaust system was lightened and simplified by switching to individual stacks cut off flush with ports on either side of the cowl. Other changes, mainly aimed at reducing weight, are to include elimination of the oil radiator, replacement of the thick galvanized firewall with aluminum and asbestos, and switching from copper pitot and static lines to plastic or aluminum.

Construction is straightforward. The wing has a one-piece laminated

spruce main spar, half-inch thick spruce ribs and plywood covering. Aileron control is via a one-inch torque tube which can be disconnected for easy wing removal by pulling a single bolt in the cockpit without affecting aileron rigging. The fuselage is welded chrome-moly steel tubing with metal covering to the front of the cockpit and fabric aft. The tail has a spruce frame covered with plywood. The canopy is a single piece of molded plexiglass with a composite wood/foam/fiberglass frame and rear fairing.

Power — supplied by the typical stock Continental O-200, properly balanced and with a racing prop which enables it to turn about 3750 rpm and develop about 125 hp.

One season of racing, even when it is — successful — the Owl's in 1969, still doesn't prove a design. At best, it — only indicate potential. The Owl Racer unquestionably has speed and good flying characteristics, which is about all that should be asked of a racer. Its future is bright but completely uncharted. Plans, available from John Alford (291 Beech Ave., Santa Rosa, Calif.) for \$125 a set, consist of 56 individual drawings including all structure, primary controls, fuel tank and canopy, as well as full-size ribs and fairing contours. Their acceptance by builders could make the Owl Racer one of the truly significant racer designs. In the meantime, #87 will be busy trying to win races.

### Color Scheme

Basic airplane is white with metallic olive green striping and numbers.

Black pilot name, airplane name and emblem on vertical stabilizer, wing-walk and footprint on upper surface of left wing, and cowling anti-glare panel.

### Specifications

#### Wing

Span—18' 0"  
Area—66 sq. ft.  
Airfoil—63 A 210  
Dihedral—1 degree  
Aspect ratio—3.88:1  
Incidence—0 degrees  
Twist—0 degrees  
Stabilizer/elevator  
Span—5' 11"  
Area—8.5 sq. ft.  
Aspect ratio—4.12:1

#### Stabilizer/rudder

Area (projected to fuselage reference line)—5.10 sq. ft.

## FOR FUN



FLYING WGT. 4.00 LB.

24 IN. SPAN

**TRAVELER**

17 IN. SPAN

**GON**

**\$1.25 Ea. Postpaid**

**QUALITY Balsa—Two Colors Jap. Tissue—All Necessary Goodies—Complete Plans—Easy and Illustrated—Fun to Build and Fly!**

**TEVIN AERO CO.**  
P.O. BOX 66398  
CHICAGO, ILL., 60666



**KIT 906**  
**TYPHOON** 16" SPAN

**3 new**  
**RUBBER POWERED**  
**SCALE BALSA**  
**FLYING MODEL KITS**



**KIT 904**  
**SKYRAIDER** 17" SPAN

**REAL FLYING FUN**

**ATTACK!**

FLY 'EM INDOOR OR OUTDOOR—WEATHER RESISTANT

Simple scale jobs. Designed for good rubber powered performance. Simple wing area and dihedral give an effective rubber propeller combination. They are light for up to 1 lb. and more. Plastic cowls and canopies—fantastic sheet (not a decal).

**\$1.30 EACH**

**PAUL K. GUILLOW, DEPT. A3, WAKEFIELD, MASS. 01880**

For local dealer, check Yellow Pages under Hobbies. Send 10¢ for listing of Guillow Kits. Available in Canada.

**Guillow's**



**KIT 905**  
**MUSTANG** 17" SPAN

**Fuselage**  
Length—17' 5"  
Cockpit height—3' 2"  
Cockpit width—1' 8"  
Empty weight—550 lb. (design)  
802 lb. (prototype)  
Cruise speed—185 mph at 2800 rpm  
Top speed—est. 230 mph at 3750 rpm  
Limit load factor—8.7  
Ultimate load factor—10.0



**Start your Glow Plug Engines From 12 Volt Battery.**

Use the Tomco Model #7 12V to 1.5V Converter.  
Very efficient. Drives any 1.5 Amp. from 12V Battery. Delivers up to 3 Amps to Glow Plug.  
Operates from 4 different batteries: car batteries and motorcycle batteries.

Short, proud, reverse polarity proof, and water proof.  
Very compact. Only 1 1/2" x 1 1/2" x 1 1/2".  
Shipped complete. Ready. Quick plug top and cigarette lighter plug included.  
Only \$14.95.  
BV and 12V models available. Please Specify.

**Tomco**  
**Box 4403**  
**Little Rock, Ark. 72204**

## Mustang

(Continued from page 17)

full span spar uses 3/16" square spruce. Sheet top and bottom with 3/32" soft balsa and keep flat until completely dry. Vertical stabilizer, rudder, and elevator are cut from soft 1/4". Taper these with the plane to about 1/8". Install Top Flite elevator horn, and glue both horizontal and vertical stabilizers onto the fuselage. Make fillets from balsa or leather to add strength.

A standard Lanier wing or a home-cut wing may be used. Strip ailerons were used, but some faking is done after painting. Gear mounting blocks centerline is located 2 1/2" back from the leading edge as measured at the wing root. I prefer 1 to 1 degree dihedral. Main gears use 3/16" diameter wire and are 5/4 to 5 1/2" long from wing to axle. The axle bends inward, allowing wheels to be on the inside of the pants. Use 3/32" plywood for pants and mount to the gear with brass strips screwed into spruce blocks. When correctly positioned, tack solder the brass to the wire gear.

The familiar torsion type gear is used. Bend the wire so that the wheel axle is directly under the leading edge

of the wing when the wing is in its flat flying angle (see plans). This location is important because takeoff and landing qualities are determined by location of wheels.

### Finishing Details and Painting

An engine mounting backplate may be made of 1/16" copperclad epoxy p.c. material; 6-32 nuts are then soldered.

(Continued on page 72)



**Fujimi**

**PLASTIC MODEL KITS**

**THE FINEST, MOST DETAILED BEST FITTING KITS EVER.**

**THE McDONNELL DOUGLAS PHANTOM II**  
The most versatile fighter aircraft ever developed for military service. Holds world speed records, over 1600 mph. Big model, over 15" long. Molded in 11 colors, all details including all decals, all ordnance, complete interior with crew. 150 parts.



**\$398**



**THE F-5**

World's first 1:48 scale model of the fighter.

Active in the Israeli 6-day war. Beautifully detailed. Comes complete with three sets of decals for French, Israeli or South African air forces.

**\$150**

**SERIES \$1.29**  
FC-1 Zero Fighter 21  
FC-2 Zero Fighter 32  
FC-3 Zero Fighter 54  
FC-4 K1-43 "Oscar"  
FC-5 K1-44 "Tojo"  
FC-6 K1-61 "Tony"  
FC-7 K1-84 "Frank"  
FC-8 K1-100 Army Kawasaki  
FC-9 F4U Corsair  
FC-10 B-47 Thunderbolt  
FC-11 F4U SN Corsair  
FC-12 F6F-5 Hellcat

**SERIES \$1.00**  
FG-1 Westland Wasp  
FG-2 F8D Crusader

**SERIES \$1.29**  
FH-1 Northrop T-38A Talon  
FH-2 Bell AH-1G Huey Cobra  
FH-3 Douglas A-1H Skyraider

**\$1.50**  
FJ-1 Douglas F-4E Skyhawk  
FJ-2 Bell UH-1B Iroquois  
FJ-3 Freedom Fighter F-5A  
FI-4 Northrop F-5  
FI-5 Dassault Mirage III-C

**ALSO:** FL-2 Grumman Intruder A-6A \$2.98

**CATALOGS**  
Can't see complete Color & Black White Catalogs? Call 800-451-7575.  
Call 800-451-7575 for more information.

For your dealer visit, or if cannot supply items desired, send this order and address with your order. Orders less than \$3.00 add \$2.00 handling. If service is not completed promptly, write Bell, 1245 S. 2nd St., Milwaukee, WI 53204.  
Order a week or more in advance to get the best prices.  
For complete order form, write to: **ASSOCIATED HOBBY MANUFACTURERS, INC.**

1st Cor. Street, Philadelphia 19170

Convert your model airplane engine for marine use... easily... instantly... neatly... with the

## OCTURA KOOL KLAMP


UNIVERSAL WATER COOLING JACKET

only **\$395**

No disassembly of engine required... installs in 30 seconds... efficiently converts any air-cooled model airplane engine to W/C boat use. Proven performance. No possibility of water leaking into engine. Glo-plug readily accessible. Vibration proof... corrosion resistant.

plus 10% for postage and handling

Adjustable-Depth Water Pick Up and Outlet—\$1.65



ENGINE	SIZE	ENGINE	SIZE
Enya 15 & 19	3	Super Tigre 15 & 19	3
Enya 60	12	Super Tigre 29	6
K & B 19	4	Super Tigre 60 & 65	12
K & B 29 & 40	7	Veco 39	6
OS Max 15	1	Veco 29 & 35	6
Ross 60	11	Veco 45	10

To determine the size of Kool Klamp for engine, not listed, measure diameter of cylinder and the no. of 1/16's over 1" is the size to order.



**OCTURA MODELS**

If dealer cannot supply, order direct. Add 10% for postage & handling. Customers include Sales Tax. **N. MILWAUKEE, WISCONSIN 53040**

## ★ TRY YOUR DEALER FIRST

### ALABAMA

Alabama, Birmingham 30211  
BRIVEY STORES  
Tuscaloosa

Alabama, Huntsville HOBBY SHOP  
2100 Triana Blvd.

### ARIZONA

Arizona, Phoenix  
30 E. ... Rd.

### CALIFORNIA

California, Burbank  
T & A HOBBY LTD.  
3812 West Victory

California, Carlsbad  
CDVINA HOBBY CENTER  
140 North Citrus

California, El Cajon 92030  
MIKE'S MODEL

California, San Diego 92108  
HILLCREST HOBBY CRAFT  
3821 Fifth Ave.

California, San ...  
HUSTON'S HOBBY  
830 Town & Country Village

California, ...  
DRUG CO.  
Alps Shopping Center  
Mariposa Avenue

### CANADA

Canada, Calgary, Alberta  
CALGARY HOBBY SUPPLY  
Postal ...

Canada, Toronto, Ontario  
KLEIN  
180 Lawrence Ave.  
N. "Lawrence Plaza"

### COLORADO

Colorado, Denver 80220  
TOM ...  
Coffee

Colorado, ...  
D & S FAINT ...  
Street

### CONNECTICUT

Connecticut, Bridgeport 06606  
BOY'S HOBBIES  
1842

Connecticut, Meriden  
HAMMON  
1984 Dixwell Ave.

Connecticut, Windsor Locks  
5000 ELECTRONIC CT.  
Spring

### DELAWARE

Delaware, Wilmington  
SHIMONS  
Paul ...  
Faulk at Murphy Road

### FLORIDA

Florida, Jacksonville  
ART'S HOBBY SHOP  
10234 Atlantic Blvd.

Florida, Jacksonville  
FIELO  
Edgewood Avenue

Florida, Miami 33142  
ORANGE BLOSSOM HOBBY SHOP  
1878 N.W. 36th St.

Florida, St. Petersburg 33704  
FLORIDA ... & RACEWAY  
St. No.

Florida, Tampa 33606  
FARMERS SUNDRIES &  
Broadway

### HAWAII

Hawaii, Honolulu  
PETE'S MODEL CRAFT FUN SHOPS  
1642 Ala ... Shopping Center

### ILLINOIS

Illinois, Chicago 60652  
ANN HOBBY SHOP  
8230 E. Kedzie Ave.

Illinois, Chicago 60630  
STANTON HOBBY SHOP  
4736 North Milwaukee Ave.

Illinois, Mundelein 60060  
HOBBY HUT  
14134 Seymour Ave.

Illinois, ...  
Lawn 80483  
OAK LAWN ... HOBBIES  
8724 95th

Illinois, ...  
Sycamore 60178  
116 So. California St.

### KANSAS

Kansas, Shawnee 66203  
R/D SHOP  
10914 W. Terrace

Kansas, ...  
Saline 67401  
FLIGHT CONTROL PRODUCTS  
2484 South Santa Fe

### LOUISIANA

Louisiana, ...  
MERCURY HOBBIES INC.  
8773 Woodfield Drive  
Phone:

### MASSACHUSETTS

Massachusetts, Attleboro 02703  
HOBBY HUT  
170 Pine

Massachusetts, Cambridge 02138  
CROSSBY'S HOBBY CENTRE  
1704 A Massachusetts Ave.

Massachusetts, Framingham 01701  
R.C.  
17 Belmont Road

### MICHIGAN

Michigan, Dearborn  
30178 HOBBY C  
7846 Wyoming Ave.

Michigan, ...  
JOE'S ... CENTER  
Rd. ...  
Michigan, ...  
GRAND VALLEY  
1048 ... S.W.

Michigan, ...  
Lapeer  
CLIFF'S HOBBY  
317 So. Saginaw St.

Michigan, ...  
Warren 48092  
HOBBY HUT  
28747 Ryan Road

### MISSOURI

Missouri, ...  
Affton 63123  
HOBBY  
8627

Missouri, ...  
Des Peres 63531  
DES PERES HOBBY SHOP  
12065 Manchester Rd.

Missouri, ...  
Kansas City  
K. S.  
5717 Troost

Missouri, ...  
St. Joseph 64508  
POLLOCK REP. & MODEL SUPPLY  
1801 South 10th

### NEW JERSEY

New Jersey, ...  
Greenbrook 08613  
(Plainfield Area)  
TINY TOTS INC.  
U. S. Route 22 E.

New Jersey, ...  
Methuen 08852  
CARDINAL HOBBY SHOP  
S. Cardinal Rd.

### NEW YORK

New York, ...  
Buffalo 14276  
P. S.  
3177 Avenue

New York, ...  
COMMUNITY CENTER  
E. Henrietta Rd.

New York, ...  
Syracuse 13208  
MODEL RAILROAD AND  
HOBBY CENTER INC.  
218 East Fayette Street

### MINNESOTA

Minnesota, ...  
Dakota  
Meryl's HOBBY SHOP  
184 1st. S.E.

### OHIO

Ohio, Cleveland  
HOBBY  
State Ridge

Ohio, Columbus  
SLATERS INC.  
1141 N.

Ohio, ...  
Cincinnati 45212  
OHIO HOBBY CENTER  
Market

### PENNSYLVANIA

Pennsylvania, ...  
Harrisburg  
HERB'S HOBBY HOUSE  
2966 N. ... St.

Pennsylvania, ...  
Monaca 18146  
LOREK'S HOBBY SHOP  
"Miracle Mile" Shopping Center

Pennsylvania, ...  
SPORTING GOODS

### SOUTH

South America, Bogota 2, Colombia  
ABROMODELOS BRITANNIA, LTDA.  
Aptado

### TEXAS

Texas, Austin 78704  
LEWIS ...  
1704 South

Texas, ...  
College Station  
University

Texas, ...  
Corpus Christi 78418  
MODEL  
Kortzyx

Texas, ...  
Cedarville 75240  
OFFICE ... TV  
112 Hurley

Texas, ...  
G & C MODEL SHOP  
2522 Times Blvd.

Texas, ...  
Angela  
WILSON'S

Texas, ...  
Victoria  
ANDY'S HOBBIES &  
Pole of ... Laurent

### VIRGINIA

Virginia, ...  
Richmond 23226  
HOBBY CENTER  
3002 West Cary Street



WATCH  
THIS  
SPACE  
NEXT  
MONTH-

Exciting New R/C Airplane Concept!

## DICK'S DREAM PLANE KIT For the Beginner or Expert!



NOW! A Mini Foam Wing Airplane Kit.  
This is a first! DESIGNED FOR PULSE!

There are foam wing kits on the market, but with Ace Mini Foam Wings, small planes in the 30-35" range fill a for something that did not exist in the kit field.

This kit is of the Dick's Dream, designed by Owen Kampen. Has been extensively flown a period of years by a number of modelers in various parts of the country. The Dick's Dream is partially a scaled down Whiz Kid—a performer. It has several innovations which are for the small breed of airplane specifically, and with the foam wing the beginner is assured overcoming a big drawback to success. Features crutch type fuselage construction to line-up and accuracy.

Balsa and hardwood parts specially selected and clean precision by Lou Andrews of Aamco especially for this kit. This you of quality integrity. Wire parts for landing and torque rod, hinge material, and other extras supplied. Wheels and engine mounting hardware not.

Full step by step instructions to assist in building this gem of a kit. AND ultra simple installation shown for the Commander R/O Baby or Baby Twin!

Span is 32" (cut from the Ace constant chord foam section), 5 1/2" chord, length 25 inches. Weight with R/C is 12 to 14 ounces.

With a Pee Wee .020 and a Commander R/O Baby you have a docile performer and excellent trainer. If you want something hot, TeeDee .020 with the Commander R/O Baby Twin will do the job—it'll everything in the Rudder Only book!

Excellent for beginner—fun for the experienced flyer. Join in with assurance of satisfaction with the new Ace Foam Wing Dick's Dream.

No. 13L100—Dick's Dream Foam Wing Airplane Kit \$5.95



## ACE MINI FOAM WINGS

Special 17% semi-symmetrical airfoil expanded foam developed by Owen Kampen for the small planes.

The constant chord measures 35" span, width is 5 1/2". Area is 192.5. Weight about 3 oz.

The taper section 35" span, center is 5 1/2" which tapers to 4". Area is 166.24. Weight is just over 2 oz.

Come in two 17 1/2" pieces which may be easily epoxied for desired dihedral. May be used unfinished. Or may be finished with polyurethane varnish. Stripe with Monokote for trim.

Build small with foam. Makes planes which for the Cox Pee Wee or TD .020 engines, and the Commander R/O Baby or Baby Twin units.

No. 13L166—Ace Foam TAPER Wing \$2.95  
No. 13L192—Ace Foam CONSTANT Wing 2.95

# PULSE PROPORTIONAL .. Best Choice for You!

## THE SIMPLE SYSTEM--

### RUDDER ONLY PULSE IS:

- \* FULLY PROPORTIONAL
- \* LIGHTEST WEIGHT--2.5 oz. for the Baby w/225 ma nicads.
- \* LOWEST COST--begin ■ \$59.95!
- \* SIMPLEST--only one moving part, easily serviced and maintained; noise free.
- \* VERSATILE--Arrange to suit your particular installation. You ■ up or down in size without obsoleting your receiver ■ transmitter. Simple changes of battery packs and actuators allow change ■ will. Or ■ Motor Control ■ Standard or Stomper--using ■ battery pack.
- \* GREAT for Beginners--FUN for Experts.



- † SIMPLE TO OWN - (Prices begin at \$59.95)
- † SIMPLE TO INSTALL
- † SIMPLE TO FLY
- † SIMPLE TO MAINTAIN
- † SIMPLE TO REPAIR

Designed for ■ new small PRACTICAL flying machines. These designs really fly--and fly well; not in the novelty class. Easy to build, low in cost, inexpensive to fly. Fly in limited areas.

### COMMANDER BASIC R/O PULSE PACKS

#### Available in Four Sizes

We are offering our Commander Rudder Only series in both "Choose-Yourself" style, and in the ■ combos ■ last year. This offers you greater choice and therefore ■ versatility.

Our Basic Pack (A) comes less batteries and charger. You select the size of the battery pack and charger kit (BC) you want, ■ this ABC makes it YOUR combo. (If for instance, you have a glider in which you want to use just the Baby ■ Baby Twin Pack, BUT need 500 ma nicads instead of ■ usual ■ ma, you can ■ this combo by just ordering the right choice of A and BC units.

To help the beginners, we also offer the usual combos which contain the Basic Pack (A) plus the Battery & Charger Kit (B-C) which have proven to be ■ all-around combinations.

The ■ Packs contain the new Improved Dickerson Designed Rudder Only Pulse Transmitter, the Commander DE 2.4 v superhet receiver, and four choices of size on the more powerful Adams actuator.

The Baby ■ Baby Twin ■ ideally suited for the new Ace Mini Foam Wings, and the Mini Foam Wing plane kits, while the Standard and Stomper will handle ■ jobs--even up to .19-23 size and Motor Control may ■ added.

The ■ by is for .010 to .020 jobs. Airborne weight 2.5 oz. (if you use 225 ma nicads).

The Baby Twin is for hot .020 to .049 ships. Airborne weight 2.9 oz. (if you use ■ ma nicads).

Use the Standard for more power for hot .049 to .09 power. Airborne weight 4.5 oz. (if

you use 500 ■ nicads).

The Stomper is the workhorse and will be useable in ships from .049 to .19-23. Weight 4.9 oz. (if you use 500 ■ nicads).

### ALL UNITS ARE COMPLETELY WIRED, TESTED, GUARANTEED

10G25--Basic R/O Baby Pk (A)	\$59.95
10G25T--Basic R/O Baby Twin Pk (A)	62.95
10G26--Basic R/O Standard Pk (A)	59.95
10G27--Basic R/O Stomper Pk (A)	62.95
Specify frequency: Available on	
26,995, 27,045, 27,095, 27,145	
or 27,195)	

### COMMANDER BTRY. ■ CHGR. KITS

The two kits you need to make up any of the four R/O Packs ■ come up with the Combo of your choice. Consist of 2.4 Nicad Battery Pack in either of two sizes (you CAN use pen cells, but we don't recommend it), Mallory M1603 Transmitter Battery, and Deluxe Charger complete with submini jack and plug. Charge ■ is transformer isolated for your protection.

The B-C (Batteries & Charger) Kits ■ available in two sizes. For ordinary ■ we recommend the 225 ma size for the Baby and Baby Twin. The 500 ma unit is generally used for the Standard or Stomper units. (You can switch either way, depending on your requirements.) Completely assembled.

No. 10K35--B-C 225 Kit for Baby ■ Baby Twin	\$10.75
No. 10K36--B-C 500 Kit for Standard or Stomper	12.75



### COMMANDER R/O PULSE COMBOS

- \*\* New, smaller transmitter case
- \*\* 50% more powerful actuator
- \*\* COMBOS with ■ batteries AND charger!

If you are going the routine way, and want to get started with what we recommend for all ordinary applications, this is the way for you. Here you have the Basic R/O Pack (A) and the suggested B-C matched.

10G15--COMPLETE R/O Baby Combo	\$69.95
10G15T--COMPLETE R/O Baby Twin Combo	72.95
10G16--COMPLETE R/O Standard Combo	71.95
10G17--COMPLETE R/O Stomper Combo	74.95

26,995, 27,045, 27,095, 27,145, 27,195 mHz.

Please Specify

WITH ALL BATTERIES AND CHARGER

### DE MICRO GEM RECEIVER AVAILABLE

Our smaller Commander Micro Gem DE receiver is available for any of the foregoing or Basic Pack Combos. The Gem Superhet measures only 1 1/16 x 1 1/2 x 1/2 and weighs ■ than 1 oz. This a DE (double ended) version exclusively for Adams actuator use. If you wish this receiver with your Basic Pack or your Combo, simply specify "With Gem"--and add \$5.00 to the price.

■ HANDBOOK-CATALOG  
For ■ Free Flyer ■ Timberer

ACE RADIO CONTROL ■ BOX 301 ■ HIGGINSVILLE, MO. 64037

Our ■ Handbook-Catalog is bigger and better than ■ We specialize in equipment for the Beginner, Sunday and Fun Flyer. More items for the do-it-yourselfer, more products from most major manufacturers, in addition to many Ace exclusives. Greatly enlarged HANDBOOK section. Last year this was called "Bible for R/C." ■ a MUST! ■ by R/C editors. Price is just \$1.00 POSTPAID. This is completely refundable on your first order! And that order also puts you on our mailing list for our newsletters and R/C Data Service--acclaimed the world over. You can't lose--send your buck on a round trip today. It could be the best dollar you ever spent!

Important: For overseas delivery on catalog ■ Binder please add 50¢ for add-tional postage. My BankAmericard ■

NAME _____				
ADDRESS _____				
CITY _____	STATE _____		ZIP _____	
QUANTITY	STOCK #	OF	PRICE	TOTAL

Guaranteed delivery anywhere. Orders over \$5.00 sent prepaid. Orders under \$5.00 please add 50¢ for postage and packing.

# SUDDEN SERVICE PLANS

Full-Size Plans — Shipped First Class Mail Within 48 Hours — No Extra Charge

No. 0101, Undone I — R/C Pattern plane for 60 engine for new maneuvers and lightweight equipment. Wings span 59". \$3.50

No. 0102, Skyvan — Semi-scale twin 049-powered STOL transport. Simple construction, all-balsa. For C/L \$1.50

No. 1191, Scimitar — Unusual-looking R/C stunter. High-speed maneuvers, clean tracking. 60 engine. Low-tail Rivets look. By Joe Foster. \$3

No. 1192, Ryan Mailplane — Light, F/F, with plenty of details. For rubber indoor or outdoor. Plan has scale views. \$1.50

No. 1193, Mig 21d — 40-powered C/L version of Russian fighter is fast, stable flyer. By Roland Balton. \$2.50

No. 1194, 1937 Gas Model — Half-size 049 copy of great old-timer. Has durability and easy-to-fly characteristics. Frank Ehling. \$2

No. 1091, Halberstadt — Nearly scale R/C WW I fighter with semi-symmetrical 6' wings. 60-powered. Two sheets \$4

No. 0791, Pusher Galore — Bill Hannan's all-sheet, rubber pusher for Tenderfoot. Looks like supersonic transport \$1.50

No. 0904, Volkswagen — Trainer and stunter by Marsh for electric tether flying with slot-car motors. Plans for the pylon included. Great club activity. \$1.50

No. 0794, Skimmer Airboat — Bled-type fun watercraft by Paul Hook. 60 engine. R/C rudder, throttle. \$2

No. 0991, Flashby I — Rakish-looking all-balsa R/C by Wayne Brown. For the Tenderfoot. Tricycle gear. \$1

No. 0992, Fouga Cylone — Scale model of jet-assisted French sailplane, by Nick Zircoli. Gains altitude easily on 60 engine. A two-piece 7-ft. wing. For R/C. \$3.50

No. 0993, La Jolla — Profile 15-powered Goodyear C/L racer by James Kloth, fast, groovy. On mild fuel and engine does 85 mph. \$1.25

No. 0992, Taylor Cub F-2 — Sport, F/F, scale, .020, stick-and-tissue. By Schreyer. \$1.75

No. 0993, Martin MD-1 — Rare WW-I era monoplane, carrier fighter ideal for Class 1 Carrier. Allergies keep lines tight — low speed. Reeves. \$1.50

No. 1181, Junkers D-1 — Joe Tachirzi 1918 fighter, proportions for perfect R/C scale. 45 engine. Low-wing has 500 sq. in. \$2.50

No. 0191, Curtiss-Wright Jr. — Robert Rawkins transformed open-cockpit pusher of thirties for single channel. First step into RC scale. Span 44". Use .049. \$2.50

No. 0192, Skyraider — Motin's Navy Carrier, fast, light, 40's — Easy construction \$2.50

No. 0193, Cote Coupe — Coupe d' River F/F by Dave Linstrum. Quick to build with all-sheet surfaces. Your first rubber contest model. \$1.75

No. 0291, R/C Mohler — Ed Rweeney's conversion of famous C/L stunt ship. A highly maneuverable R/C. Only 40 for all AMA/FAL stunts. \$2.50

No. 0491, Emeralds — Duke Crow reduced famous home-built to R/C size (85"). 40 to 60. Stunt pattern. Gentle. Two sheets. \$3.75

No. 0591, Small Fry Special — Motin's C/L trainer — Tenderfoot. Easy to build. An .049. \$1.75

No. 0592, Messerschmitt Bf. 109E — R/C, semi-scale by Munninghoff. Mean look of efficient fighter. Two sheets. \$3.75

No. 0593, Manta — Howard Kuhn's Boost Glider for model rockets easy to build from sheet. A winner. \$1.75

No. 0591, Jr. Sky Squire — R/C sport-trainer by Jess Krieser, 69 to 13. From Galloping Ghost to multi-digital proportional. Span 48" 1416 in. 1. 3 lbs. \$2.50

No. 0592, 1/4 Sky Squire — Small version famous Sky Squire. 1 ch. rudder-only, or rudder, elevator and motor. Galloping Ghost. Only 22-28 oz. \$2

No. 0893, Mustang — Rabe's great near-scale C/L stunt. Flies pattern with ease. ST 40. Over 57". \$2

No. 0792, Rivets — Speedy, responsive R/C. Owen Kampen design for .020 Adams Baby Actuator, rudder-only. \$1.75

No. 1183, Corrigan — James Wilson's unique 1/4 C/L stunt model. Flies tall first! Stable like big ships. Easy to build. 23". \$1.75

No. A693, Sweeper — Windy Urnowsky's giant, C/L stunter, 78" span. 60 up front. Many trim adjustment features. \$2.75

No. A695, Lady Manley — Brian Donn's A/2 Nordic towline. Davis 3 foil. Ritz construction. \$1.50

No. A697, Dwarf Dip III — Easy to fly, rubber Coupe de River by Charles Setch, a winner! For small fields. Warp-resistant. \$1.50

No. A691, A A Biplane — Nick Zircoli's scale R/C — engine, full house gear. wings, semi-symmetrical foil, box-and-stringer fuselage. Two sheets. \$2.50

No. A692, Miracle Worker — John Blum's C/L trainer. Combat, carrier, stunt. Easy-to-build profile. .35 engine. \$1.50

No. 1291, Demon Delta — Fast, mild-stunting C/L for 35-45. Looks like modern fighter. Attract attention for demonstrations. By Jerry Farr. \$2.50

No. 1292, Dolphin II — Czechoslovakian R/C for pusher, 60-15 mounted at rear under T-tail. Rudder/motor, good slope soarer. \$1.75

No. 1293, A/Wonder — Simple all-balsa. A-1 towline by Bob Stalick. Ideal for beginners at towline events. \$1.50

No. 0201, Cardboard Cutie — Inexpensive all cardboard C/L for Tenderfoot. 049. Two sheets. \$1.25

No. 0202, Push-Air — For Brown's .010 CO2 engine. Simple F/F by Ehling. Like Curtiss-Wright Jr. \$1.75

No. 0203, Ole Tiger — Bob Morse's swift Formula I R/C — Bob Downey's famous racer. K&H 40. \$3.50

No. 0204, Classical Gas — Haught's C/L stunt for 35, for fliers graduating profiles. \$2

No. 0205, Kastrel — Dave Boddington's delightful R/C rudder-only soarer with 02. \$1.50

No. 0302, Bearcat — Al Rabe's stunt C/L — talk of the 1960 Nats. Aldrich customized ST 40. \$2.00

No. 0301, 1916 B&W — Biplane — Boats was Boeing's first airplane. Beautiful R/C job by Francis Reynolds. Uses a 60. Two sheets. \$4.50

No. 0304, M. K. Sportster — Ho Fang-Chun's cute cabin free-flight takes 049 power. \$1.25

No. 0401, D-H 88 Comet — Scale twin by Skip Williams from Jan. 30 coperspread for 30's. Fast, stable, can fly pylon rules. \$3.75

No. 0402, Lively Lady — World Championships winning Nordic by Elton Drew. Well detailed plan. All weather flyer. \$3.75

No. 0404, Swanee — C/L Goodyear by Williamson for club project also is tough trainer. For engine. Balsa cutting guide incl. \$2.50

No. 0502, Mod Pod — All-purpose model, F/F, R/C, or tether — glider or power. Fiberglass pod, arrow-shaft boom. \$1.75

No. 0503, Royal Marine — By Yoji Oki of Japan, magnificent seaplane with 6' wing. Two 40's or one 60. Graceful lines, smooth flyer, handles easily on water. Two huge plan sheets, every part shown in detail. \$5.00

No. 0601, Flower Power — Sport/stunt full-house RC with a 40 engine. All-balsa, simplified structure. Plug generation gap. \$2.50

No. 0602, Skyraider — Profile or built-up fuselage shape Navy Carrier job for 35-60 engine. A winner or a trainer all-in-one. \$2.00

No. 0603, Waco — Delightful bi-plane, stick and tissue, rudder-only RC on 60 to 020 for FF. Very well detailed plan. \$2.50

No. 0701, Sude — Nimble RC for sport or competition. One-piece construction, 40 to 60 engines. Build fast from standard balsa sizes. By Joe Dolan. \$4.25

No. 0702, Contender — Military-like RC, also Sport/Stunt type for 35-60. Tri-gear, removable non-dihedral wing. Fast building. By Dave Platt. \$4.25  
Special Offer: Get both Waco and Contender plans for only \$7.00

No. 0703, Ironsides — Record-holding CL Jet speed model. Metal or wood model shown. Ives Dyna-Jet. By Jerry Thomas. Two plan sheets. \$1.25

No. 0704, Casbah AW — Delightful stick and tissue FF of great private plane of years ago. Indoor or outdoor version possible. Peanut Scale too. \$1.50

No. 0801, Winnie Mae — Spectacular RC Vega for stunts 60 engine in 2'-1" scale, foam and balsa, lots of details. By Monty Groves. Two big sheets. \$4.50

Also, special 1 1/2'-1" version for FAL scale, 40 thru 60's. Two sheets. Order as No. 0802. \$4.25

No. 0803, Thermal Dart — Enlarged and improved rubber-powered beginner's delight by Frank Ehling. \$1.00

No. 0804, BV-141 — Asymmetrical WW I fighter bomber in profile for 049 engine by Terry Aldrich. Easy to make, good flyer. \$2.00

No. 0901, Borecar — Pee Wee 02-powered, free-flight flying saucer uses sheet wing, easy to make by Tenderfoot builder. \$1.00

No. 0902, Cloud 9 — Intricate contest winning Wakefield by Roger Gregory. Plan shows streamlined prop/hub design. \$3.50

No. 0904, Antelope — Sigmario/Zundel RC. 98" wing, nearly scale, flies well on .36, like powered glider. Plans 3 huge detailed sheets. \$5.00

No. 0905, Mini Cat — Bud Atkinson scaled down the Cat series, for pulse or light digital and up to 18 engines. Easy to make RC sport flyer. \$2.75

## AMERICAN AIRCRAFT MODELER

733 Fifteenth St., N.W.  
Washington, D.C. 20005

Please send the following plans by First Class mail, at no extra charge. I enclose \$\_\_\_\_\_ for payment.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

## PLAN NO. COST

# _____	\$ _____
# _____	\$ _____
# _____	\$ _____
# _____	\$ _____
# _____	\$ _____
# _____	\$ _____

Total: \$ \_\_\_\_\_

No. 1001, Phantom — Well-engineered RC Dyna-Jet-powered scale fighter by Ralph Saldivar is practical but noisy model. Highly detailed plane. Jet installation shown. \$4.00

No. 1002, Hobbit — Simplified Nordic Al by Bob Stalick is steady on tow, all-weather flyer. \$1.50

No. 1003, Charger — 1/4A powered sweeping stunter does full pattern on long lines safely. \$2.00

No. 1101, Autogiro — Simple 049-powered model builds fast and gives unique performance. Pusher prop or motor. \$1.25

No. 1102, Aerobills — Large scale CL or RC of a famous Waterman roadable plane. Uses 45-60 motor. Wing detachable, car drivable! Large single-sheet plans. \$4.00

No. 1103, Akromaster — RC scale/stunt model or real aerobatic plane for 45-60 engine. Fast and responsive, easy to make, simple shapes. \$2.75

No. 1104, Tarden — Formula II semi-scale pylon racer or stunt plane for 40 engines. Won event at NATS. Groovy filer. \$3.00

No. 1201, Silhouette — Unique 1/4A propo model uses much-extended motor shaft for clean prop thrust and speed. \$1.00

No. 1202, King Kong — Huge flat-land soarer for competition use has 12' wing of glass, foam, and balsa. By Sarpolus. \$3.25.

No. 1203, 10-MI — Six-foot span, 049-powered flying wing is high-performance model with sporting flair. Huge plan. \$3.50.

No. 0111, Dragonfly — Fast graceful competition stunter by Phil Kraft. Uses big 60's and retracta. \$4.00

No. 0112, Toothpick — Long thin winged combat CL ship is both fast and quick turning. For hot 35's. \$2.25

No. 0113, Luten Minor — Delightful 10-powered semi-scale RC for three light high-winged parand monoplane. \$2.25

No. 0211, Cobra — Steve Woolay's great, smooth-flying CL stunt ship for 35's. Light model. Ideal for both FAI and AMA patterns. \$3.80

No. 0212, Voodoo — Converted Goldberg kit for streamer-towing RC combat, by Ed Sweney. Two servos with 18 engine. For event. \$2.75

No. 0213, Guillotine — Modified from CL for RC combat. Manueverable, fast, responsive, and fun. Glides well. For two servos and 18 engine. For new event. \$2.75.

No. 0312, EKKO — A compact FAI pattern and sport model for 35 engines. All wood low-winger. \$3

No. 0311, Skydancer — Two-channel-equipped RC boost glider using aileron and elevator control. Lifted by new, powerful rocket motor. \$2

#### THIS MONTH'S PLANS

No. 0411, P-51 Mustang — Semi-scale 60-powered with ARF Lanier as Dee Bee wing on balsa fuselage. Realistic and quick construction. \$3.25

No. 0412, Grauper — Unique in appearance, oval balsa fuselage hides a big 60 engine. Easy-to-make stunter in commercial ARF wings. \$3.25

No. 0413, Dauntless — Low-wing scale profile FF model for sport flying on inexpensive 020 engine. \$1.50

No. 0414, Nesmith Cougar — Accurate scale CL model of boxy homebuilt. Fine beginner's scale model using 19. A winner with detail. \$3.50




## Step into the real world of space with Vern Estes

### Spacemen start young...

Many of America's astronauts—like our first men on the moon—built models during their growing-up years, and learned the basic principles of flight and propulsion.

You can be sure that some of tomorrow's spacemen are building model rockets today. For a great beginning, get the **Estes STARTER KIT—Alpha Rocket**, 3 safety certified engines, Porta-Pad launcher and control system. Everything you need—in one package at one low price.



Payment enclosed.  
Please send me:

☐ KS-7 Starter Kit with Alpha Rocket design manual and all accessories (as described above) \$7.00

☐ KS-2: Alpha Rocket Kit, 3 safety certified engines, design manual, instructions \$2.25

☐ New color-illustrated 144-page catalog and Tech Manual (free with order) \$ .25

—MAIL THIS COUPON—



ESTES INDUSTRIES, INC.

Dept. 4-D Penrose, Colorado 81240

ADDRESS .....

CITY .....

STATE .....

ZIP .....

## Real Model Building & Flying from KAYEFF



P-39 KIT -

## Control Line - Multi-Engine - Balsa Kits



Shipped Promptly From Stock!

#### ALL KITS FEATURE:

Metal Cowl; Plastic Canopy (where needed). Semi-Pneumatic Rubber Tires; Band-Sawed Pre-Fab Wood Parts, ready to assemble. Detailed Plans. Fine quality materials, finish and workmanship. Packed in heavy corrugated boxes.

#### SINGLE ENGINE KITS

F-51 Mustang ..... \$18.00\*  
F4U Corsair ..... 18.00\*  
F8F Bearcat ..... 18.00\*  
AD-4 Skyraider ..... 18.00\*  
Spitfire ..... 18.00\*  
ME 109 Messerschmidt ..... 18.00\*

All above kits 36" wingspan

- 401 P-38 (Illustrated)—40" wingspan uses two 19 engines A-class ..... \$20.00
- 411 B-25 — 47" wingspan uses two 19-29 engines (Illustrated) ..... \$35.00
- 412 C-47 (DC3) 61" wingspan uses 29 engines ..... \$40.00
- 415 F-61 NORTHROP 54" wingspan uses two 19-29 engines ..... \$40.00
- 501 Boeing — 60" wingspan uses four 19-29 engines ..... \$60.00
- 503 Connie 73 1/2" wingspan uses four 19-29 engines ..... \$75.00
- 504 C-124 Globemaster 82" wingspan four 19-29 engines ..... \$75.00
- 505 Boeing — 84" wingspan uses four 19-29 engines ..... \$75.00
- 601 B-36 Convair — 112" wingspan uses four 19-29 engines ..... \$80.00

SEE YOUR HOBBY DEALER or order direct. Send check or money order for direct, prompt shipment. California orders must add 5% sales tax. Satisfaction Guaranteed.

### KAYEFF, INC.

Arcadia, California 91006

## 72 April 1971



# ask for the BEST... MIDWEST!

**MANUFACTURERS OF  
QUALITY KITS, BalsaWOOD, NITROX FUELS AND  
CONTEST TESTED ACCESSORIES.**



**WRITE FOR OUR COMPLETE CATALOG**  
RC KITS • U CONTROL KITS • FREE FLIGHT • GLIDERS  
**MIDWEST PRODUCTS CO. 400 SOUTH INDIANA ST., HOBART, INDIANA 46342**

**ALL NEW 1971  
KITS**  
Please send 25c  
for Postage  
Handling

## Stringless Wonder

(Continued from page 44)

ner, the substitution of other propellers will require adding nose weight, such as modeling clay. Regardless of the type of propeller, spend a few extra minutes checking its balance. A little sanding of the heavy blade will reduce vibration and improve performance. Also, several tiny brass thrust washers and a drop of oil will do wonders. Without them, the plastic prop will gradually wear down against the plastic bearing assembly and won't turn as freely.

### Flying

Make up a single loop of  $\frac{1}{8}$ " brown rubber, allowing a little slack between the hooks. With the motor in place, the aircraft should balance at about the point indicated on the plan. If not, add a small amount of modeling clay to the nose or tail, as required. Next try a gentle glide (do not throw). The model should float to the ground with perhaps a slight mushing effect. If it dives, add a little up elevator or subtract some nose weight. If it stalls (noses up suddenly, then dives) add clay to the nose.

Wind in 75-100 turns and launch the model gently, parallel with the ground. It should exhibit a natural tendency to climb in a shallow turn. If it turns too tightly, compensate with a slight bending of the rudder in the direction opposite to the turn. If the model falls off on one wing repeatedly, add a small lump of clay to the opposite wing tip. Gradually increase the number of turns and readjust, as required.

If very high power is used, it may be necessary to increase the down-thrust of the propeller. A fair amount is built into the North Pacific thrust bearing assembly. It is also easy to add right or left thrust adjustments by bending bearing assembly slightly.

In spite of its kite motif, this model should be flown in calm weather, at least until familiar with its performance and adjustments. When all is satisfactory, lube the motor and pack in the turns with a geared winder for best performance.

This craft is also known as Ben Franklin's Revenge. Because of an archaic law, of obscure political origin, kite flying is illegal in Washington, D.C. Since model airplanes are (apparently) allowed, it would seem that string is the real offender. We wonder if America's most celebrated kite flyer, Ben Franklin, might consider Stringless Wonder a possible "key" to this problem!

**Editor's Note:** Happily, the law against kites has been revoked, thanks to appropriate lobbying of Congress. So, come to Washington and join us, flying kites at the Mall!

**WHAT YOU MISSED!**

Catch up. Read Every Year Book! Now available Paperback:


1975-2000-1976, 1977-1978, 1979-1980, 1981-1982, 1983-1984, 1985-1986, 1987-1988, 1989-1990, 1991-1992, 1993-1994, 1995-1996, 1997-1998, 1999-2000, and 2001-2002

Also, MODEL GLIDER DESIGN-53.00, CIRCULAR AIRFLOW-52.00, Halfman's BOOK-52.00

Find out what you missed. Order today. Read for ten days. Return for refund if not happy.

by Paul Lee

MODEL AERO PUBL. Box 135 NORTHBRIDGE • CAL. 91324



## DIESELS

<input type="checkbox"/> D1	ETA MK.2 Elite 2.5CC	\$29.95
<input type="checkbox"/> D2	P.A.W. 1.49CC	14.95
<input type="checkbox"/> D3	P.A.W. 2.49CC MK.4	18.95
<input type="checkbox"/> D4	P.A.W. 19.0 MK.II	16.95
<input type="checkbox"/> D5	P.A.W. 19 BR	19.95
<input type="checkbox"/> D6	Taplin Tempest 3.46CC aircooled	26.95
<input type="checkbox"/> D7	Taplin Tempest 3.46CC watercooled	27.95
<input type="checkbox"/> D8	Taplin Twin 8CC aircooled	46.95
<input type="checkbox"/> D9	Taplin Twin 8CC watercooled	49.95
<input type="checkbox"/> D10	M.C. Dart .036 C.I.	10.95
<input type="checkbox"/> D11	D.C. Merlin .047 C.I.	8.95
<input type="checkbox"/> D12	D.C. Super Merlin .047 C.I.	9.95
<input type="checkbox"/> D13	D.C. Sabre .09 C.I.	10.95
<input type="checkbox"/> D14	D.C. Spitfire .06 C.I.	10.95
<input type="checkbox"/> D15	"Model Diesel Handbook"	.25

### MISCELLANEOUS ENGINES

<input type="checkbox"/> E1	Dyna-Jet	49.50
<input type="checkbox"/> E2	ETA MK. VIC .29 C.I. GLO	24.95
<input type="checkbox"/> E3	D.C. Bantam .046 C.I. GLO	5.95
<input type="checkbox"/> E4	Ross Twin .60 C.I. GLO	125.00

**INCLUDE \$2.00 DEPOSIT  
ON C.O.D. ORDERS  
INCLUDE 50¢ POSTAGE  
ON ALL ORDERS. FOREIGN \$1.00**

SPECIALS CATALOG 25c

**Stanton  
Hobby Shop Inc.**

4734 North Avenue,  
Chicago, Illinois  
Telephone 372

# IN THE WATER!

KIT B-22M


**34.<sup>95</sup>**

## YACHT AMERICA

LENGTH: 51½"

HEIGHT: 41"

BEAM: 8½"



**Single Channel Rudder Control Full to House Rudder • Sail, etc. Operation**

### **A FINE OPERATING SAILING MODEL . . .**

This magnificent model is a true scale replica of the YACHT AMERICA as it was rigged between 1851 and 1859. Designed by George Steers, and built by W. H. Brown of New York, it was launched May 3, 1851. At 170 tons, it was 95'6" long, 23' beam and had an 11'6" draught. In June, the AMERICA sailed across the Atlantic to accept the challenge of the British Royal Yacht Club to a race around the Isle of Wight. The victor would win the Hundred Guinea Cup, which is now known as The America's Cup. The win of the race around the Isle of Wight started The America's Cup Races which has been successfully defended by American vessels for over 100 years. The AMERICA

served both sides with distinction in the Civil War. It was destroyed in a collapse of a protective shed in 1944. Kit features accurately die cut Balsa and imported Birch plywood that makes assembly relatively easy for most anyone. Other features are: • Die-Cut Birch Plywood Decks with planking grooves printed in • Tapered Masts, Booms, Spars, etc. • Miniature Rope in scale size and color • Fine quality Sail Cloth • Chain • Dozens of exquisitely detailed Cast Metal Fittings, as well as Hardware and Special Metal Fittings for rigging • Simple step-by-step Plans showing all phases of construction and operation.

**... MAGNIFICENT IN THE WATER OR ON THE MANTEL**

# IN THE AIR!

## Rimfire

High Performance  
Radio Control Model

KIT FS-27  
**27.95**

SPAN: 56" AREA: 525 sq. in. WEIGHT: 2½ lbs. (Less R/C) ENGINE: .29 to .45  
**ASSEMBLES QUICKLY AND EASILY...**

Years of design refinements and flight testing have gone into this superb flying machine. Beautifully engineered in its classic simplicity, RIMFIRE builds fast with its "Table-Top" Warp-Free construction, into a rugged and exceptionally attractive ship. And fly! . . . Well, as good as you are, is the RIMFIRE! If you're a contest performer, so's the RIMFIRE. Kit contents: • Full Length One-Piece

Die-Cut Fuselage Sides • Full length Carved and Hollowed Fuselage Top • Formed Gear includes Steerable Nose Gear assembly • Hardware includes all special Nylon R/C fittings, Threaded Rods, as required for COMPLETE LINKAGE • ALUMINUM ENGINE MOUNTS • Canopy • Decals • Wood-Nut & Nylon-Screw Wing Mounting • Shaped Ailerons • Simple step-by-step Plans, etc., etc.

**... SUPERBLY RESPONSIVE IN FLIGHT**

SPAN: 70" AREA: 500 sq. in.  
WEIGHT: 1¼ lb. (Less R/C)  
SCALE: 1¾ in. 1 ft.

KIT FS-28  
**19.95**

## SCHWEIZER 1-26D R/C SAILPLANE

Unbelievably realistic and unusually responsive to R/C command, with excellent penetration. The magnificent silent flight must be seen to be appreciated. Power Pod material included. Superb engineering is reflected in the rugged "Easy-to-Build" assembly and Warp-Resistant construction. Beautifully pre-fabricated with many finished parts, this kit features: • Top quality Balsa, extensive use of imported Birch plywood as required structurally; all cleanly and accurately Die-Cut • Hardware includes all Nylon R/C fittings required for Full-House linkage • Crystal clear Canopy • Turned Nose Cone • Scale Decals • Simple, yet complete step-by-step Plans and Instructions, etc., etc. . . . DETACHABLE WING PANELS FOR EASY TRANSPORTATION.

PRICES SUBJECT TO  
CHANGE WITHOUT NOTICE

STERLING MODELS • BELFIELD AVE. and WISTER ST. ■ PHILA., PA. 19144  
If no dealer available, direct orders accepted—with 10% additional charge for handling and shipping. (60c minimum in U.S., \$1.25 minimum outside U.S.)  
☐ Catalog of entire line of airplane control line model kits, R/C scale and Trainer kits, boat model kits, accessories; etc. 25c enclosed.  
☐ "Secrets of Model Airplane Building." Including design, construction, covering, finishing, flying, adjusting, control systems, etc. 25c enclosed.  
☐ "Secrets of Control Line and Carrier Flying." Including preflight, soloing, stunting, Carrier rules and regulations, Carrier flying hints and control line installation instructions. 25c enclosed.

Name \_\_\_\_\_  
Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_


**sterling**

BELFIELD AVE. & WISTER ST.  
PHILADELPHIA, PA.

## Modelers Asked For It!

**FOX**  
presents the  
totally  
new

## STUNT 40 model



WEIGHT	BORE	STROKE	DISP
1000	70	70	275
1000	70	75	295
1000	70	80	314
1000	70	85	333
1000	70	90	352
1000	70	95	371
1000	70	100	390
1000	70	105	409
1000	70	110	428
1000	70	115	447
1000	70	120	466
1000	70	125	485
1000	70	130	504
1000	70	135	523
1000	70	140	542
1000	70	145	561
1000	70	150	580
1000	70	155	599
1000	70	160	618
1000	70	165	637
1000	70	170	656
1000	70	175	675
1000	70	180	694
1000	70	185	713
1000	70	190	732
1000	70	195	751
1000	70	200	770
1000	70	205	789
1000	70	210	808
1000	70	215	827
1000	70	220	846
1000	70	225	865
1000	70	230	884
1000	70	235	903
1000	70	240	922
1000	70	245	941
1000	70	250	960
1000	70	255	979
1000	70	260	998
1000	70	265	1017
1000	70	270	1036
1000	70	275	1055
1000	70	280	1074
1000	70	285	1093
1000	70	290	1112
1000	70	295	1131
1000	70	300	1150
1000	70	305	1169
1000	70	310	1188
1000	70	315	1207
1000	70	320	1226
1000	70	325	1245
1000	70	330	1264
1000	70	335	1283
1000	70	340	1302
1000	70	345	1321
1000	70	350	1340
1000	70	355	1359
1000	70	360	1378
1000	70	365	1397
1000	70	370	1416
1000	70	375	1435
1000	70	380	1454
1000	70	385	1473
1000	70	390	1492
1000	70	395	1511
1000	70	400	1530
1000	70	405	1549
1000	70	410	1568
1000	70	415	1587
1000	70	420	1606
1000	70	425	1625
1000	70	430	1644
1000	70	435	1663
1000	70	440	1682
1000	70	445	1701
1000	70	450	1720
1000	70	455	1739
1000	70	460	1758
1000	70	465	1777
1000	70	470	1796
1000	70	475	1815
1000	70	480	1834
1000	70	485	1853
1000	70	490	1872
1000	70	495	1891
1000	70	500	1910
1000	70	505	1929
1000	70	510	1948
1000	70	515	1967
1000	70	520	1986
1000	70	525	2005
1000	70	530	2024

9 02.  
800  
790  
399

**\$1895**

**IT'S FASTER AND MORE POWERFUL THAN THE STUNT 35!**

The success of the Fox Stunt 35 has been outstanding, winning more control line stunt contests throughout the world than all competitors combined. However, many competition-minded modelers have expressed a desire for a little larger stunt engine that would give them even greater competition advantages. The new FOX STUNT 40 was built for them. The Stunt 40 turns a 10-6 prop about 1,000 RPM faster than the Stunt 35.

**An American-Made  
Engine by**



5305 TOWSON AVE.  
FT. SMITH, ARK. 72901  
501 / 646-1658

## Tenny on FF

(Continued from page 42)

**Mad Modelers Strike Again:** In 1969, the Mesquite Mad Modelers (suburban Dallas, Tex.) held an indoor contest and introduced their matchbox model concept (see "Where The Action Is," April 1970 AAM). This year they repeated both the contest and the matchbox event. Most of last year's entrants flew the same models to higher scores, but to ■ avail. Mike Feder and two friends showed up with matchbox helicopters. Mike won the event in Open handily with a 25-sec. flight, and Jim Maught was Junior with ■ slightly lower score. Mike's helicopter snuggles neatly into the standard kitchen matchbox with room to spare. It easily could have had ■ one-quarter inch greater rotor span, and thus might have done even better . . .

**Thirty-Minute Glider?** The Mad Modelers have another unique event which also may become ■ interesting challenge. The rules are simple and ingenious. Each entrant is furnished two pieces of balsa and allowed only 30 min. to build a glider, using ■ other material except his own choice of adhesive. Even the nose weight has to be made from balsa and/or adhesive. One piece of 1/16" ■ 1/8" x 6" and one piece of 1/32" sheet, 2" wide and 6" long ■ furnished. Sound like fun?

### Meuser on FF

(Continued from page 48)

and measure off the lengths  $L_1$  and  $L_2$ . A convenient way to draw the diagonal line is to coat a piece of string with chalk, stretch the line between the two end points, and snap the line. Then cut along the chalked line.

Tape the wide end of the paper to the rod. Support the rod in wooden V-blocks clamped to the workbench. Have a helper maintain tension on the paper as it is wrapped up by rotating the rod. Glue down the last part of the wrapping paper, then give the whole form a half-dozen coats of dope, sanding between coats to feather the edges of the paper. Finish with a final coat of dope and **■** the form or cover **■** with a wrap of Saran Wrap **■** prevent glue from sticking.

To make the tailboom, select A-grain wood—the kind with the annual rings parallel to the sheet. C-grain or quarter-sawn wood, having a speckled appearance, will make a stiffer boom, but it is difficult to roll without splitting. Wrap a sample piece of wood around the large end of the boom, and trim it to make a butt joint, do the same at the small end. Use these samples to lay out the boom blank for cutting the taper. Dope one side of the blank with several coats, then soak it in the bathtub. The blank will curl up with the doped surface — the inside. Then wrap it around the form, using an Ace bandage to hold it in place. When it dries, glue the

If a barrel shape is preferred, rather than a straight taper, make the diagonal line curved instead of straight.

Allen's Citadel Wake: At the Albuquerque FAI Finals (Feb. AAM) John Allen was "the man" in Wakefield, holding first place in the first eight rounds and never dropping below second place. His Citadel has superior still-air time, but John usually flew his square-tipped Apogee windy-weather model in the hair-raising winds prevalent at the Finals. The winding technique used by Allen, and the other Albuquerqueites, was more hair-raising than the wind. The model is anchored to a stogie in the trunk of the family chariot—  
 ■ people-type stogie could do the job unless he weighed 936 pounds. The 40 grams of rubber is stretched until John is leaning back at about 20 degrees from the vertical, and that angle is maintained throughout the wind-

## A NEW ERA IN RUBBER POWERED MODELS



**\$1.25**

GEARED ENGINE  
PLASTIC  
PLASTIC  
MOST MODELS

**SEND CHECK ☐ M.O. ☐**  
☐ Yuck, applicants add Sales Tax

M & L MODELS, DEPT. B  
145 FOREMAN HILLS RD.  
ROCHESTER, NEW YORK



BOX 26283 - Indianapolis, Ind. 46226

SCALE PLASTIC &amp; WALSA MODEL AIRPLANE KITS

Frog - Ants - Newborn Gullies - Kave

Cleveland Ritz, Dine & Drinkwood  
CESSORIES & MODELS SUPPLY

1979

SEND FOR NEW 16 PAGE CATALOG

SEND TO: NEW 16 PAGE CATALOG

# RC GUILLOTINE

## The first RC wing in kit form

- ★ 42" wing span
- ★ Highly maneuverable yet stable
- ★ Fast construction
- ★ Economical and fun
- ★ Precision die cutting
- ★ Grade "A" balsa hand selected
- ★ Full size plans



**ONLY \$1095**

FOR .15 TO  
.23



## QUALITY

**C.M.I.** 945 65th Street, Des Moines, Iowa 50312  
Dealer inquiries welcome RC version designed by Ed Niles

# They're **NEW!** They're **GREAT!**


## FINE MODEL ACCESSORIES

Sterling Nylon Fittings are manufactured from pure virgin nylon. Nylon used is the most solvent resistant type and is insoluble in common acids, oils, greases, etc. Molded to exact specifications, these Fittings are tough and extremely durable. The use of Sterling Nylon Fittings on Radio Control Models is highly desirable, since it eliminates electrical noises.

# Sterling


**MODELS INC.**  
PHILA., PA. 19144, USA

### #100 4 - 6/32 x 3/4" '6 NYLON SCREWS




35¢

### #101 4 - 10/32 x 1" '10 NYLON SCREWS




40¢

### #102 4 - 1/4-20 x 1" 1/4" NYLON SCREWS




45¢

### #103 4 - 1/4-20 x 2" 1/4" NYLON SCREWS




59¢

### #104 Set of 2 AILERON BELLCRANKS



45¢

### #105 2 ea. - 1°, 2°, 3° THRUST WEDGES




45¢

### #106 Set of 2 CONTROL HORN PLATE




45¢

### #107 Set of 5 NYLON RETAINERS



50¢

### #108 Set of 5 NY-LINK CLEVIS




60¢

### #109 Set of 5 THREADED PUSHRODS




79¢

### #116 Complete Assembly Set MAPLE L. G. MOUNTS



69¢

### #110 Set of 5 NY-LINKS & RODS




\$1.25

### #111 Assembly Set LARGE CONTROL HORN




40¢

### #112 Complete Assembly Set NOSE GEAR MOUNT



49¢

### #113 NOSE GEAR STRUT



49¢

### #115 One Pair - Left & Right STRIP AILERON LINK




59¢

### #114 Complete Assembly Set STEERABLE NOSE GEAR




\$1.25

### #117 Set of 2 .09-15 ENGINE MOUNTS




89¢

### #118 Set of 2 .15-40 ENGINE MOUNTS



\$1.25

### #119 Set of 2 .40-.60 ENGINE MOUNTS



\$1.89

#### AT YOUR DEALERS!

If no dealer available, direct orders accepted with ☐ additional charge for handling and shipping. (60¢ minimum in U.S. \$1.00 minimum outside U.S.)

☐ Catalog of entire line 25¢ enclosed.

**Sterling MODELS**  
STERLING BUILDINGS  
3415 W. 12TH ST.  
PHILADELPHIA, PA. 19144 U.S.A.

# ALL NEW

**AILERON HORNS WITH SWIVEL CLEVIS**  
\$1.59 pr.




**NYLON**

Puts the action where the action is. Precision threaded horn. Precision thread, mated in the swivel. Perfect fit for free action on horn. Heavy 3/32" diameter clevis pins. The strong, yet most rugged, yet made. Short throat clevis will retain itself, no need for safety rubber bands. Clevis will accept 2-36 threaded rod. Horn is mfg. from 3-32" steel wire and is 4" long front band in horn. Can be cut shorter if necessary and still maintain installation.

Stk. No. ASL-29

**OUTPUT FOR**  
.98/2pcs.



**NYLON**

Arms fit 5/32" square shafts.

Stk. No. OPA-31

**THROTTLE DETENT FOR KRAFT 2-STICK**  
\$1.29



**NYLON**

Easy to install.  
Will fit the LATEST Kraft 2 stick.

Stk. No. TDK-28

**NEW!**

**SAFETY RAZOR BLADES**

PK 12/.59¢

**FUEL TUBING NON-HARDENING 10 FT. SPOOL**  
\$9.00

OUR COMPLETE LINE OF ACCESSORIES					
Stk. No.	Description	Price	Stk. No.	Description	Price
01	Standard Control Horns	.59 pr.	21	Nylon Strip Hinge	.59 15"
02	Long Control Horns	.79 pr.	22	Wing Bolts 1/4-20 x 1-1/2"	.59 pr.
03	Mini Control	.79 pr.	23	Wing Bolts 10-24 x 1"	.59 pr.
04	Easy Action Wheel Brakes	2.00 pr.	24	Fuel Tubing-Large-30 ft. Spl.	9.00 ea.
05	Aileron Links	.79 pr.	25	Nose Gear Bracket	.59 ea.
06	Push Rod Ends	.59 pr.	26	Control Stick Tips (Kraft)	.59 pr.
07	Push Retainers	.59 4	27	Antenna Exit	.59 4
08	Push Exits	.59 4	28	Throttle Detent (Kraft)	1.29 ea.
09	Steering Arm	.59 ea.	29	Aileron Swivel Links w/Horns	1.59 pr.
10	Absorbing Steering	.59 ea.	30	Safety Back Razor Blades	.59 12
11	Missing Link	.79 ea.	31	Servo Output Arms (Kraft)	.98 2
12	Missing Link w/o hardware	.79 pr.			
13	Dual Output Servo Screw	.59 3			
14	Quick Mount Servo Tape	.79 yd.			
15	Throttle Eze	.98 ea.			
16	Bellcrank for Orbit Servo	.98 ea.			
17	Connector Locks	.79 4			
18	Override Device (Kraft)	.59 ea.			
19	Override Device (World Eng.)	.59 ea.			
20	Override Device (Log III)	.59 ea.			

**WATCH HERE FOR MORE TO COME IIIII**

**ROCKET CITY SPECIALTIES**  
103 E. 11th Ave. N.E.  
HUNTSVILLE, ALA. 35894

Include 25¢ for postage handling. 5¢ accessories sent postpaid.

**FOR THE FINEST IN R/C FITTINGS USED THRUOUT THE WORLD LOOK TO DU-BRO**

ASK FOR THEM AT BETTER HOBBY DEALERS EVERYWHERE

DU-BRO PRODUCTS  
VALLEYVIEW, ILL. 60084

ing process. The aluminum-tube fuselage can stand the blast of a broken motor. John relied strongly on his prettied-up version of Xenakis's recording air-temperature indicator—the temperature is placed some distance upwind of the recorder.

A complete prop hub similar to John Allen's can be obtained for \$7.50 from James P. Taylor, 9608 Parsifal Pl., N.E.; Albuquerque, N.M. 87111.

## Stalick on FF (Continued from page 43)

else could you rolled tube fuselages, like this month's feature, or flimsy looking 3/32 sq. in. stringer structure approaches? Or Coupe sizes, or six-ft. long fuselage designs? Unlimited Rubber is not a design rule when Ken Johnson can have his canard pusher unlimited. The Companion, published and reproduced by many.

It would be that the various proposals to limit Unlimited Rubber would discourage inventiveness. As an example, limiting motor size would develop smaller, higher wing-loading models, similar to lightweight Wakefields Coupes.

Limiting propeller diameters to a percentage of the wing span would develop either higher aspect wings or complicated prop gadgetry—perhaps inordinately high prop pitches, etc.

Limitations to weight or or a combination could result in the stereotyping that is typical of the Wakefields being flown today. Other suggestions for limitations ignore the basic tenet of Unlimited Rubber—that it should be unlimited. But the problem of the three-min. max still remains. Any good Unlimited model should continue to make three-min. maximums in practically any condition.

The next step to be considered, if limiting the model is an idea to be discarded—which

it is—is in contest organization. John O'Donnell, in Aeromodeler, has been commenting on similar Open Rubber concerns in England for several years. His recommendations have produced two approaches:

(1) The Knock-Out Formula. Two contestants fly against each other until one wins and moves up to compete against another, similar, winner. This is not too different from any eliminations-type contest. However, it doesn't do away with the need to fly 10 or 12 three-min. In fact, the eventual winner could very easily—more so than at present in the USA—fly more.

(2) The Variable-Max/Round system. O'Donnell's suggestion is that short rounds (one hour or less) be employed, with retrieval time allowed between, and that the max time be set at the beginning of each round depending on anticipated flying conditions during that round.

**BLUE BOOK OF HOBBIES \$2.95 (A BUYER'S GUIDE)**  
500 Pages of: Model Planes, Trains, Ships, Radio-Control, Military Miniatures, Model Cars, Racing, Educational Science.

**CREATIVE CRAFTS CATALOG (100 pgs.) \$1.00**  
WITH COUPONS Dealer Inquiries Invited

**314 FIFTH AVENUE N.Y., N.Y. 10001**  
**2072 FRONT STREET E. MEADOW, L.I., N.Y.**

**Pole's HOBBY DEPT. STORE**

**aps 60**  
WITH TUNED PIPE

**MINI SPEED or RACE CAR \$89.00**  
**MINI R. C. \$95.50**  
**MINI R. C. \$110.00**  
FLYWHEEL AND COOLING

**'A B C' VERSIONS Additional \$8.00**

**SHAMROCK COMPETITION IMPORTS**  
P. O. BOX 26247  
NEW ORLEANS, LA. 70126  
504-242-5967  
SEND FOR FREE LITERATURE

Max times could be as high as six or seven minutes for dead air as calm early rounds decreased to a minimum of three minutes for windier times. Of the two suggestions, both of which have been tried in England, the second is most workable and manageable. National records would not be possible in a Variable Max/Round system, but they are not possible for Nats contestants at present anyhow. I charge the Nats 1971 FF organizers to seriously consider approaching Unlimited Rubber as follows:

(1) Establish a five- to eight-round Unlimited Rubber program as this year's Nats.

(2) Organize each round for a maximum of one hour in length, beginning at contest starting time, with a half-hour retrieval period at the end of each round.

(3) Max times per round to be posted and announced for the ensuing round during the retrieval period and again at the beginning of the next round. No maxes should exceed six minutes or be under three minutes, whatever the conditions. All contest director's decisions are final and irreversible.

(4) Fly-offs, if any, will be reserved for the last hour of the contest and could continue as per the round formula. The time of the flyoff will be at the discretion of the contest director before, but could be progressive as stated in the AMA rules book.

Finally, I charge the Free Flight Contest Board with the responsibility to truly open up Unlimited Rubber by removing the 300-sq.-in. wing area restriction completely, thus allowing further experimental development and design in this fascinating and creative event.

All comments pro and con, as well as details of alternative suggestions or examples of actual contests using these or other innovative changes, will be answered either in this column or by private correspondence. Please send to the author in care of American Aircraft Modeler.

## Mooney on FF

(Continued from page 43)

Open class was by Hal Cover, flying a Lanzo-designed DH Puss Moth, which out-flew everything else. First in Junior was taken by Douglas Mooney flying a Porterfield Collegiate. Doug's pilot faced any way but forward, but he couldn't get out of the cockpit.

San Diego Scale Contest: Attendance at the San Diego Orbiters Annual scale contest was not as great as expected, because no contingent came from Los Angeles, but they did have more than twenty entries. The weather was completely calm during the flying hours. Several gas-powered models climbed until they were mere specks in the blue and then glided down to land in the takeoff area. The longest chase of the day was made after Walt

Mooney's rubber-powered Mr. Mulligan, which flew in a straight line for about 40 sec.

Bob Peck brought out a nice gas-powered Longster, with a scale pilot. The pilot, in the interest of retaining his non-fuelproof complexion, flew with his head in a tight-fitting plastic bag. Good thing he didn't have to breathe!

Dick Castle's DH-4 gossie sported not only a pilot but also a rear gunner manning his gun. Howard Harvey's red Cessna 170 managed to win the gas event with the aid of several high climbing flights—and a spectacular spiral dive into the parking area from high up. Surprisingly, little damage was apparent at the scale judging after the flying.

Open rubber was won by Bill Pardoe flying a pontoon-equipped Taylorcraft. Open Peanut was taken by Bob Peck's Pieterpot, Junior rubber by Kel Pardoe's Cirrus Fairchild 24, and Junior Peanut by Jill Peck's Miles M-18.

Neat Lube Job: Rubber-powered scale models are great. They are quiet, clean, start easily, and don't pollute the atmosphere. However, for the duration the rubber motor must be lubricated, and that little operation almost always results in lubricated hands—and trousers too, especially for juniors.

Fuda Takagi has several suggestions for making the lube job quicker, easier, and neater. "Plastic Murine (eye drops) bottles are similar 1/2- or one-oz. bottles come equipped with a removable nozzle. Wash the bottle out and let dry, then fill with rubber lube. Replace the nozzle and screw on the cap. The result is an unbreakable lube dispenser capable of depositing a drop at a time on small indoor motors or a complete squirt larger. It's not nearly as messy as pouring the lube out of the bottle into a cupped hand.

To still, put the motor into a small plastic bag, squirt in sufficient lube, twist the end of the bag to seal it and knead the motor until its well gooped up. This really minimizes the mess. Save the bag until the end of the flying session in case a new motor must be made.

Bill Warner: One of the nicest, most active guys in model aviation and a really fine scale modeler teacher is Bill Warner. In addition to his regular classes, he teaches model airplane construction for beginners and has quite a following. Particularly impressive is seeing his group of youngsters, who fly things like Rogallo wing stick jobs with Slick Street propellers, and watching the look of delight on their faces as their models really do fly—and the look of amazement as the faces of Open-class types when a ship catches a thermal and does over three minutes.

## Broadhurst on FF

(Continued from page 43)

vertically into the hard, dry ground. One, if not both, of the propeller blades were thrown from the model while it was in the air!

Doug says the prop had been used about 25 times previous to that flight and was checked for any cracks or dings each time. On the ground it tach'd 23,000 rpm's. In the air, he said, it comes strong, hitting maybe 24,000. "But although it's a great prop," he said, "there just isn't enough strength at the point where the blade blends into the hub (for use on a high-rev 15-Editor). Somebody might have been hurt, if I had held onto that model for another three seconds before launching it." Doug has been named the West Coast distributor for Rossi engines.

Heat Flying: One doesn't have to be the dedicated contest type to appreciate the fun and thrills of a flyoff between fliers who have maxed out. Most attention on crowded flying fields comes as an awed, silent halt as the

YOU'RE  
WHISTLING  
IN THE  
DARK



IF YOU  
THINK THAT  
HEART DISEASE  
AND STROKE  
HIT ONLY THE  
OTHER FELLOW'S  
FAMILY

GIVE...  
so more will live  
HEART  
FUND



Contributed by the Publisher

## IN CANADA

ACADEMY PRODUCTS



EVERYTHING FOR THE MODELER

Canadian Modelers:

Write for an  
ACADEMY CATALOGUE.  
75 cents, Postage free.

Canadian Dealer  
Inquiries  
Invited.

Wholesale only.

ACADEMY PRODUCTS LIMITED

51 Millwick Drive, Weston, Ont., Canada.

American Aircraft Modeler 79

A Winner!

Jim Clem's

OKIE BIRD

1/2-A contest  
free-flight design-  
ed for short engine  
runs. Wing area:  
296 sq. inches.


A superb kit...only \$5.50

Dealer inquiries invited

order direct from:

CLEMCRAFT P. O. BOX 524  
Sand Springs, Okla. 74063

# Complete Model Kit **WORLD WAR I** 80 H.P. Le Rhone Rotary Engine



**\$11.95**

**2" SCALE**

Complete with  
assembly instructions.

An authentic beautifully detailed kit derived from actual existing engines. Consists of 9 cylinders, crankcase, and accessories including moveable gears and throttle. Molded of high impact Styrene in base-color, it requires the minimum of paint. Packaged in attractive three-color box with photos of vintage aircraft. Mount in your favorite W.W. I plane — a stand as a conversation piece.

The Le Rhone Rotary Engine was developed in 1913 and used in Snyder Racing Aircraft. During W.W. I it was used extensively on fighter and reconnaissance airplanes of the Allied Forces. It proved itself a very reliable engine which properly maintained, after the Armistice it became popular for Barnstorming and for use in private planes.



SEND 25c  
FOR COMPLETE  
ILLUSTRATED CATALOG

**WILLIAMS**  
BROS.

181 B STREET, SAN MARCOS, CALIFORNIA 92069



*Hegi*

## **JECO-HEGI** Superb Aircraft Models From Europe



MOLDED FUSELAGE • RC • TWIN **COMANCHE** • WINGSPAN — 60"  
**\$49.95**

See your dealer first — if ordering direct, add 10% for handling and postage. Our complete aircraft catalog lists gliders, sailplanes and powered models — \$1.00. DEALERS — send for our complete Hobby Catalog.

**THE FINEST IN IMPORTS FROM JECO**  
**JECO MINIATURES**

2837 Ladybird Lane • Dallas, Texas 75220

**lindco** BOX 543,  
SOQUEL CA. 95073

**ENGINES** if any ad in this  
issue beats these  
prices, we'll match it

	list	our
OS MAX 15%	\$16.98	\$13.58
ENYA 15 III %	13.50	10.80
COX MEDALLION 15%	10.50	14.79
WEBRA 20 %	24.95	19.49
COX T.O. 049	13.00	9.75
WEBRA 61% BLACKHEAD	77.95	53.95

Send money order for 12 HOUR SHIPMENT  
INSTANT REFUND if out of stock. Postage &  
Handling: orders to \$15 add \$1.20.  
15 to 25 add \$1.45. 25 to 50 add \$2.00  
over \$50 add \$2.95. Add 5% tax in Calif  
Prices effective until April 15

## **CLEVELAND PLANS**

Museum, Replica Builders, Military, Airline and  
Private Personnel, Serious Modelers, Avidly Seek Them

The Finest Line of Super-Detailed  
Flying Models — Existence — Since 1919

Yes, there's nothing else to compare with C-D's, as we  
spend endless thousands of hours researching—designing  
and re-designing, all of which is very costly,  
but most worth it we feel.

What is not generally known about C-D designs is our  
dedication to authenticity with 25 volunteer designers  
for creating the finest flying model designs possible,  
aided by the great wealth of published information in  
old periodicals we constantly clip up.

With permission, we often place the photos, drawings,  
and clippings right on the plans to help you build  
better models. Among these are the great Aerial Age,  
Aviation, Aero Digest, Aeroplane, Flight, Airway Age  
and over 60 other titles. Most of the issues are worth  
\$3.00 to \$15.00 each—some as high as \$65.00—  
thereby raising our collection which was worth a  
great many, many thousands of dollars. You can find  
such dedicated researching as this offered by no one  
else anywhere on earth. Yes, you do get your  
money's worth when you invest in C-D condensed  
value packed plans, not just large sheets of paper.

OVER 600 WORLD'S FINEST DESIGNS

BRIGHT NEW C-D FRA CATALOG SERVICE 50c

Dealers: C-D Plans Sales Franchises Available

CLEVELAND MODEL & SUPPLY CO.

10 078 D Street

Cleveland, Ohio 44102

Mail Order Service

finalists crank up and launch their birds almost simultaneously. It doesn't take an expert free-flyer to follow the action.

It's fairly easy to distinguish which model has the best power pattern, which gets the highest, and which one glides the best. Flyoffs — pretty much sudden death affairs where the flier either gets his max or he doesn't. If he doesn't (and somebody else does) he is eliminated. The winner is simply the guy who gets the best time.

Why not experiment with this technique? It could be just the thing for revitalizing competition flying. Entries in an event could fly in heats, with the number of heats determined by the number of entries. (An event with 20 entries might be divided into four heats, with five fliers in each heat.) The winners of each heat could compete in the flyoff or, perhaps — better, the team in each heat could be required to fly two or three times, with the ultimate winner determined by the best total individual time.

The idea is promising but needs thought and experimentation. Its best feature is introducing spectator interest—something we do not have in our "everybody for himself" type of contests. . . .

West Coast Nationals: Plans are well underway for the first all-FF meet in the Far West. It will be held at Gardner Field, Taft, Calif., over Memorial Day weekend, May 29-31, 1971. Southern California's hobby industry has pledged to support the big three-day affair. There's — a five-foot Grand Championship trophy donated by Japan's hobby industry! Seventeen events — scheduled with trophies, in most of them, to fifth place. There will be night flying, FF Scale, Old Timers and Rocket events along with other traditional AMA and international (FAI) classes. Nearly all of California's free flight clubs will share the responsibilities for running the meet. Those interested in attending this contest, no matter where they live, write Chuck Broadhurst, 3818 El Ricon Way, Sacramento, Calif., for details. . . .

Free Flight Directory: One AMA'er deserving of our plaudits is Lee Polansky, president of the Free Flight Model Airplane Association of Southern California. For the second straight year, Lee has published a roster of the members of all the FF clubs in his part of the state. The roster is a handsome little booklet and includes wives' names, AMA numbers, telephone numbers and even zip codes of the members of twelve clubs. Lee even lists association officers, AMA officers, and club officers in the Southern California region. Thanks to you, Lee (and to your wife, Suzanne), as well as to the FFMAASC, for spearheading this worthwhile effort!

## **McEntee on RC**

(Continued from page 41)

South Challenge Meet to be held near Taft, Calif. Three glider clubs will sponsor the affair, each hosting separate events—with even a Scale glider category. This is the first such multi-club event we've heard of in the States and it might start an interesting trend. HSSS rules will be used. . . .

Glider Fliers Wanted: We've been able to scare up some company for glider loners at times in the past, — let's try again. Phil Milam (2174 Blvd. Granada, Atlanta, Ga. 30311) writes that he is the only really avid glider pilot in his area. Others do fly occasionally but are really more interested in multi-power planes. Phil says he became interested in this field after he took a full-scale glider flight in Calif. some years ago. He yearned to keep on with the big ones but decided RC gliders fitted his budget much better! . . .

Miskeet Mk 1 Plans: Avid glider designer Harley Michaelis tells — his 150-in. span

NOW ON YOUR LOCAL NEWSSTAND

If your newsstand is sold out, you can obtain your copy direct from the National Aeronautic Association, 806 Fifteenth St., N.W., Washington, D.C. 20005. Send \$1.25 plus 25¢ for postage and handling.

# NATIONAL AERONAUTICS

OFFICIAL PUBLICATION OF THE NATIONAL AERONAUTIC ASSOCIATION

SPRING 1971 • ■ PAGES • \$1.25

SPECTACULAR COLOR PHOTOGRAPHS

Entirely new and different—the aviation magazine you've been waiting for. Full-length, in-depth articles. Readable, enjoyable, factual and complete. For all who love aviation—airplanes and flight. Something for everyone. The finest writers and photographers—a reading and viewing sensation. Consider this amazing list of contents.

**DECISION AT HULLAVINGTON** by Don Berliner. On-the-spot writer/photographer team covers the world aerobatic championships as seen through the eyes of U.S. team member Art Scholl. A comprehensive and thoroughly illustrated coverage.

**AGE OF THE WIDE-BODIED AIRLINERS** by Doug Ingells. Outstanding author discusses not only the wide-bodied transports, but the 1970 generation of aircraft through the supersonic. As part of his research, he flew in the cockpit of a 747 to Paris and return. Noted for his books on such "new generation" craft ■ the DC-3, Connie, 707—and now the 747.

**MILITARY AIRCRAFT—THE YEARS AHEAD** by Donald Gilleland ■ Gerald Holland. A readable run-down of hardware and the military aircraft picture for the next decade. Many surprises. Our writing team coordinated a massive effort over many months. Don't miss this significant and forward-looking coverage.

**SOARING AND THE TWELFTH WORLD CHAMPIONSHIPS** by Bob Buck. You are there—at Marfa, Texas, in this new and different coverage of one of the world's great meets. This bright article has things to show and tell. An experience for the knowledgeable as well ■ the air-minded public.

**AIR RACING BECOMES ■ SPORT** by Don Berliner. New classes, new techniques have changed. Pilots and the planes are changing, new faces and a sporting element. Air racing is going places—much to catch up with, even for the informed. Copiously illustrated, this is the first in-depth, truly updated report you have been looking for.

**WORLD'S SMALLEST DROP ZONE** by Bill Ottley. A sky-diver himself, he describes a fantastic regular exhibit, locale, ■ incredible adventure, which must be seen to be believed. This informative piece weaves in the state of the art and the parameters of conduct.

**THE WIZARD OF SYCAMORE** by Dick Stouffer. An enchanting article and photo journalistic report about one of the most unusual home-builders in the nation—a man who has built thoroughly accurate WW I aircraft in true colors of the aces who flew them. Story-book planes and projects. Camels, Sopwith Tripes, Nieuports—and fabled crates of another day. Antiquers and home-builders will love it—who wouldn't?


**ERECTOR SET AIRPLANE** by Don Pratt. A home-builder's gem—about Bede and his throw-away-the-book approach to design, construction, and performance. Drawings and color, too. This talked-about ship is test flown and commented upon by ■ pilot who knows how to talk to pilots, the insiders—and the multitude of fringe people who want in.

**WHEN THE WORLD SHRANK** by C. H. McKennon. The best-ever historical piece on a great event—the 1924 round-the-world flight. Fascinating facts and tidbits—the things you don't get in run-of-the-mill monthlies.

**GREATER THAN GOLF** by John Worth. Tells why doctors, lawyers, airline pilots and other professional people are turning to radio control model flying as a fast-growing sport and hobby.


**WHITHER GENERAL AVIATION?** by William T. Piper. For business or sport, there are big things brewing for the 70s—an authoritative prognosis with many fascinating and exciting facets.

**E.A.A. ■ ■ ■ ONE** by Don Pratt. Sparkplug of the 30,000-member Experimental Aircraft Association and the homebuilt movement is Paul Poberezny. His achievements in sport aviation are legendary. How does he do it? Friend and co-worker Don Pratt tells how in a great personality piece with the E.A.A. Fly-In for background.



Published for and in cooperation with  
the National Aeronautic Association.  
A product of Potomac Aviation  
Publications, Inc., publishers of  
American Aircraft Modeler magazine.

NATIONAL **AERO** NAUTICS speaks for itself.  
It's one magazine you'll never throw away.



## Loop a DC-9

Take off at jet speed. Climb out. Roll out. Loop. Glide. And land ready to go again.

Do your stuff with the Dumas Douglas DC-9 catapult launch jet glider. Unmatched for acrobatics — 19" long, 15" span. Balsa wings. Adjustable ailerons and elevators. Plywood nose absorbs punishment.

**EASY TO ASSEMBLE, COMPLETE WITH HAWAIIAN AIRLINE MARKINGS . . . \$1.95**

*dumas  
planes*

If not available from your hobby dealer, add 10% for postage and handling and order direct.

A DIVISION OF DUMAS PRODUCTS, INC.  
DUMAS PRODUCTS, INC.  
1001 N. 10TH AVE. TUCSON, ARIZ. 85716

It seems BIG  
because of its  
importance!

## DYNAMIC'S GOLDEN-GLO GLASS SEAL GLOW PLUG



DYNAMIC New LONG REACH GLOW PLUGS are glass sealed and equipped with a heavy Platinum Alloy coil element to make them the best performing and most durable glow plugs available.

Other features include:

- POSITIVE INSULATION
- LONGER LIFE
- 3 to 5% MORE R.P.M.
- SPEAR POINT POST
- NO SAG
- NO LEAKAGE
- TESTED AT 35,000 P.S.I.
- NO SHORTING

LONG REACH    LONG REACH  
Regular            R/C

98¢            \$1.59

**DYNAMIC  
MODELS**

13309 SATICOY STREET  
NO. HOLLYWOOD, CALIF. 91605

Miskeet Mk I will be offered in semi-kit form. Two-piece fiberglass fuselage, canopy, fiberglass and aluminum support tubing and assembly instructions will come from Fliteglas Models (Box 98851, Des Moines, Wash. 98188) for about \$40. Harley says it takes about \$25 to buy the necessary wood, hardware and MonoKote.

A fine set of plans drawn by Bud Faulkner (DC/RC member) will come with the kit. The wing area is 1008 sq. in., and wings are attached by the much-improved version of the tubing system recently presented in this column. The craft has spoilers, which are a real help in bringing it down and for spot landings. Harley claims this latest Miskeet is not difficult to build. He omitted the wheel and brake, RC towhook release and other complications. The redesigned craft is viewed as the next step beyond such gliders as the Cirrus. Several Miskeets will probably be on hand for the RC glider event expected to be held at the 1971 Nats. No word yet on whether this event will be official, but it will doubtless be held in kit form.

**World's Largest Glider Meet?** For many years an annual fall RC glider meet has been sponsored by the Grunpaup concern near the town of Kirchheim/Teck. Its fine site offers beautiful slope soaring conditions almost irrespective of wind direction. This year, 160 glider pilots flew! The meet draws hot pilots from many countries, and the top three fliers separated in scores by only a single point each. Glider flying in the U.S. is growing fast, but we haven't reached this huge entry yet!

## Blum on CL

(Continued from page 37)

A piece of 1/8-in. dia. dowel and a coat hanger are the only materials needed. The dowel's length is determined by the width of the hand, allowing for the wire bend at both ends of the handle.

Notch the dowel at each end, bend a 90-degree angle in the middle to accommodate the dowel, insert the dowel and then finish bends. The loops are made by bending around a nail held in a vise or driven into a board. Experience determines the distance between the loops to which the control lines are attached: the closer together, the less amount of control movement; the farther apart, the greater the control movement. Care should be taken to maintain an equal distance from the end of the handle to the loop for both up and down control.

And Then the Bearcat: Although Guardians swamp almost every Nats, a model of the fascinating Bearcat always appears. Edwin Sensebaugh's was built from scratch, using 3-views from a plastic kit. These are an excellent reference for exquisite detail and multiple views.

As a model subject, even in Navy Carrier, the Bearcat has presented some problems, particularly in balance. Many feel the fuselage restricts speed potential. Edwin's model has the advantage of a side-mounted K&B 40 RR, equipped with an exhaust throttle and fuel meter. (See January 1971 AAM for a Bearcat 3-view) . . .

**Word From The West:** Bill Noyes reports a capacity crowd at the Annual SCCA (Southern California Control Line Association) Contest, Nov. 8, 1970. Twenty-one entries in Stunt flew two classes: Advanced and Expert. Because of the number of entries, only one flight was allowed per contestant. Bill boasts of four new youngsters in stunt, only ten years old.

He also says Combat flyaways are a thing of the past, thanks to use of safety-cables from the bellcrank to the engine, as well as stringent line checks and pull-tests. Bill suggests that the slow-combat flier use clunk

tanks to prevent the over-lean run at the top of the circle as is the case with the conventional wedge tank . . .

**Rules Potluck:** A lot has been said here and elsewhere about stunt rules, and the big over appearance points seem to be a 50-50 proposition. Bill Noyes' comments about the West Coast method of categorizing the event through Novice, Advanced and Expert, as compared to the AMA setup of Junior, Senior, Open presents interesting food for thought.

**Grumman F7F Tigercat:** The Tigercat is the raciest of twin-engine planes and a favorite of many Navy Carrier modelers. Prototype features are 455 sq. ft. wing area, 51 1/2 ft. wing span, 45 ft. fuselage length, 108 1/2 sq. ft. tail area, and a top speed of 425 mph.

The design is a good subject for a twin-engine Carrier model, but present rules hamper its successful competition. As a Carrier competitor, Virginia and Ray Randall's Tigercat gained fame at the 1959 and 1960 Nats. (The 1962 American Modeler Annual has the details.) . . .

**Reference Library:** "Adjusting the Exhaust-Intake Throttle," 1965 American Modeler Annual; "Retracting Gear Stunter," Jan./Feb. 1964 American Modeler.

## Smith on CL

(Continued from page 36)

test, first place is worth five points, second three, and third two points.

FAL meets also can be held by interested fliers as long as ten contestants are registered and a CD runs the meet. The point schedule is the same as above. Points also can be picked up by individual flying as long as a CD times it. However, only one-half point per flying session will be given. In all cases, a five dollar fee will be charged for each flying session and the FAL poop sheet must be filled out each time. A FAL stamp is required on the flier's AMA card. FAL Team contestants can pick up points in a like manner and by being timed the required number of laps for FAL during AMA team race competition.

CL finals will be held in Cleveland during Labor Day weekend. Plans underway now should make this the greatest Finals yet. More details will be reported in future issues . . .

**Carving Aid:** The next time you carve a wing, try this method. Cut the wing blank to outline and lay a strip of 1 1/2-in. masking tape on the bottom surface. Next, find a block of wood as long as the wing blank, and three in. wide and one in. thick. Use white glue to fasten the block to the tape, making sure the glue does not get on the wing blank. (Glue on the one-in. edge.) When dry, the attached block for a handle to hold wing blank in a vise so carving will be easier. When the wing top is carved, sand to finish, gently remove block, put new tape on upper surface, glue block to wing, turn over and carve bottom surface.

I have been using this method for years; it certainly saves time and cut fingers. With a belt sander or disk sander, hold the block in your hand and, by using common sense, an airfoil can be blanked out to within finishing distance in minutes . . .

**April Fool Four Months Early:** The picture of the piped ST 60 in December's column, along with Doc Jackson's explanation of its operation, really brought me out of the woodwork. One letter had four pages of formulae and drawings! Thanks a lot of you, but I thought everybody knew Doc and his wild sense of humor. Some of his photo captions could land him a job as TV comedy writer. So, c'mon guys, give him a chance. Who knows, if medicine becomes unpopular, he may need other work . . .

## SBD Dauntless

(Continued from page 20)

model's wing was covered with silk for strength. Silkspan also is good but it will require a bit more patching.

The 1/16" dia. landing gear wire is bent as illustrated and mounted to a 1/8" plywood panel with fine wire or thread securely cemented. The wheels are 1 3/8" dia. streamline.

**Finishing:** Round all external edges first, then sand all balsa elements smooth with 300 grit paper. Give the plane two coats of clear dope, sanding between the coats. (I don't sand the wing since I have gone through the covering in the past.) Over the clear dope, give the model one coat of light gray color. The canopy is painted white and has the painted tape cut and assembled to simulate the framework. The wheel section only is painted black.

Add the stars, numbers, rudder decoration and black dope wing walks, as well as the aerial and gun sight, to give the plane a realistic look. These extra details add considerably to the plane's appearance.

**Engine Power:** The plans show a Cox 020 Pee Wee powering the model, which uses a 6-3 propeller. This engine is mounted a second firewall in front of the first. It is made of 1/8" plywood backed up with a 1/4" balsa spacer and is cemented or screwed to the main one.

This design permits the second firewall to be removed and a 049 Cox Baby Bee substituted. As the flier gains experience, power can be jazzed up. For an 049 engine, add 1/8" stock above the wing trailing edge for more wing incidence, if needed.

The 020 handles the plane well, although somewhat tamely. A definite right and downthrust must be built into the firewall or obtained by adding a 1/32" washer or two under the upper right engine mount (as viewed from front). If right thrust is built into the firewall, add washers under both upper engine mountings to give downthrust.

**Flying:** Balance the model where CG is noted (adding weight to the front or rear as required), with all flying surfaces warp-free and in alignment. The

## NOW! In kit form. The highly acclaimed Classic '70 Digital System.


Kit features:

- Same attractive vinyl clad transmitter ■ factory assembled model.
- Ultra sensitive receiver.
- Versatile servo selection with the KPS-9, KPS-12, PS-3 or PS-4 mechanics.
- Flying weight comparable to lightest systems available.
- Choice of power supply: 450F, 600F, ■ 225F.
- 4 ■ 6 channel (Royal or Kraft Sticks).
- Simplified wiring system has reduced construction time.
- Available in 27MHZ, 50MHZ, or 72MHZ.

Delivery on or before Jan. 1, 1971. Write for prices and complete catalog (available 12/1/70). List of nationwide service centers and sales on request.



# Get it all together.



ROYAL ELECTRONICS CORPORATION 2119 SOUTH HUDSON, BOX 22204 DENVER, COLORADO

wing should have about a two-degree incidence. With a firm push, launch the model over soft terrain. The ship should glide level and land on its wheels. If it dives, add 1/16" balsa on top of the trailing edge to increase incidence. If it zooms, add a 1/16" balsa spacer to the top of the leading edge.

When trim and glide are satisfactory, try a short power flight. Time the engine run first and then, on the next run, hold plane until about 10 to 15 sec. of

engine run remain. Launch with a steady push into the wind and note the model's reaction. It should angle to the right in a climbing turn. Gradually add more power and alter the engine offsets as required to achieve this climbing right turn. The engine run should not be too long, unless lots of open space is available. The Dauntless doesn't take long to get out of sight, and who wants an audience to jump with glee, shouting, "Look, it's going into orbit!"

## LOOK!

A radically new flight box at an unbelievably low price! Featuring an ignition rack which holds everything including transmitter, starting motor, glow plug clip, prime bulb, needle nose pliers and screw driver; all within arm's reach.

Rack can be mounted in any top corner of the box and can swivel both the box and at the rack for an infinite number of positions.

Hardwood legs detach in pairs and fold to store in main compartment or underneath drawer with space left underneath drawer for balsa storage. Deep full-width drawer includes a snap-tight, many-compartmented plastic box for all small parts.

Fuselage supports fold up and lock to hold airplane. Main compartment holds ignition rack, transmitter, gallon of fuel, starting motor and battery, two glow plug batteries, roll of paper towels, quart spray bottle of cleaning fluid — all with room to spare.

Unit folds to a compact 9 1/2" ■ 20 1/2" x 17". Stained and sprayed with a high gloss, fuelproof finish.

**ALL ■ ONLY \$19.50**

Add \$5.00 for postage, unused balance to be refunded, N.Y. state residents add 3% sales tax. Send full payment (sorry, ■ C.O.D.'s). Dealer inquiries invited.

**PAKSEL MANUFACTURING COMPANY**

Box 662, Herkimer, New York 13350



**YOU'VE LOOKED AT THE REST, NOW BUY THE BEST!**

**"JET START"**  
The Geared Engine  
Starter



**FREE  
BROCHURE  
ON REQUEST**

Propeller-only adapter and  
flywheel adapter available  
separately at \$4.95 each.

- Smallest • Safest • Most Powerful
- Reversible • Most Economical

.049 to .80 engines and  
twins. Available at your local hobby  
shop now: If not, order direct. Standard  
"Jet Start" has spinner-cone adapter.

**\$29.95 \$44.95 with battery**

**Patchogue Hobby Center**

240 Medford Avenue  
Patchogue, L.I., N.Y. 11772 ■ (516) 475-8856

Add \$3.50 for postage; balance  
refunded to individual. New York  
state residents add 5% sales tax.

**5.25**


We invite your comparison, airborne components are lighter  
in weight, (9.5 oz. total with 500 MAH Battery) and smaller ■  
size (Receiver size 2.25" ■ 0.8" x 0.8") than any other R/C  
system today.

All airborne components are potted (not just sprayed) for  
ruggedness and reliability. The simplicity of design and fewer  
parts through the use of integrated circuits, demands less  
maintenance and repair costs, yet they are unmatched in  
performance by any other R/C System.

**System Price \$349.95**

*Larson Electronics*

2289 South Grand Avenue / Santa Ana, California 92705 / (714) 545-6369



**UPDATE YOUR  
BONNER**

4 or 6 R.S. system with  
the LPS-4D-IC Servo,  
Price \$40.00.

All Bonner Radio  
Equipment repaired by  
our Service Dept.

**Schooner Yacht  
AMERICA 1851**



■ kit form, the AMERICA, a masterful recon-  
struction by George F. Campbell, A.M.R.I.N.A.  
This ■ built ■ pilot boat lines, with flat  
setting sails in contrast to the narrow, slightly  
types of British practice, with ■ sails. The  
kit ■ highly suitable to the beginner, being of  
large scale and simple ■ rig.

Kit, ■ 3/16" = 1 ft. scale, ■ a machine carved  
pine hull, 19" long (o.a. model length 25 1/2"), cast  
white metal fittings, ■ wood material,  
cordage, instructions ■ sheets of plans

Postpaid, \$27.50  
Plans only, 2 sheets  
Postpaid, \$2.50

Shipmodellers, beginning and experienced will  
enjoy ■ F. Campbell's "Neophyte Shipmodellers  
Jackstay," 50 pages, 8 1/2" x 11", half sketch ■  
half text of whence/why/how-to by ■ foremost  
■ historian and artist. Postpaid, \$2 f.5

■ 50¢ for ■ 52 ■ catalog showing many  
model kits, fittings, plans, books, tools.

**Model Shipways Co., Inc.**

Folio ■ ■ Bogota, N. J. 07603

**Plenty of WIN-POWER!**

from a **Tornado**  
**PROPELLER**

More forward travel per rev  
when you fly the finest!  
Try **TORNADO**... propeller  
of consistent high quality.  
Feel its ultra smooth finish.  
...examine the airfoil section  
perfectly engineered with  
true pitch.

Delivers more POWER  
from your  
ENGINE.



**3-BLADE NYLON**  
Metallic Aluminum Color

SIZES		each	
5 1/2-3	5 1/2-4	5 1/2-3	5 1/2-4
6-3	6-4	35¢	
8-6		85¢	
9-6	10-6	1.1	
3 Blade Tractor	5 1/2-3	5 1/2-4	
	6-3	6-4	1.0¢
■ Blade Pusher	6-3		50¢

**GRISH**  
ST. JOHN 1, IND.

**Cougar**

(Continued from page 26)

these are fitted and work freely with-  
out binding, glue the wing in position.  
Be generous with the glue, some of the  
pull tests at certain contests are un-  
believable! While the glue is drying,  
make the wing struts. They can be  
made from a solid strip of wood, but I  
prefer to ■ ■ laminated strut of two  
pieces. This permits an easier installa-  
tion of the fittings, which are made  
from brass, aluminum, or any available  
scrap metal.

Attach overflow and refill fuel lines  
to the fuel tank. A realistic refill tube  
can be made from the upper portion  
of an exhausted Pactra Plastic Balsa  
tube. The refill fuel line is brought  
from the fuel tank, and through the  
threaded portion of the Plastic Balsa  
tube. Allow only several threads to  
project beyond the 1/16" sheet balsa  
cowl covering. After refueling, merely  
screw the cap back on. This should  
bring a few extra scale points. Use  
hard 1/16" sheet balsa to cover the  
cowl section, top and bottom. These  
sections may be hinged to allow access  
to the engine. The air scoop is built up  
from 1/16" balsa.

The interior may be simple or plush,  
but it is the interior detailing which  
often makes or breaks a scale ship.  
Plans show ■ typical interior. Seats  
may be carved from balsa and covered  
with vinyl, corduroy, thin leather or  
just about any realistic material. Small  
diameter aluminum tubing or dowel  
may be used for the seat framing.  
Build ■ floor from hard 1/16" balsa.  
The pedal tubing can be made in the  
same manner ■ the seat frame.

I used Tatone's instrument gauges  
which make a handsome instrument  
panel. The panel is made from 1/16"  
plywood with holes drilled to accept  
Tatone instruments. The instrument  
deck covering is made from 1/32" balsa  
can be covered to match the inter-  
rior. I used black #400 wet or dry  
sandpaper.

Glue the 3/16" sq. hardwood wind-  
shield frame posts in place. These posts  
and other bare wood areas in the cabin  
should be painted. Put in floor carpet-  
ing if desired and mount the control  
sticks. Seat belts and a map or two on  
the seat add ■ touch of realism.

Complete the framework by gluing  
FC1 and FC2 into position. Carefully  
sand the entire framework. The  
smoother the framework, the better  
the covering job will be.

The model is now ready for its skin.  
■ completed my Cougars' framework  
only one week before the Nationals.  
Since it was impossible to cover the  
ship with Silkspan and dope in that  
amount of time, I decided to try the  
new Super MonoKote. I was well  
pleased with the results and the entire  
ship was covered in two evenings.  
Metallic Green MonoKote was used and  
the tail surfaces and ailerons were  
painted white with matching interior.  
Side trim was cut from silver decal  
sheet and red craft tape used for trim.

Other details to be added now are  
the aluminum tubing used for the wind-  
shield braces which are glued in the  
correct position, directly behind the  
windshield. Mount the leadout eyelets,  
three on the left fuselage and three on  
the leadout guide. These are cut down  
from Perfect No. 214 leadout eyelets.  
Bring the leadout wires through the  
eyelets.

**New! from  
Tatone**

### R/C PYLON MOUNT

OUR VERY BEST, PRECISION MADE  
DESIGNED FOR ALL .40RV ENGINES



- CAST ALUMINUM
- HEAT TREATED
- NO ☐ or SIDE
- THRUST
- LONGER
- MATCHED NUT PLATE,  
drilled and tapped
- GROUND ☐ POLISHED
- TOTAL WEIGHT-4 oz.
- ALL HARDWARE INCL.

Drilled to fit your engine  
Specify engine displacement

**TATONE PRODUCTS**  
4719 Mission St., San Francisco, Calif. 94112

## THE "TWISTER" WORLD'S FINEST WOOD PROPELLER -Tested up to 80,000 RPM-



**It's a contest!**

The "TWISTER" will out pull  
any other prop on the market. Don't believe us?  
-Ask the ☐ who owns one-

9/6--75c 10/6--75c 11/6--85c 11/8--85c 12/6--85c

### MAJOR BLADES



High carbon steel  
Made in USA  
10 per pack

59c

### AND SAFETY NUTS

BLUNT ACORN SHAPE ☐ REQUIRED ☐



for all .40  
engines  
One a 60 steel  
5/16 threads  
No. 44 75c

for .40  
engines  
One a 60 steel  
5/16 threads  
No. 44 75c

for .40  
engines  
One a 60 steel  
5/16 threads  
No. 44 75c

for .40  
engines  
One a 60 steel  
5/16 threads  
No. 44 75c

### "EJECT OFF"

LARGE 5/8" DIAMETER  
Light weight  
Thin wall



only  
1.50  
incl. hnd.

Cut windshield and side windows  
oversize and trim to fit. Contact cement  
may be used to attach these in place. I  
used red and white tape for the window  
trim. The windshield center post is  
glued on the outside of the windshield  
and may be made from thin scrap  
aluminum.

The registration numbers on my  
model's wing are incomplete because  
the set was incomplete. This error  
wasn't detected until 1:30 a.m., as I  
added details on the deadline day for  
judging (sound familiar?). The color  
scheme is left entirely to the builder.  
A quick glance through any aviation  
magazine provides many ideas. A back  
issue of *Air Progress* has an excellent  
set of plans for the Cougar by Triggs.

Complete the ship by mounting  
ailerons and pitot tube. Offset the ruder  
and mount the wing struts.

The finished Cougar will practically  
fly itself. Allow the model at least  
half a lap to gain flying speed before  
applying a small amount of up elevator  
to move the model from the ground.

## Getting Started in RC

(Continued from page 50)

terbug, etc. All have 45-in foam wings  
and are quite bouncable. The first  
three mentioned are especially suit-  
able, ☐ they ☐ high-wing types and  
thus are more stable and quicker to  
right themselves if the novice makes  
☐ error. These planes ☐ be built in  
three or four evenings, so the almost  
inevitable crashes most novices suffer  
aren't completely disastrous.

Glen feels that if the beginner can  
afford full-house propo equipment  
right at the start, he can probably  
learn faster. Several of the Sig foam-  
wing planes (Fleet biplane, Flutterbug,  
Relic and Aero Sportster) are fully  
stuntable with such equipment, but  
none of the foam-wing line become  
high speed bombs. Glen offers one  
more suggestion for the RC newcom-  
er—start out with a powered sail-  
plane. The slow flight and gentle re-  
sponse of such craft are perfect for

## PLANS & THINGS FUN FUN

1909 ANTOINETTE plans. By "Pierre" Hannan. Detailed  
stick and tissue type. 23" span, rubber power... \$1.00  
TYRO-GYRO. Tiny, all-balsa autogiro, plans... 60 cents  
FOKKER FII PEANUT plans by Walt Mooney. 65 cents  
PILATUS TURBO-PORTER Peanut plans by Hannan... 75c  
PEANUT SCALE NOW AN OFFICIAL AMA EVENT! We  
have 10 (count 'em) ten Peanut Plans, plus Pirelli.  
JUST OUT! OUR 1971 ILLUSTRATED CATALOGUE: 25c

W. C. HANNAN, GRAPHICS BOX A  
ESCONDIDO, CALIFORNIA 92025

**At last...** ☐ precision electric  
motor for boats

**SeaWasp 6 & SeaWasp 12**

AMAZING EFFICIENCY ☐ POWER ☐ CONTROL FROM  
TICKOVER AT 1/2V. TO FLANK SPEED AT 1.3X RATED V. —  
BURY DEEP IN SCALE BOATS WITH OPTIONAL ☐ COOLING —  
WEIGHS 13 OZ. — BALL BEARINGS — 12 SLOT BALANCED ARM —  
AIRCRAFT QUALITY — 8 & 12 VDC. — 11,000RPM — 15 AMPS, MAX.

**ELECTRIFY... THE MOTOR'S HERE**


Kroger Engineering ☐ Development Co.  
P.O. Box 14056 Albuquerque New Mex. 87111

## AUTO-START FOR R/C CARS

AVAILABLE NOW, AUTO-START ☐ R/C CARS, ☐ MODELS,  
COMPLETELY PORTABLE, 1 HAND OPERATION, NOW WITH  
LIFETIME GUARANTEE.\* DEALER'S INQUIRY INVITED.

CS-1 — 24.95

CS-2 — 39.95  
(WITH BATTERY)



**PENFORD PLASTICS, INC.**

320 Curtis St., Delaware, Ohio 43015

PH. (614) 369-1901

\*EXCLUDING STARTER SLEEVE  
AND BATTERY

## BALSA FLYS BETTER ■ FASTER

## THE SUPER MIDGET \$42.95

All new, recontoured and cleaned up for optimum points and maximum ■ in Formula 1 on the smoothest racing platform we've ever flown.



Formed Canopy  
Torsion Bar Gear  
Molded Wheel Pants  
Molded Cheek Cowl  
Hi Speed Foam Core Wing  
Formed Aileron Torque Rods  
With Full Length Nylon Bushings  
48 Inch Span For Racing 40 Engines  
Custom Cut & Finished Balsa & Plywood

JACK STAFFORD

MODELS

12111 BEATRICE ST.  
CULVER CITY, CALIF.  
90230

## GET TOP PERFORMANCE!

USE

## VIBRA-TAK

Slide Rule Tach.

Check the RPM's of your motor accurately. Instantly know what peak your motor is operating... get top efficiency and smooth running power. Engineer proven, ■-TAK is a professional instrument built of polished, high stress aluminum. Carry it in your pocket ■ toolbox.

• CHECKS MOTOR ■  
• INTERNAL COMBUSTION  
• ENGINES  
• ROTATING & VIBRATION EQUIP  
• GIVES DIRECT READINGS FROM  
■ TO 21000

Order from:  
**VERDELL  
INSTRUMENT  
SALES CO.**

P.O. BOX 212, EL CAJON, CALIF. 92020

## "U-CONTROL'ER"

■ DELUXE FLIGHT HANDLE

- Sliding metal arms for precision line adjustments
- Three line spacings for stunt, scale, speed
- Comfortable handle grip for better maneuvers



### SAFETY FEATURES:

1. No metal contact with hand
2. No soldered connections
3. Safety thing attached

\* Now required by AMA,  
1971 rules

only  
**\$1.75**

TATONE PRODUCTS  
400 Mission St. San Francisco, CA 94112

LOGICTROL  
CONTROLAIRE  
KRAFT  
ORBIT  
CITIZENSHIP

Service Experts  
**SAVE**  
Values Incomparable  
Exceptional Prices

**Dembros**  
HOBBIES, INC. 58 LAKE ST. NASHUA, N.H. 03060  
AREA CODE 603/882-8422



**ALL METAL FLAKE FINISH**

Kit comes in three sizes!

**36" ONLY \$49.95 ■ 27" \$32.95 ■ 42" \$59.95**

**PMP MANUFACTURING, Box 10233, Denver, Colo. ■■■■**

(Distributed by Royal Products Corp.)

\*Send 25¢ for catalog and price list of the finest in R/C planes, boats and cars—accessories, tool

## Lil' BOSS HYDRO

Modern design for all-out competition. Plenty of room for equipment; built-in non-trips on sponsons. Complete cab section removes for easy access to engine and radio.

the beginner who has trouble thinking ahead of the airplane. Glen also claims this is ■ of the most relaxing phases of the hobby!

A letter from John and Norma Kelly, both avid RCers who run a fine hobbyshop in Denver, has some worthwhile suggestions. They try to determine whether a newcomer is really deeply interested in RC or if it is just ■ passing fancy. Then they guide him toward buying the best radio he can afford and ■ suitable training plane to carry it. An occasional beginner has his own ideas ■ to what he wants and won't change. The Kelly's sell it to him but feel their responsibility ends right there!

The truly interested modeler is offered a high-wing cabin plane (best for the Denver area's high altitude) such as deBolt Champ, Goldberg Falcon 56, Midwest TriSquire. If the modeler has neither aptitude nor desire to build a complete kit model, he is steered to ■ suitable high-wing ARF (Almost Ready to Fly plastic job). Superfine finishes are discouraged, good workmanship and acceptable appearance are stressed. The Kelly's feel too much labor on ■ beautiful finish job makes for nerves on test-hop day!

For the radio, they feel ■ beginner will have fewer problems if he purchases ■ four- or six-control propo outfit immediately. This is the sort of equipment he eventually will want, as he gains experience. Here good used propo equipment can be an excellent buy. The Kelly's point out that in their area, where winds are often strong and the air is thin, 1/4A planes ■ not too good, especially for the less ■ perenced. They have not had good results from selling Galloping Ghost equipment to beginners, although such apparatus is often favored by the newcomer with limited cash.

For the beginner who they feel is not apt to stay in RC too long—or who has his mind made up to start with single-channel equipment—they suggest a relay-type receiver, a motor-driven sequence actuator and a 15-19 engine, again with a plane like the Champ.

## Grouper

(Continued from page 16)

surface. Sand an angle at the top of the windscreen support and blend downward to the contour of the windscreen. Glue the acetate in place with Duco, Testors or Aero-Gloss.

When dry, mask the canopy to the edge of the wood underneath it. Leave about 1/4 in. around the windscreen-fuselage joint. Mix some Hobbypoxy II and coat the canopy joints. The epoxy will hold, fill and smooth the joints and make ■ built-in rather than a built-on installation. Remove the masking tape before the epoxy is thoroughly cured. Sand, scrape and fill to blend with the fuselage. Mask again, leaving about 1/32 in. of acetate sheet exposed for the finish coats of paint.

Purchase a Lanier foam wing and cut off the tips to make each panel 29 in. long. Join them in the normal manner. Add one-in. thick tips and round them, letting the tips come straight back. Make the ailerons and hinge in place. Check wing alignment on the fuselage. Drill and tap the wing holddown block for 1/4-20 nylon screws.

For finishing, simply fill with sealer and clear dope. Wet sand until the

Look for the **NYROD**® trademark on every Push Rod!

# NYROD®

**NOW BETTER  
THAN EVER!**

**"THE Flexible PUSH ROD"**



PLAINFIELD, ILL. 60544

**SLIM PAK - packaged straight - & COIL PAK AVAILABLE**

surface is satisfactory. Avoid weight buildup.

The Grouper was painted Aero-Gloss Candy Apple Red with New Curtis Blue and White trim. Spray the entire fuselage, including the canopy, with at least two coats of clear.

The wing was finished with Aero-Gloss to match the fuselage. The dope does not dissolve the Aero-Skin covering. However, spray light coats of dope and allow each to dry thoroughly if the entire wing is painted. The dope shrinks and tends to pull the wing covering, tearing the finish at the overlaps. Coat the wing tips with Hobby-poxy II and scrape smooth before painting the wing.

The Grouper is clean, fast and responsive. It flies at a more constant speed than most. Rolls are almost axial, with just a touch of down elevator required. I have a little trouble in getting it to spin. It recovers immediately from a spin when the controls are neutralized. Loops are sheer majesty. They are easy to make large and the model tracks easily through consecutive loops. Landings are smooth. The ship tracks well and can be slowed down without fear of snap rolling.

The straightback wing tips aid in low-speed handling. By keeping the air from spilling, the effect is much like that achieved with vortex tips, but without the resultant problems of tip scrape. (I fly from blacktop).

The Grouper was not intended to be a competition model, although it was entered in some contests. Rather, it is for that vast majority of modelers who love to build and fly radio controlled model airplanes.

## MRC-MCE

(Continued from page 49)

oval, and the road course, are necessary for proper evaluation. A 20-ft. radius circle course determines the characteristic handling of the car. It reveals the amount of understeer or oversteer and shows what will happen when the car is pushed to its limit. The oval course determines what driving techniques are required for maximum performance. The road course ■ run with other cars to provide ■ comparative analysis of the car's competitive potential.

The car is driven for at least ■ hour on each type of surface and each type of course. Testing is begun with all adjustments as recommended by the manufacturer. Changes then ■ made during the testing. Only if they have significant effect on the handling are the changes described.

The car was tested with the MRC two-channel radio provided; however, any two-channel radio can be used. The transmitter is small and light and quite comfortable to ■ after the short readjustment period required when using any new equipment. As a matter of preference, the throttle/brake control was spring-loaded to the center position. In this configuration, the forward half of the stick's movement takes the engine from idle to full throttle. The backward half of the stick's motion allows considerable control over the braking action while keeping the engine at idle. One advantage is ■ much faster throttle response because only half the travel of the

servo is required to go from idle to full throttle. Another advantage is that more control can be maintained over the amount of braking done prior to entering a corner.

Initial track testing was done on ■ 500-ft. oval with an S bend on one straightaway. The surface was very clean and had some ripples at one end. With the front suspension geometry adjusted as recommended by the manufacturer, the car tracked true down the straights under power and cornered with very little fuss or fuss. This car's very quick steering response required some adjustments on the driver's part!

The seven degree toe-in recommended by MCE may sound excessive, but ■ reduction in toe-in causes considerable wandering when the car is under power in ■ straight line. The spring-loaded tie-rod steering connection acts as servo protection and gives a slightly soft center which helps prevent jerky steering. The rippled portion of this particular course caused considerable bounce, due primarily to the rubber compound used in the rear tires.

The second testing session took place on a very smooth but none too clean parking lot, where the 200-ft. oval and 20-ft. radius circle were set up. The 20-ft. radius circle was driven first to the right with increasing throttle. The car exhibited considerable understeer, and it was quite easy to maintain a true track around the circle. The car could be driven around this circle at almost full throttle.

Just prior to spinning out, the engine rpm's increased suddenly and the



**Fly your  
own jet!**

**FLY NAVY**

Fill in your future now.

U. S. NAVY RECRUITING AID DIVISION

1000 ... D.C.

NAME

ADDRESS

CITY

STATE

ZIP


# KWIK-HEET ELECTRIC SOLDERING GUN

FROM

**HS**



ATTRACTIVE  
PACKAGING



**\$6.95**

STOCK  
NO. 1200

CHECK THESE FEATURES •  
• FINGER TIP CONTROL • INSTANT HEAT •  
• LIGHTWEIGHT • WELL BALANCED • ■ TIPS  
— STANDARD AND FINE • UL APPROVED  
TYPE CORD • 110 VOLTS • 100 WATTS •  
USUAL K&S QUALITY GUARANTEE.

AN OUTSTANDING VALUE!

SEND 25¢ FOR CATALOGUE




ENGINEERING CO.  
6917 W. 59th Street  
Chicago, Illinois 60638  
Area C 312, 586-8503

Membership service especially for  
teachers and students. Includes 8  
packets of assorted aviation and  
space materials.

**WRITE NOW FOR INFO**

**National Aerospace Education Council**  
806 - 15th St. NW  
Washington, D. C. 20005



## R/C PLANS:

FW 190 D-9 "Long Nose", 1 1/2" scale, Plans: \$4.50  
SPITFIRE Mk. IX, CAP 7, 1 1/2" scale, by Mick Harris.  
Plans: \$4.50, Kit: \$45.45  
NEW! D.H. COMET, 77" span, twin .45 to .60 power.  
Outstanding model of famous racer: \$5.95  
NEW! TA 152, 1 1/2" scale: \$4.50  
P-47D, 1 1/2" EXACT scale plans show both razorback  
and bubble: \$4.95. Kit less plans: \$51.00  
FW 190A, 2" scale: \$4.50. Formed canopy: \$3.50  
FW 190A, 1 1/2" scale: \$4.00. Formed canopy: \$3.00  
SEA FURY, 1 1/2" scale, by Don McTaggart: \$4.50  
SOPWITH TRIPE, 2" scale, plans: \$4.95  
DOUGLAS AD-7 SKYRAIDER, 63" span, CAP 11: \$4.95  
F4U-4, 1 1/2" EXACT scale: \$4.95  
DOUGLAS SBD 5 DAUNTLESS, 69" span: \$6.95  
RYAN PT-22, EXACT 2" scale, by Jerry Leake: \$4.50  
JUNO B, 60" span, CAP 10, Plans: \$4.50. Canopy: \$3.50  
D.H. "MOSQUITO", 63" span, Mk. IV and VI  
shown. Highly detailed, twin .35s.  
Plans: \$5.00, ■: \$54.95

Dealer inquiries invited

Complete list, plans, books, photos: 25¢

**BOB HOLMAN • P.O. BOX 741M**  
San Bernardino, California 92402

car's cornering attitude changed drastically. The rear end would slip out and the car would then spin. This indicated that the spinout was initiated by a loss of traction at the rear wheels. The front suspension was readjusted, changing the toe-in, camber, and the caster in an attempt to alter this characteristic, without much success. Around the 20-ft. radius circle, the car was most stable and fastest when the front end was adjusted according to the data sheet which comes with the car.

When the runs around the circle were repeated to the left, handling characteristics were identical. During one of these runs, the car hit a rock about the size of a pecan, flipped end over end at least twice and landed on its wheels with the engine running. One of the ball joint tie-rod ends came loose but there was no apparent damage to the car. The tie-rod end was popped back in place without stopping the engine and, with no other adjustments, the runs around the circle to the right and to the left were repeated. After this crack-up, no apparent difference was noticed in the handling characteristics of the car. The MCE is indeed rugged.

Each car has its unique handling characteristics which are inherent in its design. A 200-ft. oval was run to determine what the MCE's specific handling characteristics are and how they could be used to get around an oval in the quickest possible time. With this car, the go-in slow and power-through technique resulted in a large number of spinouts and some fairly slow lap times. On the other hand, the go-in fast, brake hard, coast-through, and then poke-it-when-you-get-it-straight technique seemed best.

The oval was run both clockwise and counterclockwise for a considerable period of time. It became quite apparent that this car will go around an oval fastest when driven deep into the turn, the brakes applied, a slight amount of throttle used through the turn and, then, when the car is pointed down the straightaway, the throttle is opened.

After an hour of running the oval, a strange thing happened. The car did not respond to the stick and hit the curb at about 60 degrees. The post-mortem revealed that both tie-rod ends had popped loose and in doing so prevented servo damage. The chassis was not bent, the suspension carriers were not bent, and re-assembly and realignment were all that were required to get running again. Such an impact would have demolished many cars. However, the engine did not shift, so gear mesh was not affected. Steering loss was caused by the receiver in its foam protection sleeve working forward and restricting steering action. A worthwhile modification would be installation of a bulkhead to separate the radio compartment and the steering gear.

The MCE's clutch engages at a relatively high rpm, which is convenient for the car's handling characteristics. Fastest cornering is accomplished without excessive power, so the high rpm engagement speed of the clutch prevents breaking the rear end loose with too much power too soon in the corner. This setting is adjustable, however to suit any individual preference.

The third session, on a large smooth, clean parking lot around a road-type

course, was driven with the MCE and some contemporary lightweight cars equipped with sponge tires. Obviously, this car is quite competitive. Driving techniques differed but lap times were comparable to the other cars'. Top speed is computed to be 23 mph at 10,000 rpm. The 6 to 1 gear ratio supplied seems to be good all-around. The Enya engine was capable of producing top speed and its acceleration was comparable to other production cars.

The car as delivered was not equipped with an air filter, a fuel filter or an engine heat sink, which are absolutely necessary for a reliable engine in the rough environment of an RC car. The bull gear is close to the ground and did get some nicks during the testing period. The front suspension pillars did not slide freely on the uprights, which occasionally provided some weird cornering attitudes.

Addition of sponge tires to the rear should be considered for serious competition on some surfaces. With a strong engine, the car is competitively fast and certainly is durable enough to be running when the checkered flag falls.

## The MRC

An MRC two-channel digital design (manufactured in Japan) was the radio used. This system is simple and inexpensive. Dry cells are used for power and no charges are required.

The transmitter utilizes a two-axis single stick with electromechanical trim on both functions. A single phenolic printed circuit board carries all the electronics. A free-running multi vibrator sets the repetition rate at about 30 frames per second. This is followed by two half-shots controlled by the stick pots and with tiny trim pots to set function sensitivity. The three control pulses are squared and modulate a simple two-transistor RF stage. RF tuning and filtering is somewhat complex, with four tunable inductors involved. The first tunes the crystal-controlled oscillator, a second provides interstage tuning, and two provide output tuning for the base loaded antenna. All components in the transmitter are discrete. The attractive and comfortable brown vinyl-covered aluminum case measures 4 x 1 1/2 x 6 3/4".

The transmitter is powered by eight 1.5V dry cells. The system does not come equipped with batteries, and of the 12 batteries purchased, eight were bad. Cells should be checked, if possible, at time of purchase, if not, as soon as you can unload and return the bad ones.

The system features changeable crystals, which accounts for the careful filtering in the RF section to remove undesirable harmonics. The transmitter crystal is easily accessible by removing the transmitter back. The receiver crystal is a tight fit, has no tab to permit a grasp, and can be reached only by partial removal of the receiver from the case. However, we are since advised that production units will be tabbed to facilitate changing.

The receiver is housed in a 1 1/2 x 2" plastic case. Electronically, it features a single tuned front end followed by a three-stage IF. Diode detection is used. The detected signal is amplified and squared to provide decoder clocking pulses. The clock pulses are coupled to a synchronization stage which stretches the pulses to provide a square synchronization pulse whose

# INDEX TO ADVERTISERS

Advertiser	Page
Academy Products Limited	79
ACE Radio Control, Inc.	68-69
Associated Hobby Manufacturers	67
Canyon Plastics	10
Clemcraft	79
Cleveland Model & Supply Co.	80
CMI Quality Airplane Kits	76
Caverite	54
Dembros Hobbies, Inc.	88
Du-Bro Products, Inc.	78
Dumas Products, Inc.	82
Dynamic Models	82
EK Products, Inc.	7
Estes Industries, Inc.	71
F.A.I. Model Supply	72
Fox Manufacturing Co.	76
Carl Goldberg Models, Inc.	13
Grish Brothers	84
Paul K. Gullow, Inc.	67
W. C. Hannan, Graphics	85
John Hathaway	64
Heath Company	51
Hobby Helpers	89
Hobby Hideaway	72
Hobby People	9
Hobbybox Products	4
Bob Holman Plans	88
Jeco Miniatures	80
Jepessen Aviation & Space Book Club	5
Kayeff, Inc.	71
Kraft Systems, Inc.	72, Cover III
Kroker Engineering & Development	85
K & S Engineering	88
Larson Electronics	84
Lindco	80
Midwest Products Co.	73
Miniature Aircraft	76
M & L Models	76
M-n-M Radio Models	89
Model Aero Publications	73
Model Car Enterprises	Cover IV
Model Shipways	84
National Aeronautics	81
Nelson Model Products	63
Octura Models	67
Paksel Manufacturing Co.	83
Patchogue Hobby Center	84
Penford Plastics	85
PMP Manufacturing	86
Polk's Hobby Department Store	78
Rand Sales Co.	64
Randy's Model Aeronautics	72
Rocket City RC Specialties	78
Royal Electronics Corp.	83
Scientific Models, Inc.	Cover II, 3
Shamrock Competition Imports	78
Sig Manufacturing Co.	65
Squadron Combat Colors, Inc.	66
Jack Stafford Models	86
Stanton Hobby Shop	73
Sterling Models, Inc.	74-75, 77
Su-Pr-Line Products	87
Tatone Products	85, 86
Tern Aero Co.	66
The Testor Corporation	62 a, b
Tomco	67
Top Flite Models, Inc.	11
Verdell Instrument Sales Co.	86
Williams Brothers	80
World Engines, Inc.	46-47

# TAKE A PEAK AT OUR PRICES!

DISCOUNT CATALOG 20¢

**M-n-M**  
**RADIOMODELS**  
P.O. BOX 28 - NEW LENOX, ILL. 60461  
Phone: (815) 485-2898



duration equals that of the entire frame of pulses. A 14-pin flat pack integrated circuit dual J-K flip-flop is used for decoding.

This flip-flop would be set for clocking during the synchronization pause (no pulse). Upon receipt of the first pulse, the first flip-flop presents a logical one (positive pulse) and is then inhibited by the sync stage from being turned on again. It is turned off by the second pulse. The second flip-flop is set by the first control pulse and is turned on by the second clock pulse which also turned off the first flip-flop. The second flip-flop is turned off by the third clock pulse to form the second control pulse, ending the frame.

All the wiring emerges from the receiver via p.c. lands used for common connection. One plug is used for power and one for each servo. These plugs are coded to prevent inadvertent reversal.

Four dry cells power the receiver and servos. The plastic battery holder is not particularly sturdy and, while adequate, it could be improved.

Two servos are provided with the system. Those tested had rack (push-pull) outputs and measured 13/16 x 1 1/2 x 2". A servo with a rotary output also is available. The servo design is the same as that used in the MRC F-710 system. A transit time of around 0.8 sec. end-to-end is achieved while retaining very little overshoot and no undesirable oscillation. Car drivers find high servo speed quite desirable, since a fast car may travel 20 or so feet during the servo transit required to throttle back and apply brakes.

Servo amplifier design is all discrete components and the fifth wire, used on the F710 system, is retained for the noise rejection circuit. The servo is tightly packed and care must be exercised in removal and replacement of the amplifier to avoid component damage. In keeping with their normal practice, the system uses lengths of spaghetti over each bent-over component lead, and components mounted on end are protected from vibration by a rubbery substance similar to Plia-bond.

Two observations on operating were made during testing. The first is strictly a matter of preference. As received, the transmitter stick for throttle control is spring-loaded to the extreme low position. The intrepid test car operators preferred to have throttle range utilize only half of servo travel for even shorter transit time (i.e. about 0.3 sec.). Thus, the stick was

modified to spring load it to center just as for a normal elevator function. Idle occurs at the center position and, as the stick is retarded further, brakes are applied. The excess travel in the throttle linkage is absorbed by a music wire scissors spring.

The second note is that the drivers had mounted the servos rather solidly with 1/16" servo mount tape, rather than with the 3/16" tape provided in the car kit. Now a car is a pretty solid object, the engine is mounted directly to the chassis, and the car absorbs a lot of road shock, thus better shock mounting is in order. I have observed several servos (other than the system under test) after prolonged use in cars and wouldn't consider them for use in an airplane after that treatment. I suggest the use of 1/8" servo mount

(Continued on next page)

# HOBBY HELPERS FULL SIZE PLANS

## Group Plan # 1167 6 oz. \$1.10

**Celt 35**—Alan Schwemmer's Class L winner. A decile flyer on a thrust-down .35. It lets the novice shoot touch-and-go all day. Fly it full bore for aerobatic fun. (a pic of the above is enclosed too)

**Soulster 36S**—Harry Murphy designed this FF with plenty of wing area to tame the hot .04F and .051 engines. He built it light yet strong for high performance.

**Papa Yoda IX**—highly efficient design by Walt Perkins. Retractable landing gear cuts down on the frontal area; adds speed and lift. Lightweight too for acceleration.

## Group Plan # 1267 6 oz. \$1.50

**Neutro**—not an ordinary delta, this RC was engineered by Dave Youngblood. Fantastically stable and strange appearing, it matches a regular multi-ship's performance. Power it with a .45.

**Seed Wagon**—for the flyer about to try Wakefield FF. Brian Dunn set out to design a simple yet sturdy model. It's easy to adjust too. Best of all the prop assembly need not give you nightmares.

## Group Plan # 168 8 oz. \$1.50

**Hellerspud-B-11**—Semi scale control line of a famous WWI fighter by Walt Muciano. Power this rugged model with a .45 to .23 and take off on the down patrol.

**Dee-Bee**—Dario Brighella's newest RC. Scale like multi design was patterned after the classic national air racers of the thirties. Fly this original with a .60.

For Special  
Handling  
of Plans only

6¢ per oz. 1st Class  
10¢ per oz. AirMail  
United States and  
Possessions only

Latest  
Catalog  
send 15¢ to  
cover  
handling

# HOBBY HELPERS

1543 STILLWELL AVE. • BRONX, N.Y. 10461

## QUALITY HOBBY SHOPS

Quality Hobby Shop spaces are sold on a six-month basis at \$7.00 per month, payable in advance. All insertions must be consecutive. No mention of mail-order business is permitted. Closing Date: 10th of third preceding month.

### OHIO—CLEVELAND

We carry the most complete line in Ohio for your model airplane hobby. Also large HO train dept., Boats, R/C, motors, parts, supplies, dope, baissa, tools, books, magazines, etc.

**NATIONAL HOBBY, INC.**

5238 Ridge Road (216) 749-4750

### MASSACHUSETTS—CAMBRIDGE

Model planes, motors, railroads, ships, radio control equipment and accessories—also slot racing supplies. Open 9:00 AM to 5:30 PM daily & Thurs. evenings.

**CROSBY'S HOBBY CENTRE**

1704 Massachusetts Ave. (617) 547-4389

### MICHIGAN—DETROIT (FERNDAL)

Trains, planes, stamps, coins, R-ways. Over 50,000 items for hobbyists. Mich. largest antique train collection. Look for our 55' RR crossing sign. Arnold Rapido.

**MODELS HOBBY CENTER**

22524 Woodward Ave. (Zip 48220) LI-3-2242

### GEORGIA—DECATUR

HO Railroads, Planes, Model Car Racing. Open 11 AM to 10 PM. Metro Atlanta's Friendly hobby shop.

**HOBBY HOUSE**

**DECATUR SPEEDWAY**

130 E. Ponce de Leon 378-2253

### HONG-KONG—KOWLOON

The most complete stock of aeromodeling and hobby supplies in the Far East. Sole agents for Graupner, O.S. and Min-X and agents for Vernon, Frog, Solarbo and many others.

**RADAR CO., LTD.**

2 Observatory Road Kowloon, Hong Kong K-680-507

### NEW YORK—BUFFALO

Factory authorized Orbit and Micro-Avionics sales-service center. New Orbit and Micro radio systems at very best prices. Complete stock of parts and accessories. Immediate service on all Orbit and 1970 Micro systems. Guaranteed reconditioned previously owned Orbit systems always available.

**ORBIT NORTHEAST**

3833 Harlem Rd. 14215 Ph. (716) 836-6860

### NEW JERSEY—IRVINGTON

The oldest established hobby shop in New Jersey. Everything in trains, ships, planes and rocketry. Hours 10 to 7 daily, 10 to 1 on Sunday.

**THE HOBBY SHOP**

758 Springfield Avenue (201) 372-6211

### PORTLAND—OREGON

Portland's Headquarters for Radio Control Equipment, all major brands, all at discount prices, "Shop American," "The Friendly Shop."

**AMERICAN PET & MODEL AIRPLANE SUPPLY COMPANY**

4308 S.E. King Rd. in the Disco Mart shopping center. Ph.: 654-8777 Zip: 97222

### SOUTH CAROLINA—BEECH ISLAND

Near Augusta, Georgia. Headquarters for Radio Control Supplies—kits—motors and hard to get items. Building of kits or custom model. Open 9 a.m. till 11 p.m. plus Sundays till 1 p.m.

**MILLER'S HOBBY SHOP**

315 Laurie Drive (803) 822-0565



## CLASSIFIED ADS

Rates: 30c per word (including name and address). Minimum—14 words. Send remittance with copy and order to: **AMERICAN AIRCRAFT MODELER, 733 Fifteenth St., N.W., Washington, D.C. 20005.**

**FREE CATALOG—1,000 aviation books.** Many with scale drawings and 3-views. **AERO PUBLISHERS, 329 M Aviation, Fallbrook, Calif. 92028.**

**HELP WANTED—World Engines** is always on the lookout for talented modelers in drafting, die making and electronics. Let the hobby support you for a while. Work here part time while you get educated as one of Cincinnati's fine colleges. Resume to **JOHN MALONEY, 8690 Rossash Avenue, Cincinnati, Ohio 45238.**

**MONEY? Save lots of it!** We know of nobody who beats our prices. Write for free R/C-Kits-Supplies list. **PUGET SOUND R/C ELECTRONICS, 1547 Hoff Rd., Bellingham, Wash. 98225.**

**FLASH!** Deal with the shop that pioneered in Hop-up and chrome work, satisfied customers the world over. Info. 25c. **FRANNY'S CHROME, 513 Vesta Place, Reading, Pa. 19605.**

**WE MADE \$100,000 MAKING MODELS—Fantastic Report reveals secrets—Send \$4.75—Start making money at home.** **MINIKIN, 3505-412 Turtle Creek, Dallas, Texas. 75219.**

**WORLD WAR I HEK-CAMOUFLAGE, 4 colors, individually cut pieces, \$2.95 plus 1" x 1" scale. VINTAGE MODEL AIRCRAFT, Route 3, Box 219, Coos Bay, Oregon 97420.**

**INDOOR KITS AND SUPPLIES.** Nichrome wire, Micro-film, parts, scale plans, indoor baissa. Send stamped addressed envelope for **FREE LITERATURE MICRO-DYNE, Box 2338, Leucadia, Calif. 92024.**

**BACK ISSUES, Air Trails, Air Progress, Aerodigest, Flying, Flying Aces, Popular Aviation, Aeromodeler, Airnews, M.A.N., all models, pulps, etc. AVIATION MAGAZINES, 24248 Crenshaw Blvd., Torrance, Calif. 90505.**

**NEWEST AND WIDEST variety of plastic models from the world over. Send 10¢ for list. Visit our complete hobby shop: BAYONNE HOBBY SHOP, 815 Broadway at 37th Street, Bayonne, New Jersey. Telephone 301-437-0005.**

**OLD AVIATION BOOKS for sale.** Send stamp for list. **ZILLER, 3509 Greenwood Avenue, Los Angeles, California 90008.**

**HOBBY SUPPLIES—TRY US!** Popular brands, prompt service. Discount prices (list available). **LAWCO SALES, Box 244, Walpole, Mass. 02081.**

**TROPHIES—PRACTICAL AWARDS, Jackets, Shirts, Emblems. Generous discounts. FREE CATALOG AM-71, C.E.T., Box 3470, St. Louis, Missouri 63143.**

**MODEL ROCKET PORTFOLIO—\$2.00 four issues 10 plans. Catalog 3¢ cents. Rockets-a, P.O. Box 7274, Long Beach, CA. 90807.**

**AEROTEC MODEL ENGINEERING COMPANY, Box 188, Lincolnshire, New York 10540. SCALE 2" to 1" Model PLANS YOU BUILD FROM, NOT JUST DRAWINGS.**

	Plans Only	Rib & Former Kits & Plans
Albatross DV/DVA (Complete kit special price this month)	\$7.95	\$28.95
Boeing P-26-A (Pea-shooter Fighter)	\$9.95	\$30.95
S.P.A.D. 13	\$7.95	\$25.95
Fokker Triplane	\$7.95	\$25.95

**R/C ENGINES—Lowest prices, all sizes. Stamp gets price list. MODEL ENGINES, Box 476, Beltsville, Maryland 20705.**

**INCLINOMETER—reads angles instantly and directly in degrees. A must for model builders. Plastic \$15.95 Aluminum \$24.05. JANPRO—P.O. Box 1028, Ontario, Calif. 91762.**

**VINTAGE R/C PLANS, 72" Taylorcraft, 2" scale, Plans \$3.00. Others. Dealers. Inquiries invited. SID MORGAN, 13157 Ormond, Belleville, Mich. 48111.**

**NEW WW-II ULTRA-LITE FIBERGLAS FUSELAGES . . . 1 1/4" x 1" Scale. Focke Wulf FW-190-A3 52" Span—\$39.50 Spitfire MK-IX 56" Span—\$39.50 Features: Built-in firewall. Fin. Model plans canopy. Ready for immediate delivery. Cash, check, money order. ATLANTIC FIBERGLAS MANUFACTURERS, P.O. Box 3814, Cocoa, Florida 32929.**

**AIR TRAILS, M.A.N., AT & A.P. Annuals, etc. 1940-1970, IGN & GLO Engines. Stamped envelope for lists. ROBERT BRYANT, Box 1544, Rockville, Md. 20850.**

**IMPORTED KITS—30% off. Stamped envelope for information. MODELS, Box 2018, San Francisco, Calif. 94126.**

**MODELERS WANTED!** Manufacturer needs active RC'ers to introduce new products in your area. No restrictions except a sincere desire to earn extra cash part time. Apply to **TARAN PRODUCTS, 1111 Gianini Dr., Santa Clara, Calif. 95051.**

**CUSTOM PLANS SERVICE—Plans drawn to your specifications. Many available. Free estimates and plans list. ROBERT SWETZER, 2331 S.E. Maple, Hillsboro, Oregon 97123.**

**AIRCRAFT PHOTOS—Beautiful 8x10 glossy prints F-100, F-105, F-111 plus list. All only \$1.00. Satisfaction Guaranteed. MARCRAFT, Box 423, Ocean City, N.J. 08226.**

**SPECIALS:** Super Monokete—\$19.00, 4—\$23.00, 10—\$55.00, 25—\$131.25, transparent 4—\$26.20; R/C ENGINES Veco .61 \$43.00, .50—\$31.50, 19—\$21.00; Webra .01 \$50.00, 2/\$58.00, Fox .30X—\$16.80, .15X \$10.50, .78—\$40.00, Kraft servos \$22.00; Kraft 2 channel \$85.00; Jensen's Ugly Stik \$32.00, 2/\$62.00; Graupner Middle Stik—\$26.00, Cirrus \$35.00; Andrews Aeromaster \$28.00, 2/\$54.00, Trainermaster \$23.50; Goldberg Sr. Falcon, Skylane 62—\$25.50, Falcon 56 \$15.00, Ranger 42 \$14.00; Tou Flite Contender \$25.50, Headmaster \$12.50, Top Dawg \$10.50, Kwik Fly III \$20.00, S.A. 5A \$32.00, R/C Nobler \$21.00; Midwest Aristocat, Sky Squire \$22.00, Little Stik \$17.00, Flea Fly \$18.00; Sig I-3 Cub \$16.75, Beaver \$8.00, Fleet Pipe \$12.00; A-Justo-Jig \$29.99; Duo-Bro hinges \$1.75; Malibu glider \$18.50; Rowan Windspiel \$48.00; VK Cherokee, Navajo \$27.00; Dynamic R/C cars Indy \$36.00, Porsche \$43.00; Veco 19RC718M \$21.00; Dremel motor shop \$572 \$44.00; S-4D servo kits \$18.00; Lanier Citron Cosmole Wind \$42.00, Caprice, Jester \$40.00; Dee Bee Eyeball \$40.00, Alpha, Beta, Mod-One \$35.00; Enya 15RC \$10.00; K&B 40RRRC \$24.50; Fox 35Stum \$12.00, POSTPAID, Randy's Corner, 406 West Washington, Hoopeston, Illinois 60942.

## MRC-MCE

(Continued from previous page)

tape or normal grommet mounting of the servos.

In summary, the radio performs quite satisfactorily and should be serviceable. The use of dry batteries eliminates the need for nickel-cadmium batteries and a charger. The operator would be wise to carry a spare set of pre-checked batteries in the field box and to check the voltage of installed batteries before and after each running session.

## You Said It!

(Continued from page 10)

I've just completed flight tests of a model which I designed to meet the specifications which came out of a reader survey. One of the specs: "Should fly hands-off and recover from any flight attitude." It means, basically, a sport free flight design with full stability. It'll never win any contests for precision flying, but it will save a lot of beginners a great deal of repair work.

Another plane I've been working on—an amphib—has introduced me to the limitations and advantages of plastic models. And when the kit comes out, the guys who fly it won't have to worry about the dihedral and fin relationship—I've had the fun of doing all that!

Let's just enjoy watching the newcomers enjoying themselves as they develop their pilot skills. We can still get our kicks by designing something for them to fly.

**Ken Willard, Los Altos, Calif.**

*Ken Willard has been "doing his thing" for nearly forty years. He has had countless designs of all types published in the various modeling magazines. Eye-catching aircraft that really fly are his specialty; functional, practical design, his forte. For example, the accompanying picture illustrates perfectly his coordination of engineering with finished hardware.*

—Publisher.

## Fly Safely!

## Follow AMA Rules

# PERFECT

FOR CARS, BOATS, GLIDERS AND  
SIMPLE AIRCRAFT

Quality without compromise. A proud addition to  
the world renowned Kraft line of proportional  
radio control equipment.

KP-2B two control digital proportional system.



**\$99<sup>95</sup>**  
**COMPLETE**

Total airborne weight — 8.75 ounces

Airborne unit dimensions —  
Height— $1\frac{15}{16}$  Width— $1\frac{21}{32}$  Length— $2\frac{31}{32}$

Designed for economical, convenient Dry  
Battery operation (batteries not furnished)

**KRAFT**  
SYSTEMS, INC.

*Write for Free Catalog*

450 W. CALIFORNIA STREET, VISTA, CALIFORNIA 92083  
*World's Largest Manufacturer of Proportional R/C Equipment*

# FIRST!



• Digital proportional Radio Control systems designed specifically for MCE cars by MRC, the leader with new ideas in Radio Control. Precise, reliable R/C tailored to the requirements of high speed cars. Maximum output for positive control and interference free operation. Changeable crystal. Complete with transmitter, I.C. receiver for maximum reliability, 2 servos, battery case with harness, etc.

- First fully assembled production R/C racer.
- First with exclusive UNICAST precision scaled body — For utmost strength, detail and protection.
- First professional performance, contest designed R/C racer in one complete, finished package.
- First R/C car with 100% steering servo protection. (Patent pending)

Three body styles. Porsche model MCE-1001, Indy type MCE-1002, Ford GT MCE-1003. Featuring new special Hi-Impact plastic bodies, precision molded (not vacuum formed) in our special molding department. Exact scale. Exquisite detail. Genuine Mag die cast, machined wheels. Tires formulated for long wear and hard racing. New front cone, coiled spring suspension (varying tensions available) for maximum cornering without spin-out. Foolproof mechanical cam action brakes with shoes that give lifetime wear. Special metallurgy used for rugged, long wearing bull (main) gear. The MCE car is engineered specifically as a complete balanced component machine. Fully assembled. Strongest construction. Only engine and radio installation required. Metal die casting throughout — no plastic parts. Write for special catalog with space parts listing. Car only . . . \$89.95. Bodies available separately.



**Car fully assembled.  
— Radio and Engine**

**Only \$239.95**

MODEL CAR ENTERPRISES, INCORPORATED  
944 THIRD AVENUE, BROOKLYN, N. Y. 11232

Exclusively represented by Model Rectifier Corporation  
2500 Woodbridge Avenue, Edison, New Jersey 08817

